

	$\Delta T$ ( $^{\circ}\text{C}$ )		$\Delta P$ (%)		$\Delta R$ (%)		$\Delta\text{TEWR}$ (%)	
	+1.5 $^{\circ}\text{C}$	+2.0 $^{\circ}\text{C}$	+1.5 $^{\circ}\text{C}$	+2.0 $^{\circ}\text{C}$	+1.5 $^{\circ}\text{C}$	+2.0 $^{\circ}\text{C}$	+1.5 $^{\circ}\text{C}$	+2.0 $^{\circ}\text{C}$
SHR	0.83	1.65	3.50	4.82	5.34	6.20	2.11	-1.49
LR	0.92	1.62	5.24	6.54	6.86	9.07	1.76	0.65
NWR	0.87	1.63	1.90	3.14	3.61	4.20	0.52	-0.17
HR	0.85	1.55	3.22	4.44	7.93	4.75	3.00	4.40
YR	0.88	1.57	4.06	5.72	8.72	9.40	2.84	-0.67
YTR	0.86	1.46	5.05	4.64	7.07	4.33	-0.45	-3.48
HuR	0.80	1.44	5.94	6.68	12.11	17.89	6.71	4.01
SER	0.84	1.42	8.58	7.93	11.04	8.77	1.76	-1.60
SWR	0.77	1.43	3.86	4.80	4.94	5.18	-0.36	-0.82
PR	0.84	1.41	6.71	6.26	13.86	11.17	2.79	0.37