Considerations for determining warm-water coral reef tipping points.

Paul Pearce-Kelly[1], Andrew H. Altier[2], John F. Bruno[3], Christopher E. Cornwall[4], Melanie McField[5], Aarón Israel Muñiz-Castillo[5], Juan Rocha[6], Renee O. Setter[7], Charles Sheppard[8] Rosa Maria Roman-Cuesta[9], Chris Yesson[10]

[1] Zoological Society of London, Regent's Park, London NW1 4RY, UK ~~paul.pearce-kelly@zsl.org~~paul.pearce-kelly@zsl.org
[2] Department of Environmental Engineering Sciences, Engineering School of Sustainable Infrastructure & Environment, University of Florida, USA. ~~andrew.altieri@essie.ufl.edu~~andrew.altieri@essie.ufl.edu
[3] Department of Biology, The University of North Carolina at Chapel Hill, Chapel Hill, NC, USA ~~jbruno@unc.edu~~jbruno@unc.edu
[4] School of Biological Sciences and Coastal People Southern Skies Centre of Research Excellence, Victoria University of Wellington, Kelburn, Wellington, New Zealand. ~~christopher.cornwall@vuw.ac.nz~~christopher.cornwall@vuw.ac.nz
[5] Healthy Reefs for Healthy People Initiative, Mexico, Belize, Guatemala, Honduras, and the USA. Fort Lauderdale, FL 33312, USA.mmcfield@gmail.com ~~israbios.muca@gmail.com~~israbios.muca@gmail.com
[6] Stockholm Resilience Centre, Stockholm University, Stockholm, Sweden, ~~juan.rocha@su.se~~juan.rocha@su.se
[7] Department of Geography and Environment, University of Hawaiʻi at Mānoa, Honolulu, Hawaiʻi, USA. rsetter@hawaii.edu
[8] University of Warwick, University Road, Coventry, CV4 7AL, UK.~~ Charles.Sheppard@warwick.ac.uk~~
[9] Technical University of Munich, School of Life Sciences, Freising, Germany. ~~rosa.roman@tum.de~~rosa.roman@tum.de
[10] Institute of Zoology, Zoological Society of London, Regent's Park, London NW1 4RY, UK. chris.yesson@ioz.ac.uk

Correspondence to: Paul Pearce-Kelly ~~(paul.pearce-kelly@zsl.org)~~(paul.pearce-kelly@zsl.org)

Abstract. Warm-water coral reefs are facing unprecedented human driven threats to their continued existence as biodiverse, functional ecosystems upon which hundreds of millions of people rely. These impacts may drive coral ~~systems~~ecosystems past critical thresholds, beyond which the system reorganises, often abruptly and~~/or~~ potentially irreversibly, this is what the IPCC (2022) define as a tipping point. Determining tipping point thresholds for coral reef ecosystems requires robust ~~assessment~~assessments of multiple stressors and their interactive effects. In this perspective piece we draw upon the recent Global Tipping Points Revision initiative (Lenton et al., 2023) and a literature search to ~~consider~~identify and summarise the diverse range of interacting stressors that need to be considered for determining tipping point thresholds for warm-water coral reef ~~ecosystem tipping point threshold sensitivities.~~ecosystems. Considering observed and projected stressor impacts we ~~recognise~~endorse the Global Tipping Points Revision conclusion of a global mean surface temperature (relative to pre-industrial) tipping point threshold of 1.2°C (range 1-1.5°C) and ~~an~~ the long-term impacts of atmospheric CO_2 ~~warming threshold of 350ppm~~concentrations above 350 ppm, whilst acknowledging that ~~interacting~~comprehensive assessment of stressors, including ocean warming response dynamics, overshoot and cascading impacts, have yet to be sufficiently ~~assessed~~realised. These stressor ~~interactions~~considerations are likely to further lower tipping point thresholds in most cases. Uncertainties around tipping point ~~sensitivities~~thresholds for such crucially important ecosystems underlines the imperative of robust assessment and, in the case of knowledge gaps, employing a precautionary principle favouring ~~-~~lower range tipping point values.

1. Introduction

Warm-water coral reefs (~~comprising~~ tropical and ~~sub-tropical reefs) are estimated to~~subtropical) support ~~a~~one quarter to one third of marine biodiversity (Plaisance et al., 2011), including over 25% of marine fish species, and ~~annually provides between~~provide US$2.7 - 9.8 trillion per year of ecosystem services (Laffoley and Baxter, 2016; Souter et al., 2021), upon which at least 500 million people are reliant (IPBS 2019). They are also among the most sensitive ecosystems to anthropogenic driven stressors with ~~an estimated~~approximately 50% of global live coral cover ~~having been~~ lost over the last 50 years (Souter et al., 2021~~, WWF 2022~~), primarily due to ocean warming ~~(and related climate change threats of ocean acidification and deoxygentation),~~, but ~~in some locations also due to~~other factors have contributed locally such as fishing, pollution, ~~and~~ disease, nutrient enrichment and predation by crown of thorns starfish (IPCC 2022). IPBES (2019) states that over 80% of the world's coral reefs are severely over-fished or have degraded habitats (McClanahan et al., 2015). Eddy et al., (2021) estimate ~~the capacity of tropical and sub-tropical reefs to provide~~ coral reef ecosystem services ~~has declined by half~~have halved since the 1950s. Although local stressors continue to ~~have profound impacts on~~impact coral reef health, climate ~~change~~ driven stressors have become the dominant threat to the functional viability of these ecosystems ~~and the essential services they provide to hundreds of millions of people~~ (IPBES 2019~~,~~; IPCC 2022).

It is well established that coral reef ecosystems are vulnerable to multiple interacting tipping points (TPs) (Norström et al., 2016; Heinze et al., 2021~~,~~; Armstrong-McKay et al., 2022; IPCC 2022). IPCC (2022) defines a ~~tipping point~~TP as "*a critical threshold beyond which a system reorganises, often abruptly and/or irreversibly*~~.~~". Coral reefs are prone to ~~tipping points~~TPs that can produce coral die offs ~~(e.g. bleaching) and subsequent~~and replacement by other ecological communities such as macroalgae, soft corals, or urchin barrens ~~or corallimorpharians~~ (Norström et al., 2016), with ~~low resilience,~~ reductions in biodiversity and degradation of ecosystem services (IPBES 2019). Warm water coral reefs cross a threshold of ecosystem collapse (Bland et al., 2018) when they cease to have sufficient live coral cover (typically ~ 10%) necessary for supporting the wide diversity of taxa, ecological interactions and positive carbonate production state typical of a coral reef (~~Darling et al., 2019; Perry et al., 2013~~Perry et al., 2013; Darling et al., 2019; Sheppard et al., 2020; Vercelloni et al., 2020; Armstrong-McKay et al., 2022). ~~Mortality of corals~~Coral mortality may ~~play out over~~take weeks ~~to~~or a few months for acute events (e.g. ~~thermal stress-induced~~ bleaching), or years for chronic threats (e.g. diseases ~~and land-based impacts~~), but prolonged failure to recover over a decade ~~or more~~ is necessary to qualify a coral reef as 'collapsed'. ~~Coral reef collapse is an ecological phenomenon at local scales; here we explore where localised coral reef collapse aggregates, potentially irreversibly, to regional and global scales.~~

~~Approximately half the live coral cover on coral reefs has been lost since the 1870s, with accelerating~~Coral reef losses have accelerated in recent decades due to climate change ~~exacerbating~~and other ~~drivers~~stressors (IPBS 2019~~), with estimated loss of 16% in 1998 (Wilkinson et al., 1999), measured loss of 14% from 2009 - 2018 (Souter et al., 202~~; Souter et al., 2021), ~~and~~with high ~~variance~~variability among regions~~.~~, but some localised recovery and resilience observed (e.g. Richards et al., 2021). Localised responses of corals to increasing scales and intensities of stressors are aggregating at scales now exceeding 1000 km and manifesting as regional die-offs (e.g. Western and Central Indian Ocean, Great Barrier Reef, Mesoamerican Reefs) (Le Nohaïc et al., 2017; ~~Amir 2022; Muñiz-Castillo et al., 2019;~~Muñiz-Castillo et al., 2019; Sheppard et al., 2020; Obura et al., 2022; ~~Sheppard et al., 2020),~~Amir 2022), with most ~~reef~~ regions ~~having experienced~~experiencing multiple die-off events (Darling et al., 2019; Cramer et al., 2020; IPCC 2022). Coral reef bleaching ~~tipping points~~TPs have already been reached in seven ocean systems (IPCC 2022).

2. ~~Determinants~~Considerations for assessing coral reef ~~tipping points~~TPs.

Direct and indirect local human activities are increasingly degrading coral reef ecosystems through a combination of coastal development, water quality reduction~~ by pollutant runoff and sedimentation~~, over-harvesting~~ (especially fisheries),~~, invasive species and disease spread. At the local level, these stressors have already ~~proven sufficient to tip~~tipped some areas ~~-~~from ~~-~~coral ~~dominated~~ to~~-~~ macroalgae dominated ecosystems (Bruno et al., 2009; IPBES 2019; Souter et al., 2021). Local stressor impacts are increasingly ~~being eclipsed~~exacerbated by anthropogenic climate change~~ and can act synergistically with climate change~~, for example, high abundance of macroalgae or urchins ~~magnifying~~exacerbating coral loss after bleaching (Donovan et al., 2021).

It's important to consider the combined impact of multiple stressors. Doing so can significantly alter assessments of coral reef futures (Setter et al., 2022;~~,~~ Lenton et al., 2023). Interactions between different stressors can be antagonistic (the combined effect is less than the additive), additive (the combined effect is equal to the sum of their individual effects) or synergistic (the combined effects exceed their individual effects) (Good and Bahr 2020). Some studies find ~~an~~ antagonistic ~~interaction~~interactions between multiple stressors (Darling et al., 2010; Johnson et al., 2022). However, a wide variety of interacting and synergistic stressors ~~have been found to co-~~also occur (ICRS 2021; IPCC 2022; Setter et al., 2022; Lenton et al., 2023), generally lowering the thermal threshold for bleaching and/or mortality, ~~bringing forward timing of~~accelerating collapse, or even surpassing thermal stress in local importance ~~(e.g. overfishing, disease, pollution, invertebrate predators,ocean acidification) (Lenton et al., 2023; Anthony 2016, ~~(Ban et al., 2013~~; Cramer et al., 2020; Darling et al., 2019~~; Edmunds et al., 2014;~~ IPBS 2019;~~ Rocha et al., 2015; Anthony 2016; Darling et al., 2019; IPBS 2019; Cramer et al., 2020; Setter et al., 2022; ~~Veron et al., 2009).~~Lenton et al., 2023). Stressor onset rate can have a major effect on ~~stressor~~ significance ~~as has been reported~~, for ~~coral~~example for reef fish mortality (Genin et al., 2020). Depending on~~ their~~ onset rate and magnitude, the same interacting stressors may initially have antagonistic effects but may transition to ~~having~~ additive or ~~even~~ synergistic ~~effects~~ (e.g., Fisher et al., 2019).

Increasing atmospheric greenhouse gas (GHG) concentrations, especially carbon dioxide (CO_2), are disrupting Earth Energy Balance. The resultant Earth Energy Imbalance (EEI) is increasing atmospheric and ocean temperatures (IPCC 2021; Loeb et al., 2021; Von Schuckmann et al., 2023). CO_2 concentrations are the dominant driver of rate and magnitude of ocean warming and acidification (Meinshausen et al., 2020~~) with cascading effects on other coral reef stressors.~~

~~Ocean warming and ice-sheet melt response to any given level~~). Because of ~~greenhouse gas emissions driven~~ its large thermal inertia the ocean takes hundreds of years to fully respond to the atmospheric temperature ~~results in additional *committed* heating, sea level rise and resultant stressor impacts (~~increases that human driven GHG concentrations are causing (IPCC;. 2021; Abraham et al., 2022; ~~Abrams et al., 2023). Ocean warming response time is~~Cheng et al.; 2022). The resultant *committed* heating and sea level rise (SLR) needs to be calculated for any given GHG/temperature level. Although both ocean heat uptake and SLR take centuries to fully respond, it takes approximately ~~20-30~~25-50 years for the majority of committed ocean warming to be realised (~~R. Betts personal communication 12 August 2023) and sea~~Hansen et al; 2005; Abrams et al., 2023), with the upper ocean level ~~rise commitment is over centennial time IPCC 2021).~~having the shortest response time. Due to these ~~interia~~inertia considerations, ~~tipping point~~TP thresholds can be exceeded decades before the full physical impacts are observed.

Overshoot describes warming pathways that temporarily increase global mean temperature over a specific temperature target (IPCC 2022). Overshoot of ~~multidecadal time spans imply~~multiple decades implies severe risks and irreversible impacts in many ecosystems (Meyer et ~~al2022~~al., 2022; Wunderling et al., 2022; Schleussener et al., 2024), including coral reefs from heat-related mortality and associated ecosystem transitions (high confidence) (IPCC 2022).

~~Tipping point~~TP cascades describe a ~~tipping point~~TP in one system triggering, or stabilising, subsequent ~~tipping points~~TPs in other systems (~~IPCC 2022;~~ Rocha et al., 2018; Armstrong-McKay et al., 2022; ~~Rocha et al., 2018~~IPCC 2022; Wunderling et al., ~~2023~~2022). Here we summarise the most important ~~tipping point factors in~~stressors relevant to TP sensitivity for coral ~~reef decline~~reefs and explore interactions between them.

3. Ocean warming and heatwaves

~~Increasingly warmer~~Warmer ocean temperatures, driven by Anthropogenic climate change, compounded by El Niño heating events, is the primary stressor of regional- and ocean-basin- scale mortality of scleractinian corals~~,~~. Heat stress results from small increases ~~(1–2 °C)~~ in seawater temperature above the summer maxima to which corals are acclimatised, destabilising the symbiosis between host corals and their symbiotic algae, commonly referred to as coral bleaching (Hughes et al., 2017; Houk et al., 2020;~~,~~ UNEP 2020; IPCC 2022).

~~The first global bleaching event occurred in 1998. Mass bleaching results in significant coral mortality and~~Mass bleaching occurs when sea temperatures persist at more than 1 degree above established summer maxima for 8-12 weeks (known as 8-

12 Degree Heating Weeks or DHW~~ – Liu et al., 2003).~~). Although mass bleaching has resulted in significant coral morality, we note that with the loss of sensitive corals, acclimation and adaptation, the definition of DHW may require adjustment (Lenton et al., 2023).

Previous assessments have highlighted consequences of different levels of warming:

0.7°C - "In the late 1990s when global warming was around 0.7°C large-scale coral reef bleaching also became apparent … supporting the lower boundary for this transition in respect of coral reefs" (Veron et al., 2009; IPCC, 2022)

1.0°C - "temperatures of just 1°C above the long-term summer maximum … over 4–6 weeks are enough to cause mass coral bleaching … and mortality (very high confidence)" (Hoegh-Guldberg et al., 2018; Skirving et al., 2019).

1.2°C - "Warm water (tropical) coral reefs are projected to reach a very high risk of impact at 1.2°C …, with most available evidence suggesting that coral-dominated ecosystems will be non-existent at this temperature or higher (high confidence). At this point, coral abundance will be near zero at many locations and storms will contribute to 'flattening' the three-dimensional structure of reefs without recovery, as already observed for some coral reefs **(**Alvarez-Filip et al., 2009)." (Hoegh-Guldberg et al., 2018). Coral reef bleaching ~~tipping points~~TPs have already been passed in seven ocean systems (IPCC 2022; Lenton et al., 2023).

1.5°C - "...coral reefs… will undergo irreversible phase shifts due to marine heatwaves with global warming levels >1.5°C and are at high risk this century even in <1.5°C scenarios that include periods of temperature overshoot beyond 1.5°C (high confidence)." (IPCC 2022). Projections predict 70-90% coral loss at 1.5°C (Hoegh-Guldberg et al., 2018; IPBS 2019; Souter et al., 2021; Armstrong McKay et al., 2022), whereas finer scale modelling projects a 95-98% loss (Kalmus et al., (2022) and suggest 99% loss (Dixon et al., 2022).

2.0°C - "literature since AR5 has provided a closer focus on the comparative levels of risk to coral reefs at 1.5°C versus 2°C of global warming … reaching 2°C will increase the frequency of mass coral bleaching and mortality to a point at which it will result in the total loss of coral reefs from the world's tropical and subtropical regions." (IPCC 2018)**.** Predictions show 99% coral loss at 2.0C (Frieler et al., 2013; Hoegh-Guldberg et al., 2018; IPBS 2019; Knowlton et al., 2021; Souter et al., 2021; Armstrong McKay et al., 2022~~,~~; Wang et al., 2023). Finer scale modelling projects 100% loss at 2.0°C. (Dixon et al., 2022; Kalmus et al., 2022).

Since the first global bleaching event of 1998, up to 71% of the world's reefs have experienced ~~recent~~three further global mass bleaching ~~(Virgen-Urcelay & Donner 2023),~~events, with a fourth ~~global coral bleaching~~ event being experienced in 2023/2024 (https://www.noaa.gov/news-release/noaa-confirms-4th-global-coral-bleaching-event). ~~With repeated events, loss of sensitive corals and acclimation and adaptation, the DHW thresholds may change (Lenton et al., 2023).~~

~~These~~ Assessments of risk to corals from heating ~~risk assessments~~ typically don't consider co-occurring or interacting stressors or the ~~additional warming resulting from ocean warming~~delayed heating response to atmospheric greenhouse gas concentrations. Ocean warming ~~response times~~inertia may mask the impact severity of stated greenhouse gas and temperature levels. When emissions-driven temperature overshoot is considered, lower target temperatures can have similar impacts to higher, with little difference in coral survival between an overshoot scenario that peaks at 2°C and subsequently reduces temperatures to 1.5°C versus a 2°C scenario without a subsequent reduction in temperatures (Tachiiri et al., 2019).

Tanaka and Van Houtan (2022) confirm the normalisation of extreme heating events. The frequency and duration of bleaching events are likely to increase, occurring earlier in the year and potentially overlapping with critical spawning periods (Mellin et al., 2024). The compounding heat stress of El Niño events (Claar et al., 2018; Hughes et al., 2018b; Lough et al., 2018) may increase with projected Arctic and Antarctic sea ice loss (England et al., 2020; Liu et al., 2022). Real world observations from the NOAA coral reef watch program demonstrate that coral reef damage is accelerating and underscores the threat anthropogenic climate change poses for the irreversible transformation of these essential ecosystems (Eakin et al., 2022).

Interactions of ocean warming and heatwaves with other stressors

Warming effects are so far reaching in their impacts that they can adversely impact many other coral stressors, these stressors, in turn, can increase vulnerability to thermal stress. For example, heating-induced bleaching increases disease risk and lowers calcification which increases the impact of ocean acidification (~~Miller et al., 2009; Bak et al., 2009, Burke et al., 2023, Eakin et al., 2008, Marshall & Clode 2004,~~ Rosenberg ~~&~~and Ben-Haim, 2002~~,~~; Marshall and Clode, 2004; Ward et al., 2007; Eakin et al., 2008; Bak et al., 2009; Miller et al., 2009; Veron et al., 2009; Chan et al., 2019; Davis et al., 2021; ~~Chan~~Burke et al., ~~2019~~2023). Corals that survive bleaching can have compromised growth rates and reproduction (Rodrigues ~~&~~and Padilla-Gamino, 2022; Speare et al., 2022; Briggs et al., 2024). Furthermore, warming oceans and ~~heat waves~~heatwaves increase storm intensity and raise sea-level through thermal expansion and cryosphere melting.

4. Stratification

Ocean stratification is the layering of water masses, based on density. Stratified water layers are a barrier to mixing, which impacts the exchange of heat, oxygen, nutrients and carbon between shallow and deep water. This impacts marine organisms in a number of significant ways, including impacting primary productivity and potentially the entire marine food chain. Stratification has increased globally by 5.3% in recent decades (Li et al., 2020).

Interactions

Stratification is strongly linked with warming oceans. Stratification magnifies the warming effect at the upper layers, thus increasing thermal stress to warm water reefs, this is a vicious circle as warming oceans further increase stratification. Additionally, stratification reduces CO_2 uptake, further exacerbating anthropogenic warming. Stratification impedes ocean mixing impacting nutrient flows. Stratification is strongly linked with deoxygenation. Stratification is also linked with melting of Antarctic ice shelves and sea-level rise (Reed and Harrison 2016; Li at al., 2020; Auger et al., 2021~~; —~~). Stratification is increasing which has dramatic consequences for sea temperature and CO_2 concentrations (Goreau and Hayes, 2024~~; Li at al., 2020; Reed & Harrison 2016).~~)

5. Ocean acidification

Ocean acidification (OA) is the process of the increasing absorption of atmospheric CO_2 by the surface seawaters of the oceans~~,~~ (Raven 2005), which in turn reduces the calcification rates of most scleractinian tropical and subtropical corals (Comeau et al., 2014~~,~~; Kornder et al., 2018), and can alter the photo-physiology and calcification physiology of some corals (Comeau et al., ~~2018).~~ 2018). OA causes a change in the speciation of dissolved inorganic carbon and an increase in protons (Caldeira and Wickett 2003; Feely et al., 2004; Sabine et al., 2004; Raven et al., 2005). This results in increased dissolution of exposed calcareous material due to decreases saturation state of $CaCO_3$, and also inhibition of calcification through increasing proton concentration with the calcifying space in corals and calcareous algae (Comeau et al., 2018; Comeau et al., 2019).

OA causes declines in coral calcification rates ~~in laboratory simulations~~ (Comeau et al., 2018). Early work predicted large-scale loss of coral calcification at catastrophic levels, whereby OA was projected to result in coral bleaching and in some cases net dissolution of corals (see data within Leung et al., 2022). Contemporary research demonstrates that some corals are resistant to OA (Comeau et al., 2018~~,~~; Kornder et al., 2018). The most comprehensive modelling estimates are that by year 2100 coral calcification would decline by 1% under RCP2.6, 4% under RCP4.5 and 15% at RCP8.5 (Cornwall et al., 2021). When combined solely with the metabolic effects of temperature increases, this decline would be 1% (RCP2.6), 8% (RCP4.5), and 33% (RCP8.5). However, the calcification rates of susceptible coral taxa (e.g., *Acropora* spp.) would decline by much more, and resistant species (e.g., *Pocillopora* spp. or *Porites* spp. generally) could be unaffected.

The direct metabolic impacts of OA do not manifest a ~~tipping point, but tipping points at ecological levels are likely.~~ TP, but TPs at ecological levels are likely. Recent evidence indicates that ecological TPs within coral reefs caused solely by ocean acidification would occur around 550 ppm, roughly the same concentration of atmospheric CO_2 that would cause detectable declines in both coral and coralline algal calcification (Cornwall et al., 2024). However, ecosystem trajectories are uncertain, and much more future research is required to determine the generality of these findings.

The adverse impacts on coral and coralline algal calcification are direct negative effects, when combined with the direct positive effects on other taxa (such as opportunistic turfing algae). Susceptible species would start to give way to tolerant species over time (as generally occurs at natural analogues in the field (Fabricius et al., 2011~~,~~; Comeau et al., 2022), and other non-coral taxa would start to dominate space on what once were traditional coral reefs. ~~OA acts to alter the internal chemistry of corals and coralline algae, slowing calcification rates.~~ Species that are capable of maintaining stable internal carbonate chemistry or compensate for these changes tend to be more tolerant to OA.

Interactions

Reduced calcification increases disease risk and weakened skeletons are vulnerable to storms (Suwa et al., 2010; Anthony et al., 2011; Steffen et al., 2015; Setter et al., 2022). There is also some evidence that elevated CO_2 will exacerbate heat stress induced declines in coral calcification and physiological performance, though the strength and direction of these interactions varies widely by coral reef taxa, and even within different coral genera (Kornder et al., 2018). However, of greater immediate importance to the majority of corals will be successive marine heatwaves that will reduce the coral cover of less heat tolerant species, populations and genotypes over the majority of the oceans in the near future (van Hooidonk et al., 2014~~,~~; Cornwall et al., 2021~~,~~; Logan et al., 2021~~,~~; Cornwall et al., 2023). Survivors of this human-driven evolutionary force will not necessarily be those that are tolerant to OA also, and thus numerous ~~tipping points in time could occur. Recent evidence indicates that ecological tipping points within coral reefs caused solely by ocean acidification would occur around 550 ppm, roughly the same concentration of atmospheric CO_2 that would cause detectable declines in both coral and coralline algal calcification (Cornwall et al., 2024). However, ecosystem trajectories are uncertain, and much more future research is required to determine the generality of these findings~~TPs in time could occur.

~~**Interactions**~~

~~Reduced calcification increases disease risk and weakened skeletons are vulnerable to storms (Setter et al., 2022, Anthony et al., 2011, Suwa et al., 2010, Steffen et al., 2015). There is also some evidence that elevated CO_2 will exacerbate heat stress induced declines in coral calcification and physiological performance, though the strength and direction of these interactions varies widely by coral reef taxa, and even within different coral genera (Kornder et al., 2018).~~

6. Deoxygenation

Deoxygenation on coral reefs is perhaps the least studied of the major threats directly linked to climate change ~~‘triple threat’ that also includes~~such as warming and acidification (Hughes et al., 2020). However, there is sufficient evidence to say that dissolved oxygen is a critical resource on coral reefs, and that oxygen limitation (i.e. hypoxia) results in non-linearities and feedbacks that contribute to ecological tipping points (~~TPs) (~~Nelson and Altieri 2019). The consequences of crossing these TPs are perhaps most dramatically evident in sudden mass mortality events, which has led to calls to accelerate the research agenda on deoxygenation on coral reefs (Altieri et al., 2017). The oxygen concentration threshold at which corals lose their ability to maintain homeostasis is 2 mg/L with lethal doses between 0.5-2 mg/L (Hughes et al., 2020; Johnson et al., 2021a~~, Hughes et al., 2022~~).

The problem of deoxygenation on coral reefs is becoming more prevalent and severe in the Anthropocene from a combination of global climate change (Altieri and Gedan 2015~~,~~; Pezner et al., 2023), as well as local pollution in the form of excess nutrient and organic matter (Diaz and Rosenberg 2008), that are magnified by local oceanographic patterns (Adelson et al., 2022). ~~Two different methods independently estimated that~~Around 13% of coral reefs ~~globally~~ are at risk of deoxygenation, and ~~the percentage of reefs that cross the threshold into this risk category~~this is likely to increase with continued climate change (Altieri et al., 2017~~,~~; Pezner et al., 2023).

We suggest that evidence to date for feedbacks and non-linear thresholds indicates that a TP framework should be used to guide future research on deoxygenation in coral reefs, and that hypoxia should be considered in studies of thermal stress and acidification.

Interactions

Climate-related variables of temperature and acidification are also likely to exacerbate deoxygenation by affecting the physiological responses of corals and other reef organisms. It is widely recognized that increased temperatures lead to increased metabolic demand and decreased tolerance thresholds in marine organisms including corals (Vaquer-Sunyer and Duarte, 2011~~,~~; Alderdice et al., 2022~~,~~; Weber et al., 2012). Given the prevalence, co-occurrence, and synergistic effects of these co-stressors with deoxygenation, a multi-stressor perspective is essential, and many of the assumed thresholds for TPs on coral reefs based on single or even double stressor treatments under laboratory experiments are likely overly conservative estimates. Coral reefs are vulnerable to a number of feedbacks that exacerbate ~~deoxygenate~~deoxygenation events~~ when TPs are exceeded. These~~, these include: bleaching (Altieri et al., 2017~~,~~; Alderdice 2021; Johnson et al., 2021a,b~~, Alderdice 2021),~~;), excessive dead material from mass mortality events (Simpson et al., 1993), coral disease and algal growth (Dinsdale and Rohwer, 2011), and shifts in the coral microbiome (Howard et al., 2023).

7. Storm intensity

The direct force of wind and waves, along with changes in storm direction, increase risks of physical damage and exposure to reduced water quality and sediment runoff (IPCC 2018). Storms contribute to unstable rubble substrate, compromising coral settlement (Sheppard et al., 2020). Furthermore, frequent intense storms can hinder reef recovery (Puotinen et al., 2020). Setter et al., (2022) ascribe a threshold value of storm strength category <4 with a return time of >5 years.

Interactions

Ocean warming may increase the severity of cyclones (IPCC 2021; Setter et al., 2022) and coral bleaching has likely reduced the ability of reefs to recover from cyclone damage (Laffoley and Baxter 2016). The likelihood of more intense cyclones within time frames of coral recovery by mid-century poses a global threat to coral reefs and dependent societies (Cheal et al., ~~(~~2017).

Storms can have an antagonistic interaction with heat stress, reducing bleaching severity, but also generate sediment resuspension (Gardner et al., 2005~~,~~; Manzello et al., 2007~~,~~; Carrigan ~~&~~and Puotinen, 2014~~,~~; Puotinen et al., 2020~~,~~; Setter et al., 2022). Reduced calcification increases susceptibility to storm impacts (~~Setter~~Suwa et al., ~~2022,~~2010; Anthony et al., 2011~~, Suwa et al., 2010,~~; Steffen et al., 2015; Setter et al., 2022).

8. Sea level rise

Sea-level rise (SLR) can cause 'reef drowning' from exceeding *Darwin Point* thresholds (Grigg 2008). Saunders et al., (2016) ~~make the important point~~note that while individual corals may keep pace with SLR, likely maximum reef framework accretion rate on reef flats is only ~~3mm~~3 mm yr-^{1}. Saintilan et al., (2023) estimate likely vulnerability to ~~RSLR~~relative SLR at ~~7mm~~7 mm yr-^{1} for coral reef islands. ~~GMSL~~Global mean sea level between 2006 and 2018 increased to 3.7 ~~(3.2 to 4.2)~~ mm yr-1 (IPCC 2021). Under SSP1-2.6, due to the risk of loss of reef structural integrity and transitioning to net erosion by mid-century the rate of sea level rise is very likely to exceed that of reef growth by 2050, absent adaptation (IPCC 2022). Depending on reef type and location suggested SLR threshold rates range from 4-~~9mm~~9 mm yr-^{1}.

Closely connected seagrass and mangrove ecosystems (Guannel et al., 2016) are very vulnerable to projected SLR ~~rate and magnitude (Saintilan~~(Saunders et al., ~~2023~~2014; Törnqvist et al., 2021; ~~Saunders~~Saintilan et al., ~~2014~~2023) which will further compromise coral reef resilience and functionality. In summary, SLR rate and magnitude looks increasingly likely to overwhelm the accretion ability of coral reefs which will be further challenged by increased wave energy, sedimentation, turbidity and resultant compromised light conditions for symbiont photosynthesis (~~Saintilan et al., 2023; Törnqvist et al., 2021;~~ Saunders et al., 2014; Woodroffe ~~&~~and Webster 2014; Törnqvist et al., 2021; Saintilan et al., 2023).

Interactions

Moderate rates of sea level rise may potentially ~~aid~~provide cooling for some reefs ~~contend~~contending with thermal stress and thus have an antagonistic effect (~~Brown et al., 2019; Cinner et al., 2015;~~ Baldock et al., 2014; Cinner et al., 2015; Brown et al., 2019; Zuo et al., 2021). However, SLR rate and magnitude predictions (eg. Ciraci et al., 2023~~,~~; Vernimmen and Hooijer 2023) imply increasingly synergistic impacts, especially in the tropics (Spada et al., 2013; Hooiler and Vernimmen 2021; Cazenave et al., 2022~~; Spada et al., 2013~~). High SLR rate and magnitude can change the interactions from antagonistic to synergistic, for example: reducing light availability, increasing sedimentation and turbidity (Laffoley and Baxter, 2016; Perry et al., 2018; IPCC 2022).

9. Pollution & disruption

Here we use pollution as an all-encompassing term covering sediment, eutrophication, turbidity and chemicals~~.~~, while disruption as a term covering local land use change, human population density and overfishing. Sedimentation reduces water clarity and hence solar energy supply, ~~at the same time~~furthermore sediments settling on corals require greater energy to remove. It is caused mainly by land-based activities such as coastal urbanisation, with plumes in large tropical river systems travelling many km ~~from disturbance sites~~ (Brodie et al., 2012). Organic pollution from sewage and agricultural run-off (e.g. fertiliser) are the main causes of eutrophication (increase in nutrient content in water), which reduce light, actively poison invertebrates, introduce pathogens and reduce resistance to disease with direct impact on corals being decreased colony sizes, growth anomalies, and reduced growth and survival (Setter at al 2022). Metals and organic chemicals can rupture cell membranes, disrupt enzyme pathways reducing corals' ability to resist other stressors. Plastics have also been identified as ~~another~~a major cause of coral reef stress due to light interference, toxin release, physical damage, anoxia and increasing the likelihood of pathogen disease 20-fold (Lamb et al~~.~~., 2018).

~~Interactions~~

~~Under certain circumstances poorer water quality can mediate bleaching resilience through a shading effect. Pollution exacerbates stress and increases disease risk, both of which are exacerbated by thermal stress. Eutrophication increases deoxygenation and exacerbates crown-of-thorn-seastar (COTS) outbreaks (Laffoley & Baxter 2019, Redding et al., 2013, De'ath and Fabricius 2010, MacNeil et al., 2019).~~

~~10. Disruption~~

~~Here we are using disruption as a term covering local land use change, human population density and overfishing.~~ Land use can be used as a proxy for quantifying land-based pollution and other human stressors on coral reefs (Packet et al., 2008~~,~~; Cinner et al., 2012~~,~~; Setter et al., 2022). Setter et al., (2022) use human population density as the closest indicator available to quantify local human stressors, involving coral growth anomalies and disease, low biodiversity and fish biomass and reduced growth and survival. To calculate reef change threshold exceedance, Setter et al., (2022) use an ideal value of summed proportion agricultural/urban land use <0.5 in a ~~50km~~50 km radius around a reef. Perhaps the most direct ~~physical human~~disruptive impact is overfishing with IPBS (2019) stating that more than 80% of the world's coral reefs are severely over-fished or have degraded habitats (McClanahan et al., ~~2015), which disrupts ecosystem balance.~~2015).

Interactions

Under certain circumstances poorer water quality can mediate bleaching resilience through a shading effect. Pollution exacerbates stress and increases disease risk, both of which are exacerbated by thermal stress. Eutrophication increases deoxygenation and exacerbates crown-of-thorn-seastar (COTS) outbreaks (De'ath and Fabricius 2010; Redding et al., 2013;

Laffoley and Baxter 2019; MacNeil et al., 2019). Sites with historic disturbance may recover more slowly from heat stress and storms (Walker et al., 2024). Overfishing can lead to algae overgrowth inducing disease ~~&~~and lowering calcification (Fabricius 2005; Packett et al., 2009~~,~~; Maina et al., 2013~~,~~; Kroon et al., 2014; Prouty et al., 2017~~, Kroon et al., 2014, Fabricius 2005). Sites with historic disturbance may recover more slowly from heat stress, waves and storms (Walker et al., 2024).~~).

~~11~~**10**. Disease

Diseases are major drivers of the deterioration of coral reefs and are linked to major declines in coral abundance, reef functionality, and ecosystem services (Alvarez-Filip et al., 2022). Disease outbreaks ~~are posing~~have severe consequences for coral reef ecosystems, resulting in extensive coral mortality and endangering ~~their~~ long-term survival. Noteworthy events include the rapid proliferation of diseases like Stony Coral Tissue Loss Disease (SCTLD), Black Band Disease~~ (BBD),~~, and various forms of White Syndrome (Alvarez-Filip et al., 2022~~),. Regions such as the Great Barrier Reef, the Caribbean, the Pacific Islands, and the Indian Ocean have been particularly impacted by these outbreaks, in some places surpassing the devastating impact of bleaching events by causing even greater coral mortality.~~). Coral diseases ~~stand out as being~~are driven largely by a changing environment and are contributing to whole ecosystem regime shifts (Thurber et al., ~~(2020).~~ 2020). Although diseases are becoming increasingly prevalent with temperature rise and pollution, these, by themselves, have had relatively little overall impact outside of the Caribbean Sea, to date. In the Caribbean SCTLD is a major present source of coral mortality, impacting more than a third of all reef-building coral species present, and potentially driving the extinction of Pillar coral *Dendrogyra cylindrus* (among others). The relative impact of diseases elsewhere is likely to change in the future, becoming more prevalent and interacting with heatwaves and other stressors (Estrada-Saldívar et al., 2021; Cavada-Blanco et al., 2022).

Interactions

Some coral diseases (but not all) have been linked to both marine ~~heat waves~~heatwaves and the longer-term warming trend (Bruno et al., 2007~~,~~; Randall and van Woesik, 2015). For example, viral infections of coral symbiotic dinoflagellate partners (Symbiodiniaceae) will likely increase as ocean temperatures continue to rise, potentially impacting the foundational symbiosis underpinning coral reef ecosystems (Howe-Kerr et al., 2023). Furthermore, predation scars ~~from predators (e.g. problem and invasive species)~~ leave corals susceptible to disease (Nicolet et al., 2018). Invasive species can directly cause or increase the risk of disease spread.

~~12~~11. Invasive and other problem species

Increased native and invasive coral ~~predator~~predators and ~~competitor populations~~competitors can have severe impacts on ~~reef ecosystems. A prime~~reefs. One example is the ~~severe impacts~~impact of COTS on the Great Barrier Reef (Uthicke et al., 2015). The coral-killing sponge, *Terpios hoshinota*, is a global invasive species which has led to a significant decline in living coral cover at various geographical locations (Thinesh et al., 2017).

Interactions

Warming is a driving factor in the increased impact of invasive and problem species. Studies on Mexican Pacific coast coral reefs confirmed that post bleached corals are increasingly vulnerable to boring sponge impacts (Carballoe et al., 2012). COTS outbreaks appear to be significantly influenced by a combination of heat stress resiliency (Byren et al., 2024) and increased larval survivorship due to higher food availability, linked with anthropogenic runoff and warmer sea temperature facilitating faster settlement of larvae (Uthicke et al., 2015). Predation scars can leave corals susceptible to disease (Nicolet et al., 2018).

~~13~~12. Reef impact example

Chagos Archipelago demonstrates positive feedback (~~tipping points~~TPs).

Observations from the Chagos Archipelago, central Indian Ocean, reveal several related lessons. Coral cover collapsed 90% after ~~the~~ heatwaves ~~of~~in 2015-2016 ~~by 90%. There were very~~. Very few ~~surviving~~ adults capable of spawning survived, with ~~survivors likely weakened and observations showed about three years was needed before they recovered sufficiently to recommence~~new growth not observed for 3 years (Sheppard and Sheppard, 2019).

Settlement of larvae, when it occurred, was compromised ~~due to~~by disintegrating substrates. In many shallow areas, where wave energy had already swept the substrate clear of rubble, large areas are becoming covered by the encrusting and bioeroding sponge *Cliona* spp (Sheppard et al., 2020 ~~skeletons formed a very abrasive layer on the substrate~~) and~~, like liquid sandpaper,~~ almost no larvae were seen in these areas. These sponges are clearly increasing; with one reef showing over 80% *Cliona* cover preventing coral larvae settlement.

On at least one lagoon floor, the former foliaceous coral dominance was also killed with skeletons disintegrating resulting in fine sediment covering all surfaces. Both sedimented surfaces and turbid water are hostile to larval settlement, and none were seen in such areas over many hectares.

The scenario of fewer corals producing fewer larvae, more turbid water in some areas and less substrate available for settlement is a classical positive feedback or ~~tipping point~~TP situation. These factors all act synergistically in a direction that inevitably leads to an ever more impoverished reef system. Recovery from this will require a prolonged period without heat stress and a gradual removal of the vast volumes of sediment and rubble left from previous bleaching events~~.~~ (Sheppard and Sheppard, 2019).





Figure 1: Reef slope on Salomon atoll, Chagos Archipelago, before and after the mass mortality caused by warming in 2015

~~14~~13. Cascade effects contributing to coral reef ~~tipping point~~TP threshold sensitivity

The cascading effects of well-researched ~~tipping points~~TPs in other globally important ~~ecosystems such as Amazon rainforest, Greenland Ice Sheet, AMOC,~~systems have not been sufficiently assessed for their potential impact on coral reef systems. Accelerating West Antarctic Ice Sheet melt (Naughten et al., 2023), increasing methane emissions (Zhang et al., 2023) and Arctic sea ice decline have the potential to increase rate and magnitude of coral reef stressor impacts~~.~~, including temperature and SLR. For example, Liu et al., (2022) predict that 37–48% of the increase of strong El Niño near the end of the 21st century is associated specifically with Arctic sea-ice loss. Many climate impact predictions make assumptions of the stability of the wider earth system, but this may not hold true and lead to dramatic cascading impacts, for example, Ke et al., (2024) show dramatic decline in land carbon sinks in 2023 which will have wider implications on CO_2 levels and associated stressors.

~~15~~14. Resilience and adaptation

Lenton et al., (2023) state 'The potential for coral adaptation to warming is a critical but poorly known factor, and subject to high levels of variation locally. The potential effectiveness of restoration for coral reefs at scale, and with enhanced capacity to resist future threats, are both currently poor. The effect of climate migration on coral recovery is ~~not~~poorly known, with potentially positive effects at higher latitude (with in-migration), but negative at lower latitudes (with out-migration, but no replacement; Herbert-Read et al., 2023).' ~~IPCC (2022).~~IPCCs AR6 "Impacts and vulnerability" report states that 'impacts of climate change may overwhelm attempts at restoration/conservation, particularly when the ecosystem is already near its ~~tipping point~~TP, as is the case with tropical coral reefs (Bates et al., 2019; Bruno et al., 2019).'

Mass coral mortality repeated more than twice per decade and over local, regional and ocean scale, and by aggregation to global scales, is increasingly recognized as giving insufficient time for recovery of impacted populations and ecological function (Hughes et al., 2018a, ~~2018b,~~b; Obura et al., 2022~~,~~; Lenton et al., 2023; Venegas et al., 2023). Ecological and biogeographical (spatial) feedback loops prevent recovery through failure of reproduction, dispersal, recruitment and growth of corals (Sheppard et al., 2020~~) (see Reef impact example~~). Other stressors reduce the ability of corals to resist thermal stress thus lowering tipping thresholds. Increasing frequency and intensity of regional scale coral mortality events (1+ °C warming) are suggestive of the majority of coral reefs already having reached ~~a~~their bleaching ~~tipping point~~TP (IPCC 2022). The potential for thermal refuges for corals under likely future scenarios is doubtful (Beyer et al., 2018; Dixon et al., 2022; Setter et al., 2022; Lenton et al., 2023) as very few or no reef areas are predicted to remain below tipping thresholds of all key stressors. The existence of putative refuges at greater depths (Bongaerts and Smith, 2019) or higher latitudes (Setter et al., 2022) are not strongly supported by recent work (Hoegh-Guldberg et al., 2017; Hoegh-Guldberg et al., 2018; Rocha et al., 2018; Montgomery et al., 2021;~~-~~ IPCC 2022).

~~Evidence~~There is evidence of ~~a~~the persistence of heat adapted genotypes ~~at~~but the ~~cost~~loss of ~~the reduction~~poorly adapted corals leads to a loss of ~~coral~~ diversity~~, i.e. the reef may survive but the biodiversity diminishes~~ (Fox et al., ~~(~~2021) Although potential for adaptation exists, stronger warming rates may outpace adaptive processes and limit coral persistence (Logan et al., 2021~~).~~; Venegas et al., 2023). Historical~~/~~ and paleo evidence ~~for expansion and contraction of reefs linked to warming and cooling suggesting~~suggests fringe distributions are likely to be compromised by increasing frequency and intensity of ~~both warm and cold~~ extreme-weather ~~events~~ (Toth et al., 2021). Donovan et al., (2021) show that local stressors act synergistically with climate change to kill corals. Local factors such as high abundance of macroalgae or urchins have magnified coral loss in the year after bleaching. Notably, the combined effects of increasing heat stress and macroalgae intensified coral loss, suggesting that effective local management, alongside global efforts to mitigate climate change, ~~can help~~could aid coral ~~reefs survive the Anthropocene.~~survival. Agostini et al., (2021) suggest~~ that resistance to ocean acidification in corals may not be acquired within a single generation or through the selection of physiologically resistant individuals, suggesting~~ that ocean acidification will reshape coral communities around the world, selecting species that have an inherent resistance to elevated pCO_2.

Kleypas et al., (2021) provide a blueprint for coral reef survival and state that ~~even with strong climate mitigation,~~ existing conservation measures such as marine protected areas and fisheries management are no longer sufficient to sustain ~~the~~ reef ~~ecosystem~~ecosystems and many additional and innovative actions to increase reef resilience~~ must also be taken.~~. Anthony et al., (2020) discuss ~~the challenges and opportunities of embracing~~ new interventions~~,~~ and provide a conceptual model to ~~help frame decision problems and objectives, and~~ guide effective strategy choices~~ in the face of complexity and uncertainty.~~. They also state that warm-adapted coral traits may not spread fast enough in most coral species to keep up with the rate of global warming, even under strong carbon mitigation. Hughes et al., (2023) provide recommendations and a conceptual framework to guide restoration projects and ~~emerging approaches and highlight~~state that coral restoration is likely to continue to fail ~~even at small scales~~ unless climate change and other anthropogenic impacts are urgently reduced.

~~16~~

15. Conclusions

Robust inclusion of multiple, interacting stressors into vulnerability assessments will lead to a greater understanding of coral reef futures and address ~~the~~ concerns that assessments have been too reliant on temperature thresholds (McClanahan 2022; Klein et al., 2024). Stressor onset rate, magnitude and overshoot factors are important considerations for determining ~~potential transitional stressor impact states from antagonistic through to synergistic~~stressor interactions and their significance.

Veron et al., (2009) ~~concluded~~argue that to ensure ~~the~~ long-term viability of coral reefs, atmospheric CO_2 levels must be reduced significantly below ~~350ppm. Considering observed and predicted stressor impacts, this threshold could be considered optimistic but, pending fresh analysis (including other greenhouse gases) it remains an important threshold value~~350 ppm. Lenton et al., (2023~~). The recent Global Tipping Points Revision initiative (Lenton et al., 2023) agreed~~) recognise the long term consequences of >350 ppm as a critical TP threshold, along with a global mean surface temperature (relative to pre-industrial) ~~tipping point~~ threshold of 1.2°C (range 1-1.5°C~~) and an atmospheric CO_2 threshold of 350ppm,~~), whilst acknowledging that the “combined effects of long-term warming, sea level rise, ocean acidification, deoxygenation, and other stressors, bears more investigation.” The significance of both these TP thresholds is highlighted by the fact that global warming has already reached 1.2°C and CO_2 levels have exceeded 420 ppm. Considering the calculations of von Schuckmann et al., (2020) that CO_2 levels would need to be reduced to 353 ppm to realise the Paris temperature target, 350 ppm is likely to be insufficient for realising a 1.2°C TP threshold, especially as other significant greenhouse gases are still increasing.

~~We recognise the tipping point thresholds of Lenton et al., (2023) whilst acknowledging~~We note that interacting stressors, ocean response dynamics, GHG emissions overshoot and cascade considerations have yet to be ~~robustly assessed.~~sufficiently evaluated. These and other uncertainties around ~~tipping point~~TP sensitivities for such a crucially important ecosystem underlines the imperative of robust ~~threat~~ assessment (~~Heinze et al., 2021;~~ Aronson and Precht, 2016; Dixon, Forster and Beger, 2021; Heinze et al., 2021; Laffoley et al., 2022; Lenton et al., 2023) and, in the case of knowledge gaps and uncertainties, employing a precautionary principle~~;~~ (Rockström et al., 2021; OECD 2022; Deutloff et al., 2023; Lenton et al., 2023b; Ripple et al., 2023; ~~Lenton et al., 2023b,~~ Fletcher et al., 2024) ~~to tipping points and favour~~favouring lower range threshold values. Recognising threat severity is essential if the necessary response actions are to be realised.


Problem species
Ocean Warming
Ocean Stratification
Disease
Marine Heatwaves
Disruption
Storm Intensity
Pollution
Deoxygenation
Sea Level Rise
Ocean Acidification

507



Figure 2: Visualisation of stressor interactions. Red links denote synergistic associations ~~(expanding negative impacts)~~ and blue links denote both synergistic and antagonistic associations depending on magnitude and other factors.

Acknowledgements

We are grateful to Richard Betts for advice on atmospheric CO_2 and temperature associations and ocean warming response times and would also like to thank Katja Frieler, Malte Meinshausen and Ove Hoegh-Guldberg. We thank our reviewers (including Lyndon DeVantier) for their valuable and constructive comments. We would like to record our condolences for the loss of our fellow author Prof Charles Sheppard, who sadly passed away during the production of this manuscript, and recognise his remarkable contributions to coral biology and conservation.

~~Conpeting~~Competing interests

The contact author declares that none of the authors have any competing interests.

Author contribution

~~PPK initiated the manuscript and led on writing.~~ All authors contributed to writing and revising the text.

Code/Data availability

No new code or data was generated for this manuscript

References

Abraham, J., Cheng, L., Mann, M. E., Trenberth, K., & von Schuckmann, K. The ocean response to climate change guides both adaptation and mitigation efforts. *Atmospheric and Oceanic Science Letters*, *15*(4), 100221. 2022.

Abrams, J. F., Huntingford, C., Williamson, M. S., Armstrong McKay, D. I., Boulton, C. A., Buxton, J. E., ... & Lenton, T. M. Committed global warming risks triggering multiple climate tipping points. Earth's Future, 11 (11), e2022EF003250. 2023.

Adelson, A. E., Altieri, A. H., Boza, X., Collin, R., Davis, K. A., Gaul, A., Giddings, S. N., Reed, V., and Pawlak, G.: Seasonal hypoxia and temperature inversions in a tropical bay. Limnology and Oceanography, 67, 2174-2189, 2022.

Agostini S, Houlbrèque F, Biscéré T, Harvey BP, Heitzman JM, Takimoto R, Yamazaki W, Milazzo M & Rodolfo-Metalpa R (2021) Greater Mitochondrial Energy Production Provides Resistance to Ocean Acidification in “Winning” Hermatypic Corals. Front. Mar. Sci. 7:600836. ~~doi: 10.3389/fmars.2020.600836~~https://doi.org/10.3389/fmars.2020.600836

Alderdice, R., Perna, G., Cárdenas, A., Hume, B. C., Wolf, M., Kühl, M., Pernice, M., Suggett, D. J., and Voolstra, C. R.: Deoxygenation lowers the thermal threshold of coral bleaching. Sci. Rep., 12, 18273, 2022.

Alderdice, R., Suggett, D. J., Cárdenas, A., Hughes, D .J., Kühl, M., Pernice, M., and Voolstra, C.R.: Divergent expression of hypoxia response systems under deoxygenation in reef-forming corals aligns with bleaching susceptibility. Glob. Change Biol., 27, 312-326, 2021.

Altieri, A. H. and Gedan, K. B.: Climate change and dead zones. ~~Global change biology,~~Glob. Chang. Biol., 21, 1395-1406, 2015.

Altieri, A. H., Harrison, S. B., Seemann, J., Collin, R., Diaz, R. J., and Knowlton, N.: Tropical dead zones and mass mortalities on coral reefs. Proc. Natl. Acad. Sci. USA, 114, 3660-3665, 2017.

Alvarez-Filip, L., Dulvy, N. K., Gill, J. A., Côté, I. M., & Watkinson, A. R. : Flattening of Caribbean coral reefs: region-wide declines in architectural complexity. ~~Proceedings of the Royal Society B: Biological Sciences,~~Proc. Roy. Soc. B: Biol. Sci., 276(1669), 3019-3025, https://doi.org/10.1098/rspb.2009.0339 2009.

Alvarez-Filip, L., González-Barrios, F. J., Pérez-Cervantes, E., Molina-Hernández, A., and Estrada-Saldíva, N..: Stony coral tissue loss disease decimated Caribbean coral populations and reshaped reef functionality. Commun. Biol., 5, 440, https://doi.org/~~doi:~~10.1038/s42003-022-03398-6, 2022

Amir, H.: Status and trends of hard coral cover derived from long-term monitoring sites in the Maldives: 1998-2021. Maldives Marine Research Institute, Male’, Republic of Maldives. 2022.

Anthony KRN, Helmstedt KJ, Bay LK, Fidelman P, Hussey KE, Lundgren P, Mead, D., McLeod, I.M., Mumby, P.J., Newlands, M. and Schaffelke, B. : Interventions to help coral reefs under global change—A complex decision challenge. PLoS ONE 15(8): e0236399. https://doi.org/10.1371/journal.pone.0236399, 2020

Anthony, K. R. N.: Coral Reefs Under Climate Change and Ocean Acidification: Challenges and Opportunities for Management and Policy. ~~Annual Review of Environment and Resources~~Ann. Rev. Env. Res. 41, 59-81, https://doi~~:~~.org/10.1146/annurev-environ-110615-085610, 2016

Anthony, K. R. N., Maynard, J. A., Diaz-Pulido, G., Mumby, P. J., Marshall, P. A., Cao, L., and Hoegh- Guldberg, O.: Ocean acidification and warming will lower coral reef resilience. Glob. Change Biol., 17, 1798–1808, https://doi~~:~~.org/10.1111/j.1365-2486.2010.02364.x, 2011.

Armstrong-McKay, D. I., Staal, A., Abrams, J. F., Winkelmann, R., Sakschewski, B., Loriani, S., Fetzer, I., Cornell, S. E., Rockström, J., and Lenton, T. M.: Exceeding 1.5°C global warming could trigger multiple climate tipping points. Science, 377, https://doi~~:~~.org/10.1126/science.abn7950, 2022.

Aronson, R. B. and Precht, W. F.: Physical and biological drivers of coral reef dynamics. In book: Coral Reefs at the Crossroads Volume 6 ISBN : 978-94-017-7565-6 Publisher: Springer. Edited by: Hubbard, D. K., Rogers, C. S., Lipps, J. H. and Stanley, Jr, G. D. pp261-275, 2016.

Auger, M., Morrow, R., Kestenare, E., Sallée, J. B., & Cowley, R. : Southern Ocean in-situ temperature trends over 25 years emerge from interannual variability. ~~Nature Communications,~~Nat. Comm., 12(1), 514, https://doi.org/10.1038/s41467-020-20781-1 2021.

Bak, R. P. M., Nieuwland, G., and Meesters, E. H.: Coral growth rates revisited after 31 years: what is causing lower extension rates in Acropora palmata? Bull. Mar. Sci., 84, 287–294, 2009.

Baldock, T. E., Golshani, A., Callaghan, D. P., Saunders, M. I., and Mumby, P. J.: Impact of sea-level rise and coral mortality on the wave dynamics and wave forces on barrier reefs. Mar. Pollut. Bull., 83,155-164, 2014.

Ban, S., Graham, N., and Connolly, S.: Evidence for multiple stressor interactions and effects on coral reefs. Glob. Change Biol., 20, 681–697, https://doi~~:~~.org/10.1111/gcb.12453, 2013.

Bates, A. E., Cooke, R. S., Duncan, M. I., Edgar, G. J., Bruno, J. F., Benedetti-Cecchi, L., ... & Stuart-Smith, R. D. : Climate resilience in marine protected areas and the 'Protection Paradox'. ~~Biological Conservation,~~Biol. Cons., 236, 305-314, https://doi.org/10.1016/j.biocon.2019.05.005 2019.

Beyer, H. L., Kennedy, E. V., Beger, M., Chen, C. A., Cinner, J. E., Darling, E. S., Eakin, C. M., Gates, R. D., Heron, S. F., Knowlton, N., Obura, D., Palumbi, S. R., Possingham, H. P., Puotinen, M., Runting, R. K.,Skirving, W. J., Spalding, M., Wilson, K. A. Wood, S., Veron, J. E., and Hoegh-Guldberg, O.: Risk-sensitive planning for conserving coral reefs under rapid climate change. ~~Conservation Letters,~~Cons. Lett., 11, e12587. ISSN 1755-263X, 2018.

Bland, L. M., Rowland, J. A., Regan, T. J., Keith, D. A., Murray, N. J., Lester, R. E., Linn, M., Rodriguez, J. P., and Nicholson, E.: Developing a standardized definition of ecosystem collapse for risk assessment. Front Ecol. Environ., 16, 29–36, https://doi.org/10.1002/fee.1747, 2018.

Bongaerts, P. and Smith, T.: Beyond the "Deep Reef Refuge" Hypothesis: A Conceptual Framework to Characterize Persistence at Depth. In Mesophotic Coral Ecosystems Volume 12 (Edited by: Loya, Y., Puglise, K.A., and Bridge, T. C. L.) ISBN : 978-3-319-92734-3, 2019.

Briggs, N. D., Page, C. A., Giuliano, C., Alessi, C., Hoogenboom, M., Bay, L. K., & Randall, C. J.. Dissecting coral recovery: bleaching reduces reproductive output in Acropora millepora. Coral Reefs, 43(3), 557-569. (2024).

Brodie, J.E., Kroon, F.J., Schaffelke, B., Wolanski, E.C., Lewis, S.E., Devlin, M.J., Bohnet, I.C., Bainbridge, Z.T., Waterhouse, J. and Davis, A.M., 2012. Terrestrial pollutant runoff to the Great Barrier Reef: an update of issues, priorities and management responses. ~~Marine pollution bulletin,~~Mar. Poll. Bull., 65(4-9), pp.81-100.

Brown, B. E., Dunne, R. P., Somerfield, P. J., Edwards, A. J., Simons, W. J. F., Phongsuwan, N., Putchim, L., Anderson, L., and Naeije, M. C.: Long-term impacts of rising sea temperature and sea level on shallow water coral communities over a ~40 year period. Sci. Rep., 9, 8826, https://doi~~:~~.org/10.1038/s41598-019-45188-x, 2019.

Bruno, J. F., Côté, I. M., & Toth, L. T. : Climate change, coral loss, and the curious case of the parrotfish paradigm: why don't marine protected areas improve reef resilience?. ~~Annual review of marine science,~~Ann. Rev. Mar. Sci., 11(1), 307-334, https://doi.org/10.1146/annurev-marine-010318-095300 2019.

Bruno, J., Selig, E., Casey, K., Page, C., Willis, B., Harvell, C., Sweatman, H. and Melendy, A.: Thermal stress and coral cover as drivers of coral disease outbreaks. PLoS Biol., 5, e124, 2007.

Bruno, J. F., Sweatman, H., Precht, W. F., Selig, E. R., and Schutte, V. G. W.: Assessing evidence of phase shifts from coral to macroalgal dominance on coral reefs. Ecology 90,1478-1484, 2009.

Byrne, M., Deaker, D. J., Gibbs, M., Selvakumaraswamy, P., & Clements, M. Juvenile waiting stage crown-of-thorns sea stars are resilient in heatwave conditions that bleach and kill corals. ~~*Global Change Biology*,~~Glob. Chang. Biol., 29(23), 6493-6502. 2023.

Burke, S., Pottier, P., Lagisz, M., Macartney, E. L., Ainsworth, T., Drobniak, S. M., and Nakagawa, S.: The impact of rising temperatures on the prevalence of coral diseases and its predictability: A global meta-analysis. ~~Ecology Letters~~Ecol. Lett. 26, 1466–1481, https://doi~~:~~.org/10.1111/ele.14266, 2023.

Caldeira, K., & Wickett, M. E.: Anthropogenic carbon and ocean pH. Nature, 425(6956), 365-365. 2003.

Carrigan, A. D. and Puotinen, M.: Tropical cyclone cooling combats region-wide coral bleaching. Glob. Change Biol., 20, 1604–1613, 2014.

Cavada-Blanco F, Croquer A, Vermeij M, et al.: *Dendrogyra cylindrus*. The IUCN Red List of Threatened Species 2022: e.T133124A129721366. 2022.

Cazenave, A. and Moreira, L.: Contemporary sea-level changes from global to local scales: a review. Proc. R. Soc. A478:20220049. https://doi.org/10.1098/rspa.2022.0049, 2022.

Chan AN, Lewis CL, Neely KL and Baums IB : Fallen Pillars: The Past, Present, and Future Population Dynamics of a Rare, Specialist Coral–Algal Symbiosis Front. Mar. Sci. 6:218. https://doi~~: ~~.org/10.3389/fmars.2019.00218, 2019.

Cheal, A. J., MacNeil, M. A., Emslie, M. J., and Sweatman, H.: The threat to coral reefs from more intense cyclones under climate change. Glob. Change Biol., 23, 1511–1524. https://doi~~:~~.org/10.1111/gcb.13593, 2017.

Cheng, L., von Schuckmann, K., Abraham, J. P., Trenberth, K. E., Mann, M. E., Zanna, L., ... & Lin, X.: Past and future ocean warming. Nat. Rev. Earth Environ., 3(11), 776-794, 2022.

Ciracì, E., Rignot, E., Scheuchl, B., Tolpekin, V., Wollersheim, M., An, L., Milillo, P., Bueso-Bello, J., Rizzoli, P., and Dini, L.: Melt rates in the kilometer-size grounding zone of Petermann Glacier, Greenland, before and during a retreat. Proc. Natl, Acad. Sci. USA, 120, e2220924120, ~~-~~ https://doi.org/~~doi:~~10.1073/pnas.2220924120, 2023.

Claar, D. C., Szostek, L., McDevitt-Irwin, J, M., Schanze, J. J., and Baum, J. K.: Global patterns and impacts of El Niño events on coral reefs: A metaanalysis. ~~PLoS 13, 1-22, doi.10.1371/journal.pone.0190957,~~PLoS 13, 1-22, https://doi.org/10.1371/journal.pone.0190957, 2018.

Comeau, S., Cornwall, C. E., DeCarlo, T. M., Krieger, E., and McCulloch, M. T.: Similar controls on calcification under ocean acidification across unrelated coral reef taxa. Glob. Change Biol., 24, 4857-4868, 2018.

Comeau, S., Cornwall, C. E., Shlesinger, T., Hoogenboom, M., Mana, R., McCulloch, M.T., and Rodolfo-Metalpa, R.: pH variability at volcanic CO_2 seeps regulates coral calcifying fluid chemistry. Glob. Change Biol., 28, 2751-2763, 2022.

Comeau, S., Edmunds, P. J., Spindel, N. B., and Carpenter, R. C.: Fast coral reef calcifiers are more sensitive to ocean acidification in short-term laboratory incubations. ~~Limnology and Oceanography~~Limnol. Oceanog. 59, 1081-1091, 2014.

Cornwall, C. E., Comeau, S., Donner, S. D., Perry, C., Dunne, J., van Hooidonk, R., Ryan, J. S., and Logan, C. A.: Coral adaptive capacity insufficient to halt global transition of coral reefs into net erosion under climate change. Glob. Change Biol., 29, 3010-3018, 2023.

Cornwall, C. E., Comeau, S., & Harvey, B. P.: Are physiological and ecosystem-level tipping points caused by ocean acidification? A critical evaluation. Earth Syst. Dynam., 15(3), 671-687. 2024.

Cornwall, C. E., Comeau, S., Kornder, N. A., Perry, C. T., van Hooidonk, R., DeCarlo, T. M., Pratchett, M. S., Anderson, K. D., Browne, N., Carpenter, R., Diaz-Pulido, G., D'Olivo, J. P., Doo, S. S., Figueiredo, J., Fortunato, S. A. V., Kennedy, E., Lantz, C. A., McCulloch, M. T., González-Rivero, M., Schoepf, V., Smithers, S. G., and Lowe, R. J.: Global declines in coral reef calcium carbonate production under ocean acidification and warming. Proc. Nat. Acad. Sci., 118, e2015265118, 2021

Cinner, J. E., Huchery, C., Hicks, C. C., Daw, T. M., Marshall, N., Wamukota, A., & Allison, E. H. : Changes in adaptive capacity of Kenyan fishing communities. ~~Nature Climate Change,~~Nat. Clim. Chang., 5(9), 872-876, https://doi.org/10.1038/nclimate2690 2015.

Cinner, J. E., McClanahan, T. R., MacNeil, M. A., Graham, N. A., Daw, T. M., Mukminin, A., ... & Kuange, J. : Comanagement of coral reef social-ecological systems. ~~Proceedings of the National Academy of Sciences,~~Proc. Nat. Acad. Sci., 109(14), 5219-5222, https://doi.org/10.1073/pnas.1121215109 2012.

Cramer, K., Jackson, J., Donovan, M., Greenstein B., Korpanty, C., Cook, J., and Pandolfi, J.: Widespread loss of Caribbean acroporid corals was underway before coral bleaching and disease outbreaks. ~~Science Advances, doi:10.1126/sciadv.aax939~~Sci. Adv., https://doi.org/10.1126/sciadv.aax939, 2020.

Darling, E. S., McClanahan, T. R., & Côté, I. M. : Combined effects of two stressors on Kenyan coral reefs are additive or antagonistic, not synergistic. Cons. Lett~~.~~., 3(2), 122-130, https://doi.org/10.1111/j.1755-263X.2009.00089.x 2010.

Darling, E. S., McClanahan, T. R., Maina, J., Gurney, G.G., Graham, N. A. J., Januchowski-Hartley, F., Cinner, J. E., Mora, C., Hicks, C. C., Maire, E., Puotinen, M., Skirving, W. J., Adjeroud, M., Ahmadia, G., Arthur, R., Bauman, A. G., Beger, M., Berumen, M. L., Bigot, L., Bouwmeester, J., Brenier, A., Bridge, T. C. L., Brown, E., Campbell, S. J., Cannon, S., Cauvin, B., Chen, C. A., Claudet, J., Denis, V., Donner, S., Estradivari, Fadli, N., Feary, D. A., Fenner, D., Fox, H., Franklin, E. C., Friedlander, A., Gilmour, J., Goiran, C., Guest, J., Hobbs, J. A., Hoey, A. S., Houk, P., Johnson, S., Jupiter, S. D., Kayal, M., Kuo, C., Lamb, J., Lee, M. A. C., Low, J., Muthiga, N., Muttaqin, E., Nand, Y., Nash, K. L., Nedlic, O., Pandolfi, J. M., Pardede, S., Patankar, V., Penin, L., Ribas-Deulofeu, L., Richards, Z., Roberts, T. E., Rodgers, K. S., Saufuan, C. D. M., Sala, E., Shedrawi, G., Sin, T. M., Smallhorn-West, P., Smith, J. E., Sommer, B., Steinberg, P. D., Sutthacheep, M., Tan, C. H. J., Williams, G. J., Willson, S., Yeemin, T., Bruno, J. F., Fortin, M., Krkosek, M., and Mouillot, D.: Social–environmental drivers inform strategic management of coral reefs in the Anthropocene. Nat. Ecol. Evol., 3, 1341–1350, https://doi~~:~~.org/10.1038/s41559-019-0953-8, 2019.

Davis, K.,L., Colefax, A.,P., Tucker, J.,P. Kelaher B. P., and Santos, I. R.: Global coral reef ecosystems exhibit declining calcification and increasing primary productivity. Commun. Earth Environ., 2, 105, https://doi~~:~~.org/10.1038/s43247-021-00168-w, 2021.

De'ath, G. and Fabricius, K.: Water quality as a regional driver of coral biodiversity and macroalgae on the Great Barrier Reef. ~~Ecological Applications,~~Ecol. App., 20, 840-850. doi:10.1890/08-2023.1, 2010

Deutloff, J. E., Held, H., & Lenton, T. M.: The risky middle of the road–probabilities of triggering climate tipping points and how they increase due to tipping points within the Earth's carbon cycle. EGUsphere, 2023, 1-28. 2023.

Diaz, R. J. and Rosenberg, R.: Spreading dead zones and consequences for marine ecosystems. Science, 321, 926-929, 2008.

Dinsdale, E. A. and Rohwer, F.: Fish or germs? Microbial dynamics associated with changing trophic structures on coral reefs. Coral reefs: an ecosystem in transition, 231-240, Dordrecht: Springer Netherlands, 2010.

Dixon, A. M., Forster, P. M., & Beger, M. : Coral conservation requires ecological climate-change vulnerability assessments. ~~Frontiers in Ecology and the Environment,~~Front. Ecol. Environ., 19(4), 243-250, https://doi.org/10.1002/fee.2312 2021.

Dixon, A. M., Puotinen, M., Ramsay, H. A., and Beger, M.: Coral reef exposure to damaging tropical cyclone waves in a warming climate. Earth's Future, 10, e2021EF002600, https://doi~~:~~.org/10.1029/2021EF00260, 2022.

Donovan, M. K., Burkepile, D. E., Kratochwill, C., Shlesinger., Sully, S., Oliver, T. A. Hodgson, G., Freiwald, J., and van Woesil, R..: Local conditions magnify coral loss after marine heatwaves. Science, 372, 977-980, https://doi.org/~~doi:~~10.1126/science.abd9464, 2021.

Deutloff, J. E., Held, H., & Lenton, T. M. The risky middle of the road–probabilities of triggering climate tipping points and how they increase due to tipping points within the Earth's carbon cycle. EGUsphere, 2023, 1-28.2023.

Eakin C, M., Devotta D, Heron S, et al., The 2014-17 Global Coral Bleaching Event: The Most Severe and Widespread Coral Reef Destruction. Research Square, https://doi~~:~~.org/10.21203/rs.3.rs-1555992/v1, 2022.

Eakin, C. M., Kleypas, J., and Hoegh-Guldberg, O.: Global climate change and coral reefs: rising temperatures, acidification and the need for resilient reefs. Status of the Coral Reefs of the World, 29-34, 2008.

Eddy, T. D., Lam, V. W. Y., Reygondeau, G., Cisneros-Montemayor, A. M., Greer, K., Palomares, M. L. D., Bruno, J. F., Ota, Y., and Cheung, W. W. L.: Global decline in capacity of coral reefs to provide ecosystem services, One Earth, 4, 1278-1285, ISSN 2590-3322, https://doi~~:~~.org/10.1016/j.oneear.2021.08.016, 2021

Edmunds, P. J. and Gray, S. C.: The effects of storms, heavy rain, and sedimentation on the shallow coral reefs of St. John, US Virgin Islands. Hydrobiologia 734, 143–158, https://doi~~:~~.org/10.1007/s10750-014-1876-7, 2014

England, M. R., Polvani, L. M., Sun, L., and Deser, C.: Tropical climate responses to projected Arctic and Antarctic sea-ice loss. Nat. Geosci., 13, 275–281, https://doi~~:~~.org/10.1038/s41561-020-0546-9, 2020.

Estrada-Saldívar N, Quiroga-García BA, Pérez-Cervantes E, et al.; Effects of the Stony Coral Tissue Loss Disease outbreak on coral communities and the benthic composition of Cozumel reefs. Front. Mar. Sci. 8: 632777. https://doi.org/10.3389/fmars.2021.632777 2021.

Fabricius, K. E.: Effects of terrestrial runoff on the ecology of corals and coral reefs: review and synthesis. Mar. Pollut. Bull., 50, 125–146, https://doi~~:~~.org/10.1016/j.marpolbul.2004.11.028, 2005.

Fabricius, K. E., Langdon, C., Uthicke, S., Humphrey, C., Noonan, S., De'ath, G., Okazaki, R., Muehllehner, N., Glas, M. S., and Lough. J. M.: Losers and winners in coral reefs acclimatized to elevated carbon dioxide concentrations. Nat. Clim. Change,1,165-169, 2011.

Feely, R. A., Sabine, C. L., Lee, K., Berelson, W., Kleypas, J., Fabry, V. J., & Millero, F. J.: Impact of anthropogenic CO_2 on the $CaCO_3$ system in the oceans. Science, 305(5682), 362-366. 2004.

Fisher, R., Bessell-Browne, P., & Jones, R. : Synergistic and antagonistic impacts of suspended sediments and thermal stress on corals. Nat. Comm~~,~~., 10(1), 2346, https://doi.org/10.1038/s41467-019-10288-9 2019.

Fletcher, C., Ripple, W. J., Newsome, T., Barnard, P., Beamer, K., Behl, A., ... & Wilson, M. Earth at risk: An urgent call to end the age of destruction and forge a just and sustainable future. PNAS nexus, 3(4), ~~pgae106~~page 106. 2024.

Fox, M. D., Cohen, A. L., Rotjan, R. D., Mangubhai, S., Sandin, S. A., Smith, J. E., ... & Obura, D. Increasing coral reef resilience through successive marine heatwaves. ~~*Geophysical Research Letters,*~~Geophys. Res. Lett., 48(17), e2021GL094128. 2021.

Frieler, K., Meinshausen, M., Golly, A., Mengel, M., Lebek, K., Donner, S. D., and Hoegh-Guldberg, O.: Limiting global warming to 2 degrees C is unlikely to save most coral reefs. Nat. Clim. Change, 3, 165-170, https://doi~~:~~.org/10.1038/nclimate1674, 2013.

Gardner, T.A., Côté, I. M., Gill, J.A., Grant, A., and Watkinson, A. R.: Hurricanes and Caribbean coral reefs: impacts, recovery patterns, and role in long-term decline. Ecology 86, 174–184, https://doi~~:~~.org/10.1890/04-0141 2005.

Genin, A., Levy, L., Sharon, G., and Diamant, A.: Rapid onsets of warming events trigger mass mortality of coral reef fish. Proc. Natl. Acad. Sci. USA, 117, https://doi~~:~~.org/10.1073/pnas.2009748117, 2020

Good, A. M. and Bahr, K. D: The coral conservation crisis: interacting local and global stressors reduce reef resiliency and create challenges for conservation solutions. SN Appl. Sci., 3, 312, https://doi~~:~~.org/10.1007/s42452-021-04319-8, 2021.

Guannel, G., Arkema, K., Ruggiero, P., and Verutes, G.: The Power of Three: Coral Reefs, Seagrasses and Mangroves Protect Coastal Regions and Increase Their Resilience. PLoS One, 11, e0158094. https://doi~~:~~.org/10.1371/journal.pone.0158094, 2016.

Goreau, T. J., & Hayes, R. L. : 2023 Record marine heat waves: coral reef bleaching HotSpot maps reveal global sea surface temperature extremes, coral mortality, and ocean circulation changes. ~~Oxford~~Oxf. Open ~~Climate Change,~~Clim. Chang., 4(1), kgae005, https://doi.org/10.1093/oxfclm/kgae005 2024

Grigg, R.: The Darwin Point: a conceptual and historical review. Environmental Science http://www.pelagicos.net/BIOL3010/readings/Grigg_2008.pdf, 2008.

Hansen, J., Nazarenko, L., Ruedy, R., Sato, M., Willis, J., Del Genio, A., ... & Tausnev, N.: Earth's energy imbalance: Confirmation and implications. Science, 308(5727), 1431-1435. 2005.

Heinze, C., Blenckner, T., Martins, H., and Wilson, S.: The quiet crossing of ocean tipping points. Proc. Natl. Acad. Sci. USA, 118, e2008478118, https://doi~~:~~.org/10.1073/pnas.2008478118, 2021.

Herbert-Read, J. E., Thornton, A., Amon, D. J., Birchenough, S. N., Côté, I. M., Dias, M. P., ... & Sutherland, W. J. A global horizon scan of issues impacting marine and coastal biodiversity conservation. ~~*Nature Ecology & Evolution*,~~Nat. Ecol. Evol. 6(9), 1262-1270. 2022

Hoegh-Guldberg, O., Jacob, D., Taylor, M., Bindi, M., Brown, S., Camilloni, I., Diedhiou, A., Djalante, R., Ebi, K. L., Engelbrecht, F., Guiot, J., Hijioka, Y., Mehrotra, S., Payne, A., Seneviratne, S. I., Thomas, A., Warren, R., and Zhou, G.: Impacts of 1.5ºC Global Warming on Natural and Human Systems. In: Global Warming of 1.5°C. An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty. [Edited by: Masson-Delmotte, V., Zhai, P., Pörtner, H.-O., Roberts, D., Skea, J., Shukla, P. R., Pirani, A., Moufouma-Okia, W., Péan, C., Pidcock, R., Connors, S., Matthews, J.B.R., Chen, Y., Zhou, X., Gomis, M.I. Lonnoy, E., Maycock, T., Tignor, M., and Waterfield, T (Eds.)]. Cambridge University Press, Cambridge, UK and New York, NY, USA,175-312, https://doi~~:~~.org/10.1017/9781009157940.005, 2018.

Hoegh-Guldberg, O., Poloczanska, E. S., Skirving, W., and Dove. S.: Coral Reef Ecosystems Under Climate Change and Ocean Acidification. Front. Mar. Sci., 4, https://doi~~:~~.org/10.3389/fmars.2017.00158, 2017

Hooijer, A. and Vernimmen, R.: Global LiDAR land elevation data reveal greatest sea-level rise vulnerability in the tropics. Nat. Commun., 12, 3592, https://doi~~:~~.org/10.1038/s41467-021-23810-9, 2021

Houk, P., Yalon, A., Maxin, S., Starsinic, C., McInnis, A., Gouezo, M., Golbuu, Y., and van Woesik, R.: Predicting coral-reef futures from El Niño and Pacific Decadal Oscillation events. Sci. Rep., 10, 7735, https://doi~~:~~.org/10.1038/s41598-020-64411-8U, 2020

Howard, Rachel D., Monica D. Schul, Lucia M. Rodriguez Bravo, Andrew H. Altieri, and Julie L. Meyer. "Shifts in the coral microbiome in response to in situ experimental deoxygenation." ~~Applied and Environmental Microbiology~~App. Environ. Microbiol. 89, no. 11 : e00577-23, 2023

Howe-Kerr, L. I., Grupstra, C. G. B., Rabbitt, K. M. Conetta, D., Coy, S. R., Klinges, J. G., Maher, R. L., McConnell, K. M., Meiling, S. S., Messyasz, A., Schmeltzer, E. R., Seabrook, S., Sims, J. A., Veglia, A. J., Thurber, A. R., Vega Thurber R. L., and Correa, A. M. S.: Viruses of a key coral symbiont exhibit temperature-driven productivity across a reefscape. ISME Commun., 3, 27, https://doi~~:~~.org/10.1038/s43705-023-00227-72023, 2023.

Hughes, D.J., Alexander, J., Cobbs, G., Kühl, M., Cooney, C., Pernice, M., Varkey, D., Voolstra, C.R. and Suggett, D.J. : Widespread oxyregulation in tropical corals under hypoxia. ~~Marine Pollution Bulletin,~~Mar. Poll. Bull., 179, p.113722, https://doi.org/10.1016/j.marpolbul.2022.113722 2022.

Hughes, T. P., ~~Barnes, M. L., Bellwood, D. R., Cinner, J. E., Cumming, G. S., Jackson, J. B. ., Kleypas, J., van de Leemput, I. A., Lough, J. M., Morrison, T. H., Palumbi, S. R., van Nes, E. H., and Scheffer, M.: Coral reefs in the Anthropocene. Nature 546, 82–90, doi:10.1126/science.aac7125, 2017.~~

~~Hughes, T. P.,~~ Kerry, J. T., Álvarez-Noriega, M., Álvarez-Romero, J. G., Anderson, K. D., Baird, A. H,, Babcock, R.C., Beger, M., Bellwood, D. R., Berkelmans, R., Bridge, T. C., Butler, I. R., Byrne, M., Cantin, N. E., Comeau, S., Connolly, S. R., Cumming, G. S., Dalton, S. J. Diaz-Pulido, G., Eakin, C. M., Figueira, W. F., Gilmour, J. P., Harrison, H. B., Heron, S. F., Hoey, A. S., Hobbs, J-P. A., Hoogenboom, M. O., Kennedy, E. V., Kuo, C., Lough, J. M., Lowe, R. J., Liu, G., McCulloch, M. T., Malcolm, H. A., McWilliam, M. J., Pandolfi, J. M., Pears, R. J., Pratchett, M. S., Schoepf, V., Simpson, T., Skirving, W. J., Sommer, B., Torda, G. Wachenfeld, D. R., Willis, B. L., and Wilson, S. K.: Global warming and recurrent mass bleaching of corals. Nature, 543, 373–377, https://doi~~:~~.org/10.1038/nature21707, 2017.

Hughes, T.P, Anderson, K. D., Connolly, S. R., Heron, S. F., Kerry, J. T., Lough, J. M., Baird, A. H., Baum, J. K., Berumen, M. L., Bridge, T. C., Claar, D. C., Eakin, C. M., Gilmour, J. P., Graham, N. A. J., Harrison, H, Hobbs, J-P. A., Hoey, A. S., Hoogenboom, M., Lowe, R. J., McCulloch, M. T., Pandolfi, J. M., Pratchett, M., Schoepf, V., Torda, G., and Wilson, S. K.: Spatial and temporal patterns of mass bleaching of corals in the Anthropocene. Science, 359, 80-83, https://doi~~:~~.org/10.1126/science.aan8048, 2018a.

Hughes, T.P., Kerry, J.T., Baird, A.H., Connolly, S. R., Dietzel, A., Eakin, C. M., Heron, S. F., Hoey, A. S., Hoogenboom, M. O., Liu, G., McWilliam, M. J., Pears, R, J., Pratchett, M S., Skirving, W. J., Stella, J. S., and Torda, G.: Global warming transforms coral reef assemblages. Nature 556, 492–496, 2018b

Hughes, D.J., Alderdice, R., Cooney, C., Kühl, M., Pernice, M., Voolstra, C.R., and Suggett, D.J.: Coral reef survival under accelerating ocean deoxygenation. Nat. Clim. Change, 10, 296-307, 2020.

Hughes, T. P., Baird, A. H., Morrison, T. H., & Torda, G.. Principles for coral reef restoration in the anthropocene. One Earth, 6(6), 656-665. 2023

~~Knowlton N, Grottoli AG, Kleypas J, Obura D, Corcoran E, de Goeij JM, Felis T, Harding S, Mayfield A, Miller M, Osuka K, Peixoto R, Randall CJ, Voolstra CR, Wells S, Wild C, Ferse S. 2021. Rebuilding Coral Reefs: A Decadal Grand Challenge. International Coral Reef Society and Future Earth Coasts 56 pp. doi:10.53642/NRKY9386 2021~~

IPBES (2019): Global assessment report on biodiversity and ecosystem services of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services. E. S. Brondizio, J. Settele, S. Díaz, and H. T. Ngo (editors). IPBES secretariat, Bonn, Germany. 1148 pages. https://doi.org/10.5281/zenodo.3831673

IPCC: Global Warming of 1.5°C. An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty, edited by: Masson-Delmotte, V., Zhai, P., Pörtner, H.-O., Roberts, D., Skea, J., Shukla, P. R., Pirani, A., Moufouma-Okia, W., Péan, C., Pidcock, R., Connors, S., Matthews, J. B. R,. Chen, Y., Zhou, X., Gomis, M. I., Lonnoy, E., Maycock, T., Tignor, M., and Waterfield, T.

Cambridge University Press, Cambridge, UK and New York, NY, USA, 616 pp. https://doi.org/-10.1017/9781009157940, 2018.

IPCC: Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change, edited by: Masson-Delmotte, V., Zhai, P., Pirani, A., S.L. Connors, S. L., Péan, C., Berger, S., Caud, N., Chen, Y. Goldfarb, L., Gomis, M. I., Huang, M., Leitzell, K., Lonnoy, E., Matthews, J.B.R., Maycock, T.K., Waterfield, T., Yelekçi, O,. Yu, R., and Zhou, B. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 2391 pp. https://doi~~:~~.org/10.1017/9781009157896, 2021.

IPCC: Climate Change 2022: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change, editd by: Pörtner, H.-O., Roberts, D. C., Tignor, M., Poloczanska, E. S., Mintenbeck, K., Alegría, A., Craig, M., Langsdorf, S., Löschke, S., Möller, V., Okem, A., and Rama B. Cambridge University Press. Cambridge University Press, Cambridge, UK and New York, NY, USA, 3056 pp., https://doi~~:~~.org/10.1017/9781009325844, 2022.

IPCC, 2022: *Climate Change 2022: Impacts, Adaptation, and Vulnerability.* Contribution of Working Group II to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change [H.-O. Pörtner, D.C. Roberts, M. Tignor, E.S. Poloczanska, K. Mintenbeck, A. Alegría, M. Craig, S. Langsdorf, S. Löschke, V. Möller, A. Okem, B. Rama (eds.)]. Cambridge University Press. Cambridge University Press, Cambridge, UK and New York, NY, USA, 3056 pp., https://doi~~:~~.org/10.1017/9781009325844.

Johnson, M.D., Swaminathan, S.D., Nixon, E.N., Paul, V.J., and Altieri, A.H.: Differential susceptibility of reef-building corals to deoxygenation reveals remarkable hypoxia tolerance. Sci. Rep., 11, 23168, 2021a.

Johnson, M. D., Scott, J. J., Leray, M., Lucey, N., Bravo, L. M. R., Wied, W. L., and Altieri, A. H.: Rapid ecosystem-scale consequences of acute deoxygenation on a Caribbean coral reef. Nat. Commun., 12, 4522, 2021b.

Johnson, J.V., Dick, J.T.A., Pincheira-Donoso, D. and Bates, A.E.: Local anthropogenic stress does not exacerbate coral bleaching under global climate change. ~~Global Ecology and Biogeography,~~Glob. Ecol. Biogeog., 2022. ~~doi:~~https://doi.org/10.1111/geb.13506

Kalmus, P., Ekanayaka, A., Kang, E., Baird, M., and Gierach, M.: Past the precipice? Projected coral habitability under global heating. Earth's Future, 10, e2021EF002608, https://doi~~:~~.org/10.1029/2021EF002608, 2022.

Ke, P., Ciais, P., Sitch, S., Li, W., Bastos, A., Liu, Z., ... & Chevallier, F.: Low latency carbon budget analysis reveals a large decline of the land carbon sink in 2023. arXiv preprint arXiv:2407.12447. 2024.

Klein, S. G., Roch, C., & Duarte, C. M. : Systematic review of the uncertainty of coral reef futures under climate change. ~~Nature Communications,~~Nat. Comm., 15(1), 2224, https://doi.org/10.1038/s41467-024-46255-2 2024.

Kleypas, J., Allemand, D., Anthony, K., Baker, A. C., Beck, M. W., Hale, L. Z., ... & Gattuso, J. P. Designing a blueprint for coral reef survival. *~~Biological Conservation,~~*Biol. Cons., 257, 109107. 2021.

Knowlton, N., Grottoli, A. G., Kleypas, J., Obura, D., Corcoran, E., de Goeij, J. M., Felis, T., Harding, S., Mayfield, A., Miller, M., Osuka, K., Peixoto, R., Randall, C. J., Voolstra, C. R., Wells, S., Wild, C., and Ferse, S.: Rebuilding Coral Reefs: A Decadal Grand Challenge. International Coral Reef Society and Future Earth Coasts 56 pp. 2021.

Korndер, N. A., Riegl, B. M., and Figueiredo, J.: Thresholds and drivers of coral calcification responses to climate change. Glob. Change Biol., 24, 5084-5095, https://doi~~:~~.org/10.1111/gcb.14431, 2018.

Kroon, F.J., Schaffelke, B. and Bartley, R.: Informing policy to protect coastal coral reefs: Insight from a global review of reducing agricultural pollution to coastal ecosystems. ~~Marine pollution bulletin,~~Mar. Poll. Bull., 85(1), pp.33-41, 2014.

Laffoley, D., and Baxter, J. M.: IUCN: Explaining ocean warming: causes, scale, effects and consequences. 3.8 Impacts and effects of ocean warming on coral reefs. 2016. ~~DOI:~~ https://doi.org/10.2305/IUCN.CH.2016.08.en

Laffoley, D. and Baxter, J. M.: Ocean deoxygenation: everyone’s problem—causes, impacts, consequences and solutions, IUCN, 2019. ~~*doi:*~~https://doi.org/10.2305/IUCN.CH.2019.13.en

Laffoley, D., Baxter, J. M., Amon, D. J., Claudet, J., Downs, C. A., Earle, S. A., ... & Woodall, L. C. The forgotten ocean: Why COP26 must call for vastly greater ambition and urgency to address ocean change. ~~*Aquatic Conservation: marine and freshwater ecosystems,*~~Aq. Cons.: Mar. Fresh. Eco., 32(1), 217-228.(2022).

Lamb, J. B., Willis, B. L., Fiorenza, E. A., Couch, C. S., Howard, R., Rader, D. N., ... & Harvell, C. D. : Plastic waste associated with disease on coral reefs. Science, 359(6374), 460-462, https://doi.org/10.1126/science.aar3320 2018.

Le Nohaïc, M., Ross, C. L., Cornwall, C. E., Comeau, S., Lowe, R., McCulloch, M. T. and Schoepf, V.: Marine heatwave causes unprecedented regional mass bleaching of thermally resistant corals in northwestern Australia. Sci. Rep., 7, 14999, ~~doi:10.1038/s41598-017-14794-y~~https://doi.org/10.1038/s41598-017-14794-y, 2017.

Lenton, T.M., Armstrong McKay, D.I., Loriani, S., Abrams, J.F., Lade, S.J., Donges, J.F., Milkoreit, M., Powell, T., Smith, S.R., Zimm, C., Buxton, J.E., Bailey, E., Laybourn, L., Ghadiali, A., Dyke, J.G.(eds), The Global Tipping Points Report, University of Exeter, Exeter, UK., 2023.

Lenton, T. M., Xu, C., Abrams, J. F., Ghadiali, A., Loriani, S., Sakschewski, B., ... & Scheffer, M. : Quantifying the human cost of global warming. ~~Nature Sustainability,~~Nat. Sustain., 6(10), 1237-1247, https://doi.org/10.1038/s41893-023-01132-6 2023b.

Leung, J. Y. S., Zhang, S., and Connell, S. D.: Is Ocean Acidification Really a Threat to Marine Calcifiers? A Systematic Review and Meta-Analysis of 980+ Studies Spanning Two Decades. Small 18, 2107407, 2022

Li, G., Cheng, L., Zhu, J., Trenberth, K. E., Mann, M. E., & Abraham, J. P. Increasing ocean stratification over the past half-century. ~~*Nature Climate Change,*~~Nat. Clim. Chang., 10(12), 1116-1123. 2020.

Li, G., Cheng, L., Zhu, J. *et al.*, Increasing ocean stratification over the past half-century. Nat. Clim. Chang. 10, 1116–1123 (2020). https://doi.org/10.1038/s41558-020-00918-2

Liu, J., Song, M., Zhu, Z., Horton, R. M., Hu, Y., and Xie, S-P.: Arctic sea-ice loss is projected to lead to more frequent strong El Niño events. Nat. Commun., 13, 4952, https://doi~~:~~.org/10.1038/s41467-022-32705-2, 2022.

Liu, G., Strong, A. E., & Skirving, W. : Remote sensing of sea surface temperatures during 2002 Barrier Reef coral bleaching. Eos, ~~Transactions American Geophysical~~Trans. Am. Geophys. Union, 84(15), 137-141, https://doi.org/10.1029/2003EO150001 2003.

Loeb, N. G., Johnson, G. C., Thorsen, T. J., Lyman, J. M., Rose, F. G., & Kato, S. : Satellite and ocean data reveal marked increase in Earth's heating rate. ~~Geophysical Research Letters,~~Geophys. Res. Lett., 48(13), e2021GL093047, https://doi.org/10.1029/2021GL093047 2021.

Logan, C. A., Dunne, J. P., Ryan, J.S., Baskett, M. L., and Donner, S. D.: Quantifying global potential for coral evolutionary response to climate change. ~~Nature~~Nat. Clim. Change 11, 537-542, 2021.

Lough, J.M., Anderson, K.D., and Hughes, T.P.: Increasing thermal stress for tropical coral reefs: 1871–2017. Sci. Rep., 8, 6079, https://doi~~:~~.org/10.1038/s41598-018-24530-9, 2018.

MacNeil, M. A., Mellin, C., Matthews, S., Wolff, N. H., McClanahan, T. R., Devlin, M., ... & Graham, N. A. : Water quality mediates resilience on the Great Barrier Reef. ~~Nature Ecology & Evolution,~~Nat. Ecol. Evol., 3(4), 620-627, https://doi.org/10.1038/s41559-019-0832-3 2019.

Maina, J., De Moel, H., Zinke, J., Madin, J., McClanahan, T. and Vermaat, J.E.: Human deforestation outweighs future climate change impacts of sedimentation on coral reefs. ~~Nature communications,~~Nat. comm., 4(1), pp.1-7, 2013

Manzello, D. P., Brandt, M., Smith, T. B., Lirman, D., Hendee, J. C., and Nemeth, R. S.: Hurricanes benefit bleached corals. Proc. Natl. Acad. Sci. USA, 104, 12035–12039, 2007.

Marshall, A.T. and Clode, P.: Calcification rate and the effect of temperature in a zooxanthellate and an azooxanthellate scleractinian reef coral. Coral Reefs 23, 218–224, 2004

McClanahan, T. R. : Fisheries yields and species declines in coral reefs. ~~Environmental Research Letters,~~Env. Res. Lett., 17(4), 044023, https://doi.org/10.1088/1748-9326/ac5bb4 2022.

McClanahan, T.R., Graham, N.A.J., MacNeil, M.A. and Cinner, J.E., : Biomass-based targets and the management of multispecies coral reef fisheries. Cons. Biol~~,~~., 29(2), pp.409-417, https://doi.org/10.1111/cobi.12430 2015.

Meinshausen, M., Nicholls, Z. R. J., Lewis, J., Gidden, M. J., Vogel, E., Freund, M., Beyerle, U., Gessner, C., Nauels, A., Bauer, N., Canadell, J. G., Daniel, J. S., John, A., Krummel, P. B., Luderer, G., Meinshausen, N., Montzka, S. A., Rayner, P. J., Reimann, S., Smith, S. J., van den Berg, M., Velders, G. J. M., Vollmer, M. K., and Wang, R. H. J.: The shared socio-economic pathway (SSP) greenhouse gas concentrations and their extensions to 2500, Geosci. Model Dev., 13, 3571–3605, https://doi~~:~~.org/10.5194/gmd-13-3571-2020, 2020K.

Mellin, C., Brown, S., Cantin, N., Klein-Salas, E., Mouillot, D., Heron, S. F., & Fordham, D. A. : Cumulative risk of future bleaching for the world's coral reefs. ~~Science Advances,~~Sci. Adv., 10(26), eadn9660, https://doi.org/10.1126/sciadv.adn9660 2024.

Meyer, A. L. S., Bentley, J., Odoulami, R. C., Pigot, A. L., and Trisos, C. H.: Risks to biodiversity from temperature overshoot. Phil. Trans. R. Soc. B3772021039420210394, https://doi.org/10.1098/rstb.2021.0394, 2022

Miller, J., Muller, E., Rogers, C., Waara, R., Atkinson, A., Whelan, K. R. T., Patterson, M., and Witcher, B.: Coral disease following massive bleaching in 2005 causes 60% decline in coral cover on reefs in the US Virgin Islands. Coral Reefs 28, 925–937, 2009

Montgomery, A. D., Fenner, D., Donahue, M. J., & Toonen, R. J. : Community similarity and species overlap between habitats provide insight into the deep reef refuge hypothesis. ~~Scientific Reports,~~Sci. Rep., 11(1), 23787, https://doi.org/10.1038/s41598-021-03128-8 2021.

Muñiz-Castillo, A.I., Rivera-Sosa, A., Chollett, I., Eakin, C. M., Andrade- Gómez, L., McField, M., and Arias-González, J.E.: Three decades of heat stress exposure in Caribbean coral reefs: a new regional delineation to enhance conservation. Sci. Rep., 9, 11013, https://doi~~:~~.org/10.1038/s41598-019-47307-0, 2019.

Nelson, H. R., & Altieri, A. H. : Oxygen: the universal currency on coral reefs. Coral Reefs, 38(2), 177-198, https://doi.org/10.1007/s00338-019-01765-0 2019.

Naughten, K.A., Holland, P.R. & De Rydt, J. : Unavoidable future increase in West Antarctic ice-shelf melting over the twenty-first century. Nat. Clim. Chang. 13, 1222–1228~~ (2023). https://doi.org/10.1038/s41558-023-01818-x~~. https://doi.org/10.1038/s41558-023-01818-x. 2023.

Nicolet, K.J., Chong-Seng, K.M., Pratchett, M.S., Willis, B.L., and Hoogenboom, M.O.: Predation scars may influence host susceptibility to pathogens: evaluating the role of corallivores as vectors of coral disease. Sci. Rep., 8, 5258, 2018.

Norström, A.V., Nyström, M., Jouffray, J.B, Folke, C., Graham, N., Moberg, A.J., Frederik, O., and Williams, G. Guiding coral reef futures in the Anthropocene. ~~Frontiers in Ecology and the Environment.~~Front. Ecol. Environ. 14. 490-498 https://doi.org/10.1002/fee.1427 2016.

Obura, D., Gudka, M., Samoilys, M., Osuka, K., Mbugua, J, Keith, D. A., Porter, S., Roche, R., van Hooidonk, R., Ahamada, S., Araman, A., Karisa, J., Komakoma, J., Madi, M., Ravinia, I., Razafindrainibe, H., Yahya, S., and Zivane, F.: Vulnerability to collapse of coral reef ecosystems in the Western Indian Ocean. Nat. Sustain., 5, 104-113, https://doi~~:~~.org/10.1038/s41893-021-00817-0, 2022.

OECD: Climate Tipping Points: Insights for Effective Policy Action, OECD Publishing, Paris, https://doi~~:~~.org/10.1787/abc5a69e-en, 2022.

Packett, R., Dougall, C,. Rohde, K., and Noble, R.: Agricultural lands are hot-spots for annual runoff polluting the southern Great Barrier Reef lagoon. Mar. Pollut. Bull., 58, 976–986, https://doi.org/~~doi:~~10.1016/j.marpolbul.2009.02.017, 2009.

Perry, C., Murphy, G., Kench, P. et al~~.,~~.,: Caribbean-wide decline in carbonate production threatens coral reef growth. Nat. Commun. 4, 1402 https://doi.org/10.1038/ncomms2409, 2013

Perry, C. T., Alvarez-Filip, L., Graham, N. A., Mumby, P. J., Wilson, S. K., Kench, P. S., Manzello, D. P., Morgan, K. M., Slangen, A., Thomson, D. P., Januchowski-Hartley, F., Smithers, S. G., Steneck, R. S., Carlton, R., Edinger, E. N., Enochs, I. C., Estrada-Saldívar, N., Haywood, M. D. E., Kolodziej, G., Murphy, G. N., Pérez-Cervantes, E., Suchley, A., Valentino, L., Boenish, R., Wilson, M., and Macdonald, C.: Loss of coral reef growth capacity to track future increases in sea level. Nature, 558, 396-400, https://doi~~:~~.org/10.1038/s41586-018-0194-z, 2018.

Pezner, A. K., Courtney, T. A., Barkley, H. C., Chou, W. C., Chu, H. C., Clements, S. M., Cyronak, T., DeGrandpre, M. D., Kekuewa, S. A., Kline, D. I. and Liang, Y. B.: Increasing hypoxia on global coral reefs under ocean warming. ~~Nature~~Nat. Clim. Change, 13, 403-409, 2023.

Plaisance, L., Caley M. J., Brainard R. E., Knowlton, N.: The Diversity of Coral Reefs: What Are We Missing? PLoS One 6, e25026, https://doi~~:~~.org/10.1371/journal.pone.0025026, 2011.

Pörtner, H-O.: Ecosystem effects of ocean acidification in times of ocean warming: a physiologist's view. Mar. Ecol. Prog. Ser., 373, 203-217, https://doi~~:~~.org/10.3354/meps07768, 2008.

Prouty, N.G., Cohen, A., Yates, K.K., Storlazzi, C.D., Swarzenski, P.W. and White, D.: Vulnerability of coral reefs to bioerosion from land-based sources of pollution. Journal of Geophysical Research: Oceans, 122(12), pp.9319-9331, 2017.

Puotinen, M., Drost, E., Lowe, R., Depczynski, M., Radford, B., Heyward, A. and Gilmour, J.: Towards modelling the future risk of cyclone wave damage to the world's coral reefs. ~~Global~~Glob. Change ~~Biology,~~Biol., 26(8), pp.4302-4315, 2020.

Randall, C. J., & van Woesik, R. : Contemporary white-band disease in Caribbean corals driven by climate change. Nature Climate Change, 5(4), 375-379, https://doi.org/10.1038/nclimate2530 2015.

Raven, J., Caldeira, K., Elderfield, H., Hoegh-Guldberg, O., Liss, P., Riebesell, U., ... & Watson, A.: Ocean acidification due to increasing atmospheric carbon dioxide. The Royal Society. 2005

Reed, D. C., & Harrison, J. A. :. Linking nutrient loading and oxygen in the coastal ocean: A new global scale model. Global Biogeochemical Cycles, 30(3), 447-459, https://doi.org/10.1002/2015GB005303 2016.

Redding, J. E., Myers-Miller, R. L., Baker, D. M., Fogel, M., Raymundo, L. J. and Kim, K.: Link between sewage-derived nitrogen pollution and coral disease severity in Guam. Mar. Pollut. Bull., 73, 57-63, 2013.

Richards, Z. T., Juszkiewicz, D. J., & Hoggett, A.: Spatio-temporal persistence of scleractinian coral species at Lizard Island, Great Barrier Reef. Coral Reefs, 40(4), 1369-1378. https://doi.org/10.1007/s00338-021-02144-4 2021

Ripple, W. J., Wolf, C., Lenton, T. M., Gregg, J. W., Natali, S. M., Duffy, P. B., Rockström, J., and Schellnhuber, H. J.:Many risky feedback loops amplify the need for climate action. One Earth, 6, 86-91, 2023.

Rocha J., Yletyinen J., Biggs R., Blenckner T., and Peterson G.: Marine regime shifts: drivers and impacts on ecosystems services Phil. Trans. R. Soc. B. 370, 20130273, https://doi~~:~~.org/10.1098/rstb.2013.0273, 2015.

Rocha, J.C., Peterson, G. D., Bodin, O., and Levin, S.: Cascading regime shifts within and across scales. Science, 362, 1379-1383, https://doi~~:~~.org/10.1126/science.aat7850, 2018.

Rockström, J., Gupta, J., Lenton, T. M., Qin, D., Lade, S. J., Abrams, J. F., ... & Winkelmann, R. Identifying a safe and just corridor for people and the planet. Earth's Future, 9(4), e2020EF001866. 2021.

Rodrigues, L. J., & Padilla-Gamiño, J. L. : Trophic provisioning and parental trade-offs lead to successful reproductive performance in corals after a bleaching event. ~~Scientific Reports,~~Sci. Rep., 12(1), 18702, https://doi.org/10.1038/s41598-022-21998-4 2022.

Rosenberg, E. and Ben-Haim, Y.: Microbial diseases of corals and global warming. Environ. Microbiol., 4, 318–326, 2002.

Sabine, C. L., Feely, R. A., Gruber, N., Key, R. M., Lee, K., Bullister, J. L., ... & Rios, A. F.: The oceanic sink for anthropogenic CO_2. Science, 305(5682), 367-371. 2004.

Saintilan, N., Horton, B., Törnqvist, T. E., Ashe, E. L., Khan, N. S., Schuerch, M., Perry, C., Kopp, R. E.., Garner, G. G., Murray, N., Rogers, K., Albert, S., Kelleway, J., Shaw, T. A., Woodroffe, C. D., Lovelock, C. E., Goddard, M. M., Hutley, L. B., Kovalenko, K., Feher, L., and Guntenspergen, G.: Widespread retreat of coastal habitat is likely at warming levels above 1.5 °C. Nature 621, 112–119, https://doi~~:~~.org/10.1038/s41586-023-06448-z, 2023.

Saunders, M. I., Albert, S., Roelfsema, C. M., Leon, J. X., Woodroffe, C. D., Phinn, S. R., & Mumby, P. J. : Tectonic subsidence provides insight into possible coral reef futures under rapid sea-level rise. Coral Reefs, 35, 155-167, https://doi.org/10.1007/s00338-015-1365-0 2016.

Saunders, M., Leon, J., Callaghan, D. et al., Interdependency of tropical marine ecosystems in response to climate change. Nature Clim. Change 4, 724–729, https://doi.org/10.1038/nclimate2274, 2014.

Schleussner, C. F., Ganti, G., Lejeune, Q., Zhu, B., Pfleiderer, P., Prütz, R., ... & Rogelj, J. Overconfidence in climate overshoot. Nature, 634(8033), 366-373, 2024.

Setter, R. O., Franklin E. C., and Mora, C.: Co-occurring anthropogenic stressors reduce the timeframe of environmental viability for the world's coral reefs. PLoS Biol., 20, e3001821, https://doi~~:~~.org/10.1371/journal.pbio.3001821, 2022.

Sheppard, C., Sheppard, A., and Fenner, D.: Coral mass mortalities in the Chagos Archipelago over 40 years: Regional species and assemblage extinctions and indications of positive feedbacks. Mar. Pollut. Bull., 154, 111075, 2020.

Sheppard, C. R. C, and Sheppard, A. L. S.: British Indian Ocean Territory (Chagos Archipelago). In:Sheppard CRC (ed) 2019. World Seas: An environmental assessment. Academic Press, Volume 3, 237-252, 2019.

Skirving, W. J., Heron, S. F., Marsh, B. L., Liu, G., De La Cour, J. L., Geiger, E. F., and Eakin, C. M.: The relentless march of mass coral bleaching: a global perspective of changing heat stress. Coral Reefs 38, 547–557, https://doi~~:~~.org/10.1007/s00338-019-01799-4, 2019.

Simpson, C. J., Cary, J. L., and Masini, R. J.: Destruction of corals and other reef animals by coral spawn slicks on Ningaloo Reef, Western Australia. Coral Reefs, 12, 185-191, 1993.

Souter, D., Planes, S., Wicquart, J., Logan, M., Obura, D., and Staub, F. (Eds) Status of coral reefs of the world: 2020 report. Global Coral Reef Monitoring Network (GCRMN) and International Coral Reef Initiative (ICRI). https://doi~~:~~.org/10.59387/WOTJ9184, 2021.

Spada, G., Bamber., and Hurkmans, R.T.W.L.: The gravitationally consistent sea-level fingerprint of future terrestrial ice loss. Geophysical Research Letters, 40, 482-486, https://doi~~:~~.org/10.1029/2012GL053000, 2013.

Speare, K. E., Adam, T. C., Winslow, E. M., Lenihan, H. S., & Burkepile, D. E. : Size-dependent mortality of corals during marine heatwave erodes recovery capacity of a coral reef. ~~Global~~Glob, Change ~~Biology,~~Biol,, 28(4), 1342-1358, https://doi.org/10.1111/gcb.16000 2022.

Steffen, W., Broadgate, W., Deutsch, L., Gaffney, O., and Ludwig, C.: The trajectory of the Anthropocene: The Great Acceleration. The Anthropocene Review, 2, 81–98, https://doi.org/~~doi:~~10.1177/2053019614564785, 2015.

Steffen, W., Richardson, K., Rockström, J., Cornell, S. E., Fetzer, I., Bennett, E. M., Biggs, R., Carpenter, S. R., De Vries, W., De Wit, C. A., Folke, C., Gerten, D., Heinke, J., Mace, G, M., Persson, L. M, Ramanathan, V., Reyers, B., and Sörlin, S.: Planetary boundaries: Guiding human development on a changing planet. Science 347, https://doi~~:~~.org/10.1126/science.1259855, 2015.

Suwa, R., Nakamura, M., Morita, M., Shimada, K., Iguchi, A., Sakai, K., and Suzuki, A.: Effects of acidified seawater on early life stages of scleractinian corals (Genus Acropora). Fish. Sci., 76, 93–99, 2010.

Tachiiri, K., Herran, D. S., Su, X., and Kawamiya, M.: Effect on the Earth system of realizing a 1.5 °C warming climate target after overshooting to the 2 °C level. Environ. Res. Lett., 14, 124063,doi:10.1088/1748-9326/ab5199, 2019

Tanaka K.R. and Van Houtan K. S.: The recent normalization of historical marine heat extremes. PLOS Clim 1, e0000007, https://doi~~:~~.org/10.1371/journal.pclm.0000007, 2022.

Thurber, R.V., Mydlarz, L. D., Brandt, M., Harvell, D., Weil, E., Raymundo, L., Willis, B. L., Langevin, S., Tracy, A. M., Littman, R., Kemp, K. M., Dawkins, P., Prager, K. C., Garren, M., and Lamb, J.: Deciphering coral disease dynamics: Integrating host, microbiome, and the changing environment. Front. Ecol. Evol., 30~~,~~ https://doi~~:~~.org/10.3389/fevo.2020.575927, 2020.

Toth, L. T., Precht, W. F., Modys, A. B., Stathakopoulos, A., Robbart, M. L., Hudson, J. H., ... & Aronson, R. B. : Climate and the latitudinal limits of subtropical reef development. ~~Scientific Reports,~~Sci. Rep., 11(1), 13044, https://doi.org/10.1038/s41598-021-87883-8 2021.

Törnqvist, T. E., Cahoon, D. R., Morris, J. T., and Day, J. W. Coastal wetland resilience, accelerated sea-level rise, and the importance of timescale. AGU Advances, 2, e2020AV000334. https://doi.org/10.1029/2020AV000334, 2021.

UNEP: Projections of future coral bleaching conditions using IPCC CMIP6 models: climate policy implications, management applications, and Regional Seas summaries. United Nations Environment Programme, Nairobi, Kenya. 2020.

Uthicke, S., Logan, M., Liddy, M., Francis, D., Hardy, N., and Lamare, M.: Climate change as an unexpected co-factor promoting coral eating seastar ~~(Acanthaster planci) outbreaks(. Sci. Rep., 2015; 5: 8402. doi:~~*Acanthaster planci*) outbreaks. Sci. Rep., 2015; 5: 8402. https://doi.org/10.1038/srep08402, 2015.

Van Hooidonk, R., Maynard, J. A., Manzello, D., & Planes, S. : Opposite latitudinal gradients in projected ocean acidification and bleaching impacts on coral reefs. ~~Global change biology,~~Glob. Change Biol., 20(1), 103-112, https://doi.org/10.1111/gcb.12394 2014.

Vaquer-Sunyer, R. and Duarte, C. M.: Temperature effects on oxygen thresholds for hypoxia in marine benthic organisms. Glob. Change Biol., 17, 1788-1797, 2011.

Vercelloni, J., Caley, M. J., and Mengersen, K. L.: Thresholds of Coral Cover that Support Coral Reef Biodiversity. In: Mengersen, K., Pudlo, P. and Robert, C. (Eds) Case Studies in Applied Bayesian Data Science. ~~Lecture~~Lect. Notes ~~in Mathematics,~~Math., vol 2259. Springer, Cham. https://doi~~:~~.org/10.1007/978-3-030-42553-1_16, 2020.

Venegas, R. M., Acevedo, J., & Treml, E. A.; Three decades of ocean warming impacts on marine ecosystems: A review and perspective. Deep Sea Res. II: Topic. Stud. Oceanog., 212, 105318. 2022.

Vernimmen, R. and Hooijer, A.: New LiDAR-Based Elevation Model Shows Greatest Increase in Global Coastal Exposure to Flooding to Be Caused by Early-Stage Sea-Level Rise. Earth's Future 11, https://doi~~:~~.org/10.1029/2022EF002880, 2023.

Veron, J. E. N., Hoegh-Guldberg, O., Lenton, T. M., Lough, J.M., Obura, D. O., Pearce-Kelly, P., Sheppard, C. R. C., Spalding, M., Stafford-Smith, M. G., and Rogers, A. D.: The coral reef crisis: The critical importance of <~~350ppm~~350 ppm CO_2, Mar. Pollut. Bull., 58, 1428-1436, 2009.

Virgen-Urcelay, A. and Donner, S. D.: Increase in the extent of mass coral bleaching over the past half-century, based on an updated global database. PLoS One18, e0281719. https://doi.org/10.1371/journal.pone.0281719, 2023.

von Schuckmann, K., Cheng, L., Palmer, M. D., Tassone, C., Aich, V., Adusumilli, S., ... & Wijffels, S. E.: Heat stored in the earth system: Where does the energy go? The GCOS earth heat inventory team. Earth Syst. Sci. Data Discus., 2020, 1-45. 2020.

von Schuckmann, K., Cheng, L., Palmer, M. D., Tassone, C., Aich, V., Adusumilli, S., ... & Wijffels, S. E.: Heat stored in the earth system: Where does the energy go? The GCOS earth heat inventory team. Earth Syst. Sci. Data Discus., 2020, 1-45. 2020.

von Schuckmann, K., Minière, A., Gues, F., Cuesta-Valero, F. J., Kirchengast, G., Adusumilli, S., Straneo, F., Ablain, M., Allan, R. P., Barker, P. M., Beltrami, H., Blazquez, A., Boyer, T., Cheng, L., Church, J., Desbruyeres, D., Dolman, H., Domingues, C. M., García-García, A., Giglio, D., Gilson, J. E., Gorfer, M., Haimberger, L., Hakuba, M. Z., Hendricks, S., Hosoda, S., Johnson, G. C., Killick, R., King, B., Kolodziejczyk, N., Korosov, A., Krinner, G., Kuusela, M., Landerer, F. W., Langer, M., Lavergne, T., Lawrence, I., Li, Y., Lyman, J., Marti, F., Marzeion, B., Mayer, M., MacDougall, A. H., McDougall, T., Monselesan, D. P., Nitzbon, J., Otosaka, I., Peng, J., Purkey, S., Roemmich, D., Sato, K., Sato, K., Savita, A., Schweiger, A., Shepherd, A., Seneviratne, S. I., Simons, L., Slater, D. A., Slater, T., Steiner, A. K., Suga, T., Szekely, T., Thiery, W., Timmermans, M.-L., Vanderkelen, I., Wjiffels, S. E., Wu, T., and Zemp, M.: Heat stored in the Earth system 1960–2020: where does the energy go?, Earth Syst. Sci. Data, 15, 1675–1709, https://doi~~:~~.org/10.5194/essd-15-1675-2023, 2023.

Walker, A. S., Kratochwill, C. A., & van Woesik, R. : Past disturbances and local conditions influence the recovery rates of coral reefs. Global Change Biology, 30(1), e17112, https://doi.org/10.1111/gcb.17112 2024.

Wang, S., Foster, A., Lenz, E. A., Kessler, J. D., Stroeve, J. C., Anderson, L. O., ... & Hausfather, Z. Mechanisms and impacts of Earth system tipping elements. ~~*Reviews of geophysics*,~~Rev. Geophys., 61(1), e2021RG000757. (2023).

Ward, J. R., Kim, K., and Harvell, C.D.: Temperature affects coral disease resistance and pathogen growth. Mar. Ecol. Prog. Ser., 329, 115-121, https://doi~~:~~.org/10.3354/meps329115, 2007.

Weber, M., De Beer, D., Lott, C., Polerecky, L., Kohls, K., Abed, R. M., Ferdelman, T. G., and Fabricius, K. E.: Mechanisms of damage to corals exposed to sedimentation. Proc. Natl. Acad. Sci. USA, 109, 1558-1567, 2012.

Wilkinson, C.: Global and local threats to coral reef functioning and existence: review and predictions. Mar. Freshw. Res., 50, 867-878, https://doi~~:~~.org/10.1071/MF99121, 1999.

Woodroffe, C. D., & Webster, J. M. : Coral reefs and sea-level change. ~~Marine Geology,~~Mar. Geolog., 352, 248-267 ,https://doi.org/10.1016/j.margeo.2013.12.006 2014.

Wunderling, N., Winkelmann, R., Rockström, J., Loriani, S., Armstrong-McKay, D., Ritchie, P., Sakschewski, B., and Donges, J.: Global warming overshoots increase risks of climate tipping cascades in a network model. Nat. Clim. Chang., 13, 75–82, https://doi~~:~~.org/10.1038/s41558-022-01545-9, 2023.

~~WWF: Living Planet Report 2022 – Building a nature-positive society. Almond, R.E.A., Grooten, M., Juffe Bignoli, D. & Petersen, T. (Eds). WWF, Gland, Switzerland, 2022.~~

Zhang, Z., Poulter, B., Feldman, A.F. et al~~.,~~.,: Recent intensification of wetland methane feedback. Nat. Clim. Chang. 13, 430–433~~ (2023). https://doi.org/10.1038/s41558-023-01629-0~~. https://doi.org/10.1038/s41558-023-01629-0. 2022.

Zuo, X.; Su, F.; Yu, K.; Wang, Y.; Wang, Q.; Wu, H.: Spatially Modeling the Synergistic Impacts of Global Warming and Sea-Level Rise on Coral Reefs in the South China Sea. Remote Sens. 2021, 13, 2626. https://doi.org/10.3390/rs13132626