

# 1      **Considerations for determining warm-water coral reef tipping** 2 **points.**

3  
4 Paul Pearce-Kelly<sup>1</sup>, Andrew H. Altier<sup>2</sup>, John F. Bruno<sup>3</sup>, Christopher E. Cornwall<sup>4</sup>, Melanie McField<sup>5</sup>,  
5 Aarón Israel Muñoz-Castillo<sup>5</sup>, Juan Rocha<sup>6</sup>, Renee O. Setter<sup>7</sup>, Charles Sheppard<sup>8\*</sup> Rosa Maria Roman-  
6 Cuesta<sup>9</sup>, Chris Yesson<sup>10</sup>

7  
8 <sup>1</sup> Zoological Society of London, Regent's Park, London NW1 4RY, UK [paul.pearce-kelly@zsl.org](mailto:paul.pearce-kelly@zsl.org)

9 <sup>2</sup> Department of Environmental Engineering Sciences, Engineering School of Sustainable Infrastructure & Environment,  
10 University of Florida, USA. [andrew.altieri@essie.ufl.edu](mailto:andrew.altieri@essie.ufl.edu)

11 <sup>3</sup> Department of Biology, The University of North Carolina at Chapel Hill, Chapel Hill, NC, USA [jbruno@unc.edu](mailto:jbruno@unc.edu)

12 <sup>4</sup> School of Biological Sciences and Coastal People Southern Skies Centre of Research Excellence, Victoria University of  
13 Wellington, Kelburn, Wellington, New Zealand. [christopher.cornwall@vuw.ac.nz](mailto:christopher.cornwall@vuw.ac.nz)

14 <sup>5</sup> Healthy Reefs for Healthy People Initiative, Mexico, Belize, Guatemala, Honduras, and the USA. Fort Lauderdale, FL 33312,  
15 USA. [mmcfield@gmail.com](mailto:mmcfield@gmail.com) [israbios.muca@gmail.com](mailto:israbios.muca@gmail.com)

16 <sup>6</sup> Stockholm Resilience Centre, Stockholm University, Stockholm, Sweden, [juan.rocha@su.se](mailto:juan.rocha@su.se)

17 <sup>7</sup> Department of Geography and Environment, University of Hawai'i at Mānoa, Honolulu, Hawai'i, USA. [rsetter@hawaii.edu](mailto:rsetter@hawaii.edu)

18 <sup>8</sup> University of Warwick, University Road, Coventry, CV4 7AL, UK.

19 <sup>9</sup> Technical University of Munich, School of Life Sciences, Freising, Germany. [rosa.roman@tum.de](mailto:rosa.roman@tum.de)

20 <sup>10</sup> Institute of Zoology, Zoological Society of London, Regent's Park, London NW1 4RY, UK. [chris.yesson@ioz.ac.uk](mailto:chris.yesson@ioz.ac.uk)

21 \* Charles Sheppard sadly passed away during the review of this manuscript

22  
23 *Correspondence to:* Paul Pearce-Kelly ([paul.pearce-kelly@zsl.org](mailto:paul.pearce-kelly@zsl.org))  
24  
25

26 **Abstract.** Warm-water coral reefs are facing unprecedented human driven threats to their continued existence as biodiverse,  
27 functional ecosystems upon which hundreds of millions of people rely. These impacts may drive coral ecosystems past critical  
28 thresholds, beyond which the system reorganises, often abruptly and potentially irreversibly, this is what the IPCC (2022)  
29 define as a tipping point. Determining tipping point thresholds for coral reef ecosystems requires robust assessment of multiple  
30 stressors and their interactive effects. In this perspective piece we draw upon the recent Global Tipping Points Report initiative  
31 (Lenton et al., 2023) and a literature search to identify and summarise the diverse range of interacting stressors that need to be  
32 considered for determining tipping point thresholds for warm-water coral reef ecosystems. Considering observed and projected  
33 stressor impacts we endorse the Global Tipping Points Report conclusion of a global mean surface temperature (relative to  
34 pre-industrial) tipping point threshold of 1.2°C (range 1-1.5°C) and the long-term impacts of atmospheric CO<sub>2</sub> concentrations  
35 above 350 ppm, whilst acknowledging that comprehensive assessment of stressors, including ocean warming response  
36 dynamics, overshoot and cascading impacts, have yet to be sufficiently realised. These tipping point thresholds have already  
37 been exceeded and therefore these systems are in an overshoot state and are reliant on policy actions bringing stressor levels  
38 back within tipping point limits. Fuller assessment of interacting stressors is likely to further lower tipping point thresholds in  
39 most cases. Uncertainties around tipping points for such crucially important ecosystems underlines the imperative of robust  
40 assessment and, in the case of knowledge gaps, employing a precautionary principle favouring lower range tipping point  
41 values.  
42

## 43 1. Introduction

44 Warm-water coral reefs (tropical and subtropical) support one quarter to one third of marine biodiversity (Plaisance et al.,  
45 2011), including over 25% of marine fish species (Laffoley and Baxter, 2016). The estimated annual economic value of coral  
46 reef ecosystem services ranges from US\$29.8 billion (Cesar, Burke & Pet-Soede, 2003) up to US\$2.7 trillion (Souter et al.,  
47 2021), upon which at least 500 million people are reliant (IPBES 2019). They are also among the most sensitive ecosystems  
48 to anthropogenic driven stressors with approximately 50% of global live coral cover lost with accelerated declines seen over  
49 the last 30 years (IPBES 2019), primarily due to ocean warming, but other factors have contributed locally such as fishing,  
50 pollution, disease, nutrient enrichment and predation by crown of thorns starfish (IPCC 2022). IPBES (2019) states that over  
51 80% of the world’s coral reefs are severely over-fished or have degraded habitats (McClanahan et al., 2015). Eddy et al., (2021)  
52 estimate coral reef ecosystem services have halved since the 1950s. Although local stressors continue to impact coral reef  
53 health, climate driven stressors have become the dominant threat to the functional viability of these ecosystems (IPBES 2019;  
54 IPCC 2022).

55  
56 It is well established that coral reef ecosystems are vulnerable to multiple interacting tipping points (TPs) (Norström et al.,  
57 2016; Heinze et al., 2021; Armstrong-McKay et al., 2022; IPCC 2022). IPCC (2022) defines a TP as “*a critical threshold*  
58 *beyond which a system reorganises, often abruptly and/or irreversibly*”. Coral reefs are prone to TPs that can produce coral  
59 die offs and replacement by other ecological communities such as macroalgae, soft corals, or urchin barrens (Norström  
60 et al., 2016), with reductions in biodiversity and degradation of ecosystem services (IPBES 2019). Warm water coral reefs  
61 cross a threshold of ecosystem collapse (Bland et al., 2018) when they cease to have sufficient live coral cover (typically ~  
62 10%) necessary for supporting the wide diversity of taxa, ecological interactions and positive carbonate production state typical  
63 of a coral reef (Perry et al., 2013; Darling et al., 2019; Sheppard et al., 2020; Vercelloni et al., 2020; Armstrong-McKay et al.,  
64 2022). Coral mortality may take weeks or a few months for acute events (e.g. bleaching), or years for chronic threats (e.g.  
65 diseases), but prolonged failure to recover over a decade is necessary to qualify a coral reef as ‘collapsed’.

66  
67 Coral reef losses have accelerated in recent decades due to climate change and other stressors (IPBES 2019; Souter et al.,  
68 2021), with high variability among regions, but some localised recovery and resilience observed (e.g. Richards et al., 2021).  
69 Localised responses of corals to increasing scales and intensities of stressors are aggregating at scales now exceeding 1000 km  
70 and manifesting as regional die-offs (e.g. Western and Central Indian Ocean, Great Barrier Reef, Mesoamerican Reefs) (Le  
71 Nohaïc et al., 2017; Muñoz-Castillo et al., 2019; Sheppard et al., 2020; Obura et al., 2022; Amir 2022), with most regions  
72 experiencing multiple die-off events (Darling et al., 2019; Cramer et al., 2020; IPCC 2022). Coral reef bleaching TPs have  
73 already been reached in seven ocean systems (IPCC 2022).

74

## 75 2. Considerations for assessing coral reef TPs.

76 Direct and indirect local human activities are increasingly degrading coral reef ecosystems through a combination of coastal  
77 development, water quality reduction, over-harvesting, invasive species and disease spread. At the local level, these stressors  
78 have already tipped some areas from coral to macroalgae dominated ecosystems (Bruno et al., 2009; IPBES 2019; Souter et  
79 al., 2021). Local stressor impacts are increasingly exacerbated by anthropogenic climate change, for example, high abundance  
80 of macroalgae or urchins exacerbating coral loss after bleaching (Donovan et al., 2021).

81  
82 It's important to consider the combined impact of multiple stressors. Doing so can significantly alter assessments of coral reef  
83 futures (Setter et al., 2022; Lenton et al., 2023). Interactions between different stressors can be antagonistic (the combined  
84 effect is less than the additive), additive (the combined effect is equal to the sum of their individual effects) or synergistic (the  
85 combined effects exceed their individual effects) (Good and Bahr 2020). Some studies find antagonistic interactions between  
86 multiple stressors (Darling et al., 2010; Johnson et al., 2022). However, a wide variety of synergistic interactions also occur  
87 (ICRS 2021; IPCC 2022; Setter et al., 2022; Lenton et al., 2023), generally lowering the thermal threshold for bleaching and/or  
88 mortality, accelerating collapse, or even surpassing thermal stress in local importance (Ban et al., 2013; Edmunds et al., 2014;  
89 Rocha et al., 2015; Anthony 2016; Darling et al., 2019; IPBES 2019; Cramer et al., 2020; Setter et al., 2022; Lenton et al.,  
90 2023). Stressor onset rate can have a major effect on significance, for example for reef fish mortality (Genin et al., 2020).  
91 Depending on onset rate and magnitude, the same interacting stressors may initially have antagonistic effects but may transition  
92 to additive or synergistic (e.g., Fisher et al., 2019).

93  
94 Increasing atmospheric greenhouse gas (GHG) concentrations, especially carbon dioxide (CO<sub>2</sub>), are disrupting Earth Energy  
95 Balance. The resultant Earth Energy Imbalance (EEI) is increasing atmospheric and ocean temperatures (IPCC 2021; Loeb et  
96 al., 2021; Von Schuckmann et al., 2023). CO<sub>2</sub> concentrations are the dominant driver of rate and magnitude of ocean warming  
97 and acidification (Meinshausen et al., 2020). Because of its large thermal inertia the ocean takes hundreds of years to fully  
98 respond to the atmospheric temperature increases that human driven GHG concentrations are causing (IPCC, 2021; Abraham  
99 et al., 2022; Cheng et al.; 2022). The resultant *committed* heating and sea level rise (SLR) needs to be calculated for any given  
100 GHG/temperature level. Although both ocean heat uptake and SLR take centuries to fully respond, it takes approximately 25-  
101 50 years for the majority of committed ocean warming to be realised (Hansen et al; 2005; Abrams et al., 2023), with the upper  
102 ocean level having the shortest response time. Due to these inertia considerations, TP thresholds can be exceeded decades  
103 before the full physical impacts are observed.

104  
105 Overshoot describes warming pathways that temporarily increase global mean temperature over a specific temperature target  
106 (IPCC 2022). Overshoot of multiple decades implies severe risks and irreversible impacts in many ecosystems (Meyer et al.,  
107 2022; Wunderling et al., 2022; Schleussener et al., 2024), including coral reefs from heat-related mortality and associated  
108 ecosystem transitions (high confidence) (IPCC 2022). Overshoot is an urgent consideration for coral reefs because CO<sub>2</sub> levels

109 and global mean surface temperature have already exceeded critical thresholds and so as such we are already in overshoot, and  
110 this problem is compounded by stressor rate and magnitude (Lenton et al., 2023).

111 TP cascades describe a TP in one system triggering, or stabilising, subsequent TPs in other systems (Rocha et al., 2018;  
112 Armstrong-McKay et al., 2022; IPCC 2022; Wunderling et al., 2022). Here we summarise the most important stressors relevant  
113 to TP sensitivity for coral reefs and explore interactions between them.

### 114 **3. Ocean warming and heatwaves**

115 Warmer ocean temperatures, driven by Anthropogenic climate change, compounded by El Niño heating events, is the primary  
116 stressor of regional-scale and ocean-basin-scale mortality of scleractinian corals. Heat stress, in combination with irradiance,  
117 results from small increases in seawater temperature above the summer maxima to which corals are acclimatised, destabilising  
118 the symbiosis between host corals and their symbiotic algae, commonly referred to as coral bleaching (Hughes et al., 2017;  
119 Houk et al., 2020; UNEP 2020; IPCC 2022).

120

121 Mass bleaching occurs when sea temperatures persist at more than 1 degree above established summer maxima for 8-12 weeks  
122 (known as 8-12 Degree Heating Weeks or DHW). Although mass bleaching has resulted in significant coral mortality, we note  
123 that with the loss of sensitive corals, acclimation and adaptation, the definition of DHW may require adjustment (Lenton et al.,  
124 2023).

125

126 Previous assessments have highlighted consequences of different levels of warming:

127 **0.7°C** - “In the late 1990s when global warming was around 0.7°C large-scale coral reef bleaching also became apparent ...  
128 supporting the lower boundary for this transition in respect of coral reefs” (Veron et al., 2009; IPCC, 2022)

129 **1.0°C** - “temperatures of just 1°C above the long-term summer maximum ... over 4–6 weeks are enough to cause mass coral  
130 bleaching ... and mortality (very high confidence)” (Hoegh-Guldberg et al., 2018; Skirving et al., 2019).

131 **1.2°C** - “Warm water (tropical) coral reefs are projected to reach a very high risk of impact at 1.2°C ..., with most available  
132 evidence suggesting that coral-dominated ecosystems will be non-existent at this temperature or higher (high confidence). At  
133 this point, coral abundance will be near zero at many locations and storms will contribute to ‘flattening’ the three-dimensional  
134 structure of reefs without recovery, as already observed for some coral reefs (Alvarez-Filip et al., 2009).” (Hoegh-Guldberg et  
135 al., 2018). Coral reef bleaching TPs have already been passed in seven ocean systems (IPCC 2022; Lenton et al., 2023).

136 **1.5°C** - “...coral reefs... will undergo irreversible phase shifts due to marine heatwaves with global warming levels >1.5°C  
137 and are at high risk this century even in <1.5°C scenarios that include periods of temperature overshoot beyond 1.5°C (high  
138 confidence).” (IPCC 2022). Projections predict 70-90% coral loss at 1.5°C (Hoegh-Guldberg et al., 2018; IPBES 2019; Souter

139 et al., 2021; Armstrong McKay et al., 2022), whereas finer scale modelling projects a 95-98% loss (Kalmus et al., (2022) and  
140 suggest 99% loss (Dixon et al., 2022).

141 **2.0°C** - “literature since AR5 has provided a closer focus on the comparative levels of risk to coral reefs at 1.5°C versus 2°C  
142 of global warming ... reaching 2°C will increase the frequency of mass coral bleaching and mortality to a point at which it  
143 will result in the total loss of coral reefs from the world’s tropical and subtropical regions.” (IPCC 2018). Predictions show  
144 99% coral loss at 2.0°C (Frieler et al., 2013; Hoegh-Guldberg et al., 2018; IPBES 2019; Knowlton et al., 2021; Souter et al.,  
145 2021; Armstrong McKay et al., 2022; Wang et al., 2023). Finer scale modelling projects 100% loss at 2.0°C. (Dixon et al.,  
146 2022; Kalmus et al., 2022).

147  
148 Since the first global bleaching event of 1998, up to 71% of the world’s reefs have experienced three further global mass  
149 bleaching events, with a fourth event being experienced in 2023/2024 ([https://www.noaa.gov/news-release/noaa-confirms-  
150 4th-global-coral-bleaching-event](https://www.noaa.gov/news-release/noaa-confirms-4th-global-coral-bleaching-event)).

151  
152 Assessments of risk to corals from heating typically don’t consider co-occurring or interacting stressors or the delayed heating  
153 response to atmospheric greenhouse gas concentrations. Ocean warming inertia may mask the impact severity of stated  
154 greenhouse gas and temperature levels. When emissions-driven temperature overshoot is considered, lower target temperatures  
155 can have similar impacts to higher, with little difference in coral survival between an overshoot scenario that peaks at 2°C and  
156 subsequently reduces temperatures to 1.5°C versus a 2°C scenario without a subsequent reduction in temperatures (Tachiiri et  
157 al., 2019).

158  
159 Tanaka and Van Houtan (2022) confirm the normalisation of extreme heating events. The frequency and duration of bleaching  
160 events are likely to increase, occurring earlier in the year and potentially overlapping with critical spawning periods (Mellin et  
161 al., 2024). The compounding heat stress of El Niño events (Claar et al., 2018; Hughes et al., 2018b; Lough et al., 2018) may  
162 increase with projected Arctic and Antarctic sea ice loss (England et al., 2020; Liu et al., 2022). Real world observations from  
163 the NOAA coral reef watch program demonstrate that coral reef damage is accelerating and underscores the threat  
164 anthropogenic climate change poses for the irreversible transformation of these essential ecosystems (Eakin et al., 2022).

165  
166 **Interactions of ocean warming and heatwaves with other stressors**

167 Warming effects are so far reaching in their impacts that they can adversely impact many other coral stressors, these stressors,  
168 in turn, can increase vulnerability to thermal stress. For example, heating-induced bleaching increases disease risk and lowers  
169 calcification which increases the impact of ocean acidification (Davis et al., 2021; Burke et al., 2023). Corals that survive  
170 bleaching can have compromised growth rates and reproduction (Rodrigues and Padilla-Gamino, 2022; Speare et al., 2022;  
171 Briggs et al., 2024). Furthermore, warming oceans and heatwaves increase storm intensity and raise sea-level through thermal  
172 expansion and cryosphere melting.

#### 173 **4. Stratification**

174 Ocean stratification is the layering of water masses, based on density. Stratified water layers are a barrier to mixing, which  
175 impacts the exchange of heat, oxygen, nutrients and carbon between shallow and deep water. This impacts marine organisms  
176 in a number of significant ways, including impacting primary productivity and potentially the entire marine food chain.  
177 Stratification has increased globally by 5.3% in recent decades (Li et al., 2020).

178

#### 179 **Interactions**

180 Stratification is strongly linked with warming oceans. Stratification magnifies the warming effect at the upper layers, thus  
181 increasing thermal stress to warm water reefs, this is a vicious circle as warming oceans further increase stratification.  
182 Additionally, stratification reduces CO<sub>2</sub> uptake, further exacerbating anthropogenic warming. Stratification impedes ocean  
183 mixing impacting nutrient flows. Stratification is strongly linked with deoxygenation. Stratification is also linked with melting  
184 of Antarctic ice shelves and sea-level rise (Reed and Harrison 2016; Li et al., 2020; Auger et al., 2021). Stratification is  
185 increasing which has dramatic consequences for sea temperatures and CO<sub>2</sub> concentrations (Goreau and Hayes, 2024)

#### 186 **5. Ocean acidification**

187 Ocean acidification (OA) is the process of the increasing absorption of atmospheric CO<sub>2</sub> by the surface seawaters of the oceans  
188 (Raven 2005), which in turn reduces the calcification rates of most scleractinian tropical and subtropical corals (Comeau et al.,  
189 2014; Kornder et al., 2018), and can alter the photo-physiology and calcification physiology of some corals (Comeau et al.,  
190 2018). OA causes a change in the speciation of dissolved inorganic carbon and an increase in protons (Caldeira and Wickett  
191 2003; Feely et al., 2004; Sabine et al., 2004; Raven et al., 2005). This results in increased dissolution of exposed calcareous  
192 material due to decreased saturation state of CaCO<sub>3</sub>, and also inhibition of calcification through increasing proton concentration  
193 with the calcifying space in corals and calcareous algae (Comeau et al., 2018; Comeau et al., 2019).

194

195 OA causes declines in coral calcification rates (Comeau et al., 2018). Early work predicted large-scale loss of coral calcification  
196 at catastrophic levels, whereby OA was projected to result in coral bleaching and in some cases net dissolution of corals (see  
197 data within Leung et al., 2022). Contemporary research demonstrates that some corals are resistant to OA (Comeau et al.,  
198 2018; Kornder et al., 2018). The most comprehensive modelling estimates are that by year 2100 coral calcification would  
199 decline by 1% under RCP2.6, 4% under RCP4.5 and 15% at RCP8.5 (Cornwall et al., 2021). When combined solely with the  
200 metabolic effects of temperature increases, this decline would be 1% (RCP2.6), 8% (RCP4.5), and 33% (RCP8.5). However,  
201 the calcification rates of susceptible coral taxa (e.g., *Acropora* spp.) would decline by much more, and resistant species (e.g.,  
202 *Pocillopora* spp. or *Porites* spp. generally) could be unaffected.

203

204 The direct metabolic impacts of OA do not manifest a TP, but TPs at ecological levels are likely. Recent evidence  
205 indicates that ecological TPs within coral reefs caused solely by ocean acidification would occur around 550  
206 ppm, roughly the same concentration of atmospheric CO<sub>2</sub> that would cause detectable declines in both coral and  
207 coralline algal calcification (Cornwall et al., 2024). However, ecosystem trajectories are uncertain, and much  
208 more future research is required to determine the generality of these findings.

209 The adverse impacts on coral and coralline algal calcification are direct negative effects, when combined with the  
210 direct positive effects on other taxa (such as opportunistic turfing algae). Susceptible species would start to give  
211 way to tolerant species over time (as generally occurs at natural analogues in the field (Fabricius et al., 2011;  
212 Comeau et al., 2022)), and other non-coral taxa would start to dominate space on what once were traditional coral  
213 reefs. Species that are capable of maintaining stable internal carbonate chemistry or compensate for these changes  
214 tend to be more tolerant to OA.

215

### 216 **Interactions**

217 Reduced calcification increases disease risk and weakened skeletons are vulnerable to storms (Suwa et al., 2010; Anthony et  
218 al., 2011; Steffen et al., 2015; Setter et al., 2022). There is also some evidence that elevated CO<sub>2</sub> will exacerbate heat stress  
219 induced declines in coral calcification and physiological performance, though the strength and direction of these interactions  
220 varies widely by coral reef taxa, and even within different coral genera (Kornder et al., 2018). However, of greater immediate  
221 importance to the majority of corals will be successive marine heatwaves that will reduce the coral cover of less heat tolerant  
222 species, populations and genotypes over the majority of the oceans in the near future (van Hooidonk et al., 2014; Cornwall et  
223 al., 2021; Logan et al., 2021; Cornwall et al., 2023). Survivors of this human-driven evolutionary force will not necessarily be  
224 those that are tolerant to OA also, and thus numerous TPs in time could occur.

### 225 **6. Deoxygenation**

226 Deoxygenation on coral reefs is perhaps the least studied of the major threats directly linked to climate change such as warming  
227 and acidification (Hughes et al., 2020). However, there is sufficient evidence to say that dissolved oxygen is a critical resource  
228 on coral reefs, and that oxygen limitation (i.e. hypoxia) results in non-linearities and feedbacks that contribute to ecological  
229 tipping points (Nelson and Altieri 2019). The consequences of crossing these TPs are perhaps most dramatically evident in  
230 sudden mass mortality events, which has led to calls to accelerate the research agenda on deoxygenation on coral reefs (Altieri  
231 et al., 2017). The oxygen concentration threshold at which corals lose their ability to maintain homeostasis is 2 mg/L with  
232 lethal doses between 0.5-2 mg/L (Hughes et al., 2020; Johnson et al., 2021a). Previous mass extinctions have been linked to  
233 deoxygenation, indicating the potential severity of this threat (Liu et al., 2019).

234



235 The problem of deoxygenation on coral reefs is becoming more prevalent and severe in the Anthropocene from a combination  
236 of global climate change (Altieri and Gedan 2015; Pezner et al., 2023), as well as local pollution in the form of excess nutrient  
237 and organic matter (Diaz and Rosenberg 2008), which are magnified by local oceanographic patterns (Adelson et al., 2022).  
238 Around 13% of coral reefs are at risk of deoxygenation, and this is likely to increase with continued climate change (Altieri et  
239 al., 2017; Pezner et al., 2023).

240

241 We suggest that evidence to date for feedbacks and non-linear thresholds indicates that a TP framework should be used to  
242 guide future research on deoxygenation in coral reefs, and that hypoxia should be considered in studies of thermal stress and  
243 acidification.

244

#### 245 **Interactions**

246 Climate-related variables of temperature and acidification are also likely to exacerbate deoxygenation by affecting the  
247 physiological responses of corals and other reef organisms. It is widely recognized that increased temperatures lead to increased  
248 metabolic demand and decreased tolerance thresholds in marine organisms including corals (Vaquer-Sunyer and Duarte, 2011;  
249 Alderdice et al., 2022; Weber et al., 2012). Considering the co-occurrence and synergistic effects of these co-stressors with  
250 deoxygenation, a multi-stressor perspective is essential, and many of the assumed thresholds for TPs on coral reefs based on  
251 single or even double stressor treatments under laboratory experiments are likely overly conservative estimates. Coral reefs  
252 are vulnerable to a number of feedbacks that exacerbate deoxygenation events, these include: bleaching (Altieri et al., 2017;  
253 Alderdice 2021; Johnson et al., 2021a,b;), excessive dead material from mass mortality events (Simpson et al., 1993), coral  
254 disease and algal growth (Dinsdale and Rohwer, 2011), and shifts in the coral microbiome (Howard et al., 2023).

### 255 **7. Storm intensity**

256 The direct force of wind and waves, along with changes in storm direction, increases risks of physical damage and exposure  
257 to reduced water quality and sediment runoff (IPCC 2018). Storms contribute to unstable rubble substrate, compromising coral  
258 settlement (Sheppard et al., 2020). Furthermore, frequent intense storms can hinder reef recovery (Puotinen et al., 2020). Setter  
259 et al., (2022) ascribe a threshold value of storm strength category <4 with a return time of >5 years.

260

#### 261 **Interactions**

262 Ocean warming may increase the severity of cyclones (IPCC 2021; Setter et al., 2022) and coral bleaching has likely reduced  
263 the ability of reefs to recover from cyclone damage (Laffoley and Baxter 2016). The likelihood of more intense cyclones within  
264 time frames of coral recovery by mid-century poses a global threat to coral reefs and dependent societies (Cheal et al., 2017).  
265 Storms can have an antagonistic interaction with heat stress, reducing bleaching severity, but also generate sediment  
266 resuspension (Gardner et al., 2005; Manzello et al., 2007; Carrigan and Puotinen, 2014; Puotinen et al., 2020; Setter et al.,

267 2022). Reduced calcification increases susceptibility to storm impacts (Suwa et al., 2010; Anthony et al., 2011; Steffen et al.,  
268 2015; Setter et al., 2022).

## 269 **8. Sea level rise**

270 Sea-level rise (SLR) can cause ‘reef drowning’ from exceeding *Darwin Point* thresholds (Grigg 2008). Saunders et al., (2016)  
271 note that while individual corals may keep pace with SLR, likely maximum reef framework accretion rate on reef flats is only  
272 3 mm yr<sup>-1</sup>. Saintilan et al., (2023) estimate likely vulnerability to relative SLR at 7 mm yr<sup>-1</sup> for coral reef islands. Global mean  
273 sea level between 2006 and 2018 increased to 3.7 mm yr<sup>-1</sup> (IPCC 2021). Under SSP1-2.6, due to the risk of loss of reef  
274 structural integrity and transitioning to net erosion by mid-century the rate of sea level rise is very likely to exceed that of reef  
275 growth by 2050, absent adaptation (IPCC 2022). Depending on reef type and location suggested SLR threshold rates range  
276 from 4-9 mm yr<sup>-1</sup>.

277  
278 Closely connected seagrass and mangrove ecosystems (Guannel et al., 2016) are very vulnerable to projected SLR (Saunders  
279 et al., 2014; Törnqvist et al., 2021; Saintilan et al., 2023) which will further compromise coral reef resilience and functionality.  
280 In summary, SLR rate and magnitude looks increasingly likely to overwhelm the accretion ability of coral reefs which will be  
281 further challenged by increased wave energy, sedimentation, turbidity and resultant compromised light conditions for symbiont  
282 photosynthesis (Saunders et al., 2014; Woodroffe and Webster 2014; Törnqvist et al., 2021; Saintilan et al., 2023).

## 284 **Interactions**

285 Moderate rates of sea level rise may potentially provide cooling for some reefs contending with thermal stress and thus have  
286 an antagonistic effect (Baldock et al., 2014; Cinner et al., 2015; Brown et al., 2019; Zuo et al., 2021). However, SLR rate and  
287 magnitude predictions (eg. Ciraci et al., 2023; Vernimmen and Hooijer 2023) imply increasingly synergistic impacts,  
288 especially in the tropics (Spada et al., 2013; Hooiler and Vernimmen 2021; Cazenave et al., 2022). High SLR rate and  
289 magnitude can change the interactions from antagonistic to synergistic, for example: reducing light availability, increasing  
290 sedimentation and turbidity (Laffoley and Baxter, 2016; Perry et al., 2018; IPCC 2022).

## 292 **9. Pollution & disruption**

293 Here we use pollution as an all-encompassing term covering sediment, eutrophication, turbidity and chemicals, while  
294 disruption as a term covering local land use change, human population density and overfishing. Sedimentation reduces water  
295 clarity and hence solar energy supply, furthermore sediments settling on corals require greater energy to remove. Sedimentation  
296 is caused mainly by land-based activities such as coastal urbanisation, with plumes in large tropical river systems travelling

297 many km (Brodie et al., 2012). Organic pollution from sewage and agricultural run-off (e.g. fertiliser) are the main causes of  
298 eutrophication (increased nutrient content in water), which reduce light, actively poison invertebrates, introduce pathogens and  
299 reduce resistance to disease with direct impact on corals being decreased colony sizes, growth anomalies, and reduced growth  
300 and survival (Setter et al. 2022). Metals and organic chemicals can rupture cell membranes, disrupt enzyme pathways reducing  
301 corals' ability to resist other stressors. Plastics have also been identified as a major cause of coral reef stress due to light  
302 interference, toxin release, physical damage, anoxia and increasing the likelihood of pathogen disease 20-fold (Lamb et al.,  
303 2018). Land use can be used as a proxy for quantifying land-based pollution and other human stressors on coral reefs (Packett  
304 et al., 2008; Cinner et al., 2012; Setter et al., 2022). Setter et al., (2022) use human population density as the closest indicator  
305 available to quantify local human stressors, involving coral growth anomalies and disease, low biodiversity and fish biomass  
306 and reduced growth and survival. To calculate reef change threshold exceedance, Setter et al., (2022) use an ideal value of  
307 summed proportion agricultural/urban land use  $<0.5$  in a 50 km radius around a reef. Perhaps the most direct disruptive impact  
308 is overfishing with IPBES (2019) stating that more than 80% of the world's coral reefs are severely over-fished or have  
309 degraded habitats (McClanahan et al., 2015).

310

### 311 **Interactions**

312 Under certain circumstances poorer water quality can mediate bleaching resilience through a shading effect. Pollution  
313 exacerbates stress and increases disease risk, both of which are exacerbated by thermal stress. Eutrophication increases  
314 deoxygenation and exacerbates crown-of-thorn-seastar (COTS) outbreaks (De'ath and Fabricius 2010; Redding et al., 2013;  
315 Laffoley and Baxter 2019; MacNeil et al., 2019), while overfishing is also linked to COTS outbreaks (Babcock et al., 2016).  
316 Sites with historic disturbance may recover more slowly from heat stress and storms (Walker et al., 2024). Overfishing can  
317 lead to algae overgrowth inducing disease and lowering calcification (Fabricius 2005; Packett et al., 2009; Maina et al.,  
318 2013; Kroon et al., 2014; Prouty et al., 2017).

### 319 **10. Disease**

320 Diseases can be major drivers of the deterioration of coral reefs and are linked to major declines in coral abundance, reef  
321 functionality, and ecosystem services (Alvarez-Filip et al., 2022). Disease outbreaks have severe consequences for coral reef  
322 ecosystems, resulting in extensive coral mortality and endangering long-term survival. Noteworthy events include the rapid  
323 proliferation of diseases like Stony Coral Tissue Loss Disease (SCTLD), Black Band Disease, and various forms of White  
324 Syndrome (Alvarez-Filip et al., 2022). Coral diseases are driven largely by a changing environment and are contributing to  
325 whole ecosystem regime shifts (Thurber et al., 2020). Although diseases are becoming increasingly prevalent with temperature  
326 rise and pollution, these, by themselves, have had relatively little overall impact outside of the Caribbean Sea, to date. In the  
327 Caribbean SCTLD is a major present source of coral mortality, impacting more than a third of all reef-building coral species  
328 present, and potentially increasing the extinction risk of Pillar coral *Dendrogyra cylindrus* (among others). The relative impact

329 of diseases elsewhere is likely to change in the future, becoming more prevalent and interacting with heatwaves and other  
330 stressors (Estrada-Saldívar et al., 2021; Cavada-Blanco et al., 2022).

331

### 332 **Interactions**

333 Some coral diseases (but not all) have been linked to both marine heatwaves and the longer-term warming trend (Bruno et al.,  
334 2007; Randall and van Woesik, 2015). For example, viral infections of coral symbiotic dinoflagellate partners  
335 (Symbiodiniaceae) will likely increase as ocean temperatures continue to rise, potentially impacting the foundational symbiosis  
336 underpinning coral reef ecosystems (Howe-Kerr et al., 2023). Furthermore, predation scars leave corals susceptible to disease  
337 (Nicolet et al., 2018). Invasive species can directly cause or increase the risk of disease spread.

## 338 **11. Invasive and other problem species**

339 Increased native and invasive coral predators and competitors can have severe impacts on reefs. One example is the impact of  
340 COTS on the Great Barrier Reef (Uthicke et al., 2015). The coral-killing sponge, *Terpios hoshinota*, is a global invasive species  
341 which has led to a significant decline in living coral cover at various geographical locations (Thinesh et al., 2017).

342

### 343 **Interactions**

344 Warming is a driving factor in the increased impact of invasive and problem species. Studies on Mexican Pacific coast coral  
345 reefs confirmed that post-bleached corals are increasingly vulnerable to boring sponge impacts (Carballoe et al., 2012). COTS  
346 outbreaks appear to be significantly influenced by a combination of heat stress resiliency (Byren et al., 2024) and increased  
347 larval survivorship due to higher food availability, linked with anthropogenic runoff and warmer sea temperature facilitating  
348 faster settlement of larvae (Uthicke et al., 2015). Predation scars can leave corals susceptible to disease (Nicolet et al., 2018).

## 349 **12. Reef impact example**

### 350 **Chagos Archipelago demonstrates positive feedback (TPs).**

351 Observations from the Chagos Archipelago, central Indian Ocean, reveal several related lessons. Coral cover collapsed 90%  
352 after heatwaves in 2015-2016. Very few adults capable of spawning survived, with new growth not observed for 3 years  
353 (Sheppard and Sheppard, 2019).

354 Settlement of larvae, when it occurred, was compromised by disintegrating substrates. In many shallow areas, where wave  
355 energy had already swept the substrate clear of rubble, large areas are becoming covered by the encrusting and bioeroding  
356 sponge *Cliona* spp (Sheppard et al., 2020) and almost no coral settlers were seen in these areas. These sponges are clearly  
357 increasing; with one reef showing over 80% *Cliona* cover preventing coral larvae settlement.

358 On at least one lagoon floor, the former foliaceous coral dominance was also killed with skeletons disintegrating resulting in  
359 fine sediment covering all surfaces. Both sedimented surfaces and turbid water are not preferred conditions for larval  
360 settlement, with no juvenile corals recorded in such areas over many hectares.

361 The scenario of fewer corals producing fewer larvae, more turbid water in some areas and less substrate available for settlement  
362 is a classical positive feedback or TP situation. These factors all act synergistically in a direction that inevitably leads to an  
363 ever more impoverished reef system. Recovery from this will require a prolonged period without heat stress and a gradual  
364 removal of the vast volumes of sediment and rubble left from previous bleaching events (Sheppard and Sheppard, 2019).



365  
366 **Figure 1: Reef slope on Salomon atoll, Chagos Archipelago, before and after the mass mortality caused by warming in**  
367 **2015**

### 368 **13. Cascade effects contributing to coral reef TP threshold sensitivity**

369 The cascading effects of well-researched impacts in other globally important systems have not been sufficiently assessed for  
370 their potential impact on coral reef systems. Accelerating West Antarctic Ice Sheet melt (Naughten et al., 2023), increasing  
371 methane emissions (Zhang et al., 2023) and Arctic sea ice decline have the potential to increase rate and magnitude of coral  
372 reef stressor impacts, including temperature and SLR. For example, Liu et al., (2022) predict that 37–48% of the increase of  
373 strong El Niño near the end of the 21st century is associated specifically with Arctic sea-ice loss. Many climate impact  
374 predictions make assumptions of the stability of the wider earth system, but this may not hold true and lead to significant  
375 cascading impacts. For example, Ke et al., (2024) show dramatic decline in land carbon sinks in 2023 which, if continued, will  
376 have wider implications on CO<sub>2</sub> levels and associated stressors.

#### 377 **14. Resilience, adaptation and refugia**

378 Lenton et al., (2023) state ‘The potential for coral adaptation to warming is a critical but poorly known factor, and subject to  
379 high levels of variation locally. The potential effectiveness of restoration for coral reefs at scale, and with enhanced capacity  
380 to resist future threats, are both currently poor. The effect of climate migration on coral recovery is poorly known, with  
381 potentially positive effects at higher latitude (with in-migration), but negative at lower latitudes (with out-migration, but no  
382 replacement; Herbert-Read et al., 2023).’ IPCCs AR6 “Impacts and vulnerability” report states that ‘impacts of climate change  
383 may overwhelm attempts at restoration/conservation, particularly when the ecosystem is already near its TP, as is the case with  
384 tropical coral reefs (Bates et al., 2019; Bruno et al., 2019).’

385  
386 Mass coral mortality events repeated more than twice per decade and over local, regional and ocean scale, and by aggregation  
387 to global scales, is increasingly recognized as giving insufficient time for recovery of impacted populations and ecological  
388 function (Hughes et al., 2018a,b; Obura et al., 2022; Lenton et al., 2023; Venegas et al., 2023). Ecological and biogeographical  
389 (spatial) feedback loops prevent recovery through failure of reproduction, dispersal, recruitment and growth of corals  
390 (Sheppard et al., 2020). Other stressors reduce the ability of corals to resist thermal stress thus lowering tipping thresholds.  
391 Increasing frequency and intensity of regional scale coral mortality events (1+ °C warming) are suggestive of the majority of  
392 coral reefs already having reached their bleaching TP (IPCC 2022). The potential for thermal refuges for corals under likely  
393 future scenarios is doubtful (Beyer et al., 2018; Dixon et al., 2022; Setter et al., 2022; Lenton et al., 2023) as very few or no  
394 reef areas are predicted to remain below tipping thresholds of all key stressors. The existence of putative refuges at greater  
395 depths (Bongaerts and Smith, 2019) or higher latitudes (Setter et al., 2022) are not strongly supported by recent research  
396 (Hoegh-Guldberg et al., 2017; Hoegh-Guldberg et al., 2018; Rocha et al., 2018; Montgomery et al., 2021; IPCC 2022).

397  
398 There is evidence of persistence of heat adapted genotypes in some species but the loss of poorly adapted corals leads to a loss  
399 of diversity (Fox et al., 2021). Although potential for adaptation exists, stronger warming rates may outpace adaptive processes  
400 and limit coral persistence (Logan et al., 2021; Venegas et al., 2023). Historical and paleo-evidence suggests fringe  
401 distributions are likely to be compromised by increasing frequency and intensity of extreme-weather (Toth et al., 2021).  
402 Donovan et al., (2021) show that local stressors act synergistically with climate change to kill corals. Local factors such as  
403 high abundance of macroalgae or urchins have magnified coral loss in the year after bleaching. Notably, the combined effects  
404 of increasing heat stress and macroalgae intensified coral loss, suggesting that effective local management, alongside global  
405 efforts to mitigate climate change, could aid coral survival. Agostini et al., (2021) suggest that ocean acidification will reshape  
406 coral communities around the world, selecting species that have an inherent resistance to elevated pCO<sub>2</sub>.

407  
408 Kleypas et al., (2021) provide a blueprint for coral reef survival and state that existing conservation measures such as marine  
409 protected areas and fisheries management are no longer sufficient to sustain reef ecosystems, indicating a need for many

410 additional and innovative actions to increase reef resilience. Anthony et al., (2020) discuss new interventions and provide a  
411 conceptual model to guide effective strategy choices. They also state that warm-adapted coral traits may not spread fast enough  
412 in most coral species to keep up with the rate of warming, even under strong carbon mitigation. Hughes et al., (2023) provide  
413 recommendations and a conceptual framework to guide restoration projects and state that coral restoration is likely to continue  
414 to fail unless climate change and other anthropogenic impacts are urgently reduced.

415

416 **15. Conclusions**

417 Robust inclusion of multiple, interacting stressors into vulnerability assessments will lead to a greater understanding of coral  
418 reef futures and address concerns that assessments have been too reliant on temperature thresholds (McClanahan 2022; Klein  
419 et al., 2024). Stressor onset rate, magnitude and overshoot factors are important considerations for determining stressor  
420 interactions and their significance.

421


422 Veron et al., (2009) argue that to ensure long-term viability of coral reefs, atmospheric CO<sub>2</sub> levels must be reduced significantly  
423 below 350 ppm. Lenton et al., (2023) recognise the long term consequences of >350 ppm as a critical TP threshold, along with  
424 a global mean surface temperature (relative to pre-industrial) threshold of 1.2°C (range 1-1.5°C), whilst acknowledging that  
425 the “combined effects of long-term warming, sea level rise, ocean acidification, deoxygenation, and other stressors, bears more  
426 investigation.” The significance of both these TP thresholds is highlighted by the fact that global warming has already reached  
427 1.2°C and CO<sub>2</sub> levels have exceeded 420 ppm. Considering the calculations of von Schuckmann et al., (2020) that CO<sub>2</sub> levels  
428 would need to be reduced to 353 ppm to realise the Paris temperature target, 350 ppm is likely to be insufficient for realising  
429 a 1.2°C TP threshold, especially as other significant greenhouse gases are still increasing.

430

431 We note that interacting stressors, ocean response dynamics, GHG emissions overshoot and cascade considerations have yet  
432 to be sufficiently evaluated. These and other uncertainties around TP sensitivities for such a crucially important ecosystem  
433 underlines the imperative of robust assessment (Aronson and Precht, 2016; Dixon, Forster and Beger, 2021; Heinze et al.,  
434 2021; Laffoley et al., 2022; Lenton et al., 2023) and, in the case of knowledge gaps and uncertainties, employing a  
435 precautionary principle (Rockström et al., 2021; OECD 2022; Deutloff et al., 2023; Lenton et al., 2023b; Ripple et al., 2023;  
436 Fletcher et al., 2024) favouring lower range threshold values. Recognising threat severity is essential if the necessary  
437 response actions are to be realised.

438





439

440 **Figure 2: Visualisation of stressor interactions. Red links denote synergistic associations and blue links denote both**  
 441 **synergistic and antagonistic associations depending on magnitude and other factors.**

442 **Code/Data/Sample availability**

443 No new code or data or samples were generated for this manuscript

444 **Acknowledgements**

445 We are grateful to Richard Betts for advice on atmospheric CO<sub>2</sub> and temperature associations and ocean warming response  
446 times and would also like to thank Katja Frieler, Malte Meinshausen and Ove Hoegh-Guldberg. We thank our reviewers  
447 (including Lyndon DeVantier) for their valuable and constructive comments. We would like to record our condolences for the  
448 loss of our fellow author Prof Charles Sheppard, who sadly passed away during the production of this manuscript, and  
449 recognise his remarkable contributions to coral biology and conservation.

450 **Author contribution**

451 All authors contributed to writing and revising the text.

452 **Competing interests**

453 The authors declare that they have no conflict of interest.

454 **Financial support**

455 Andrew H. Altieri was supported by the U.S. National Science Foundation through their division of Ocean Sciences under  
456 grant OCE-2238422. Christopher E Cornwall is supported by Coastal People Southern Skies Centre of Research Excellence.  
457 Rosa Roman would like to acknowledge the BNP PARIBAS Foundation for their support to the CORESCAM project on  
458 coastal resilience to extreme events in the Caribbean and Central America. Chris Yesson is supported by funding from  
459 Research England.

460

## References

- 461  
462
- 463 Abraham, J., Cheng, L., Mann, M. E., Trenberth, K., & von Schuckmann, K. The ocean response to climate change guides  
464 both adaptation and mitigation efforts. *Atmospheric and Oceanic Science Letters*, 15(4), 100221. 2022.
- 465 Abrams, J. F., Huntingford, C., Williamson, M. S., Armstrong McKay, D. I., Boulton, C. A., Buxton, J. E., ... & Lenton,  
466 T. M. Committed global warming risks triggering multiple climate tipping points. *Earth's Future*, 11 (11), e2022EF003250.  
467 2023.
- 468 Adelson, A. E., Altieri, A. H., Boza, X., Collin, R., Davis, K. A., Gaul, A., Giddings, S. N., Reed, V., and Pawlak, G.:  
469 Seasonal hypoxia and temperature inversions in a tropical bay. *Limnology and Oceanography*, 67, 2174-2189, 2022.
- 470 Agostini S, Houllbrèque F, Biscéré T, Harvey BP, Heitzman JM, Takimoto R, Yamazaki W, Milazzo M & Rodolfo-Metalpa  
471 R (2021) [Greater Mitochondrial Energy Production Provides Resistance to Ocean Acidification in “Winning” Hermatypic](https://doi.org/10.3389/fmars.2020.600836)  
472 [Corals](https://doi.org/10.3389/fmars.2020.600836). *Front. Mar. Sci.* 7:600836. <https://doi.org/10.3389/fmars.2020.600836>
- 473 Alderdice, R., Perna, G., Cárdenas, A., Hume, B. C., Wolf, M., Köhl, M., Pernice, M., Suggett, D. J., and Voolstra, C. R.:  
474 Deoxygenation lowers the thermal threshold of coral bleaching. *Sci. Rep.*, 12, 18273, 2022.
- 475 Alderdice, R., Suggett, D. J., Cárdenas, A., Hughes, D. J., Köhl, M., Pernice, M., and Voolstra, C.R.: Divergent expression  
476 of hypoxia response systems under deoxygenation in reef-forming corals aligns with bleaching susceptibility. *Glob. Change*  
477 *Biol.*, 27, 312-326, 2021.
- 478 Altieri, A. H. and Gedan, K. B.: Climate change and dead zones. *Glob. Chang. Biol.*, 21, 1395-1406, 2015.
- 479 Altieri, A. H., Harrison, S. B., Seemann, J., Collin, R., Diaz, R. J., and Knowlton, N.: Tropical dead zones and mass  
480 mortalities on coral reefs. *Proc. Natl. Acad. Sci. USA*, 114, 3660-3665, 2017.
- 481 Alvarez-Filip, L., Dulvy, N. K., Gill, J. A., Côté, I. M., & Watkinson, A. R. : Flattening of Caribbean coral reefs: region-  
482 wide declines in architectural complexity. *Proc. Roy. Soc. B: Biol. Sci.*, 276(1669), 3019-3025,  
483 <https://doi.org/10.1098/rspb.2009.0339> 2009.
- 484 Alvarez-Filip, L., González-Barrios, F. J., Pérez-Cervantes, E., Molina-Hernández, A., and Estrada-Saldíva, N.: Stony  
485 coral tissue loss disease decimated Caribbean coral populations and reshaped reef functionality. *Commun. Biol.*, 5, 440,  
486 <https://doi.org/10.1038/s42003-022-03398-6>, 2022
- 487 Amir, H.: Status and trends of hard coral cover derived from long-term monitoring sites in the Maldives: 1998-2021.  
488 Maldives Marine Research Institute, Male', Republic of Maldives. 2022.
- 489 Anthony KRN, Helmstedt KJ, Bay LK, Fidelman P, Hussey KE, Lundgren P, Mead, D., McLeod, I.M., Mumby, P.J.,  
490 Newlands, M. and Schaffelke, B. : Interventions to help coral reefs under global change—A complex decision challenge.  
491 *PLoS ONE* 15(8): e0236399. <https://doi.org/10.1371/journal.pone.0236399>, 2020
- 492 Anthony, K. R. N.: Coral Reefs Under Climate Change and Ocean Acidification: Challenges and Opportunities for  
493 Management and Policy. *Ann. Rev. Env. Res.* 41, 59-81, <https://doi.org/10.1146/annurev-environ-110615-085610>, 2016

494 Anthony, K. R. N., Maynard, J. A., Diaz-Pulido, G., Mumby, P. J., Marshall, P. A., Cao, L., and Hoegh- Guldberg, O.:  
495 Ocean acidification and warming will lower coral reef resilience. *Glob. Change Biol.*, 17, 1798–1808,  
496 <https://doi.org/10.1111/j.1365-2486.2010.02364.x>, 2011.

497 Armstrong-McKay, D. I., Staal, A., Abrams, J. F., Winkelmann, R., Sakschewski, B., Loriani, S., Fetzer, I., Cornell, S. E.,  
498 Rockström, J., and Lenton, T. M.: Exceeding 1.5°C global warming could trigger multiple climate tipping points. *Science*,  
499 377, <https://doi.org/10.1126/science.abn7950>, 2022.

500 Aronson, R. B. and Preecht, W. F.: Physical and biological drivers of coral reef dynamics. In book: *Coral Reefs at the*  
501 *Crossroads Volume 6* ISBN : 978-94-017-7565-6 Publisher: Springer. Edited by: Hubbard, D. K., Rogers, C. S., Lipps, J.  
502 H. and Stanley, Jr, G. D. pp261-275, 2016.

503 Auger, M., Morrow, R., Kestenare, E., Sallée, J. B., & Cowley, R. : Southern Ocean in-situ temperature trends over 25  
504 years emerge from interannual variability. *Nat. Comm.*, 12(1), 514, <https://doi.org/10.1038/s41467-020-20781-1> 2021.

505 Babcock, R. C., Dambacher, J. M., Morello, E. B., Plagányi, É. E., Hayes, K. R., Sweatman, H. P., & Pratchett, M. S.:  
506 Assessing different causes of crown-of-thorns starfish outbreaks and appropriate responses for management on the Great  
507 Barrier Reef. *PloS one*, 11(12), e0169048, <https://doi.org/10.1371/journal.pone.0169048>, 2016.

508 Baldock, T. E., Golshani, A., Callaghan, D. P., Saunders, M. I., and Mumby, P. J.: Impact of sea-level rise and coral  
509 mortality on the wave dynamics and wave forces on barrier reefs. *Mar. Pollut. Bull.*, 83,155-164, 2014.

510 Ban, S., Graham, N., and Connolly, S.: Evidence for multiple stressor interactions and effects on coral reefs. *Glob. Change*  
511 *Biol.*, 20, 681–697, <https://doi.org/10.1111/gcb.12453>, 2013.

512 Bates, A. E., Cooke, R. S., Duncan, M. I., Edgar, G. J., Bruno, J. F., Benedetti-Cecchi, L., ... & Stuart-Smith, R. D. :  
513 Climate resilience in marine protected areas and the ‘Protection Paradox’. *Biol. Cons.*, 236, 305-314,  
514 <https://doi.org/10.1016/j.biocon.2019.05.005> 2019.

515 Beyer, H. L., Kennedy, E. V., Beger, M., Chen, C. A., Cinner, J. E., Darling, E. S., Eakin, C. M., Gates, R. D., Heron, S.  
516 F., Knowlton, N., Obura, D., Palumbi, S. R., Possingham, H. P., Puotinen, M., Runtang, R. K., Skirving, W. J., Spalding,  
517 M., Wilson, K. A. Wood, S., Veron, J. E., and Hoegh-Guldberg, O.: Risk-sensitive planning for conserving coral reefs  
518 under rapid climate change. *Cons. Lett.*, 11, e12587. ISSN 1755-263X, 2018.

519 Bland, L. M., Rowland, J. A., Regan, T. J., Keith, D. A., Murray, N. J., Lester, R. E., Linn, M., Rodriguez, J. P., and  
520 Nicholson, E.: Developing a standardized definition of ecosystem collapse for risk assessment. *Front Ecol. Environ.*, 16,  
521 29–36, <https://doi.org/10.1002/fee.1747>, 2018.

522 Bongaerts, P. and Smith, T.: Beyond the “Deep Reef Refuge” Hypothesis: A Conceptual Framework to Characterize  
523 Persistence at Depth. In *Mesophotic Coral Ecosystems Volume 12* (Edited by: Loya, Y., Puglise, K.A., and Bridge, T. C.  
524 L.) ISBN : 978-3-319-92734-3, 2019.

525 Briggs, N. D., Page, C. A., Giuliano, C., Alessi, C., Hoogenboom, M., Bay, L. K., & Randall, C. J.. Dissecting coral  
526 recovery: bleaching reduces reproductive output in *Acropora millepora*. *Coral Reefs*, 43(3), 557-569. (2024).

527 Brodie, J.E., Kroon, F.J., Schaffelke, B., Wolanski, E.C., Lewis, S.E., Devlin, M.J., Bohnet, I.C., Bainbridge, Z.T.,  
528 Waterhouse, J. and Davis, A.M., 2012. Terrestrial pollutant runoff to the Great Barrier Reef: an update of issues, priorities  
529 and management responses. *Mar. Poll. Bull.*, 65(4-9), pp.81-100.

530 Brown, B. E., Dunne, R. P., Somerfield, P. J., Edwards, A. J., Simons, W. J. F., Phongsuwan, N., Putschim, L., Anderson,  
531 L., and Naeije, M. C.: Long-term impacts of rising sea temperature and sea level on shallow water coral communities over  
532 a ~40 year period. *Sci. Rep.*, 9, 8826, <https://doi.org/10.1038/s41598-019-45188-x>, 2019.

533 Bruno, J. F., Côté, I. M., & Toth, L. T. : Climate change, coral loss, and the curious case of the parrotfish paradigm: why  
534 don't marine protected areas improve reef resilience?. *Ann. Rev. Mar. Sci.*, 11(1), 307-334,  
535 <https://doi.org/10.1146/annurev-marine-010318-095300> 2019.

536 Bruno, J., Selig, E., Casey, K., Page, C., Willis, B., Harvell, C., Sweatman, H. and Melendy, A.: Thermal stress and coral  
537 cover as drivers of coral disease outbreaks. *PLoS Biol.*, 5, e124, 2007.

538 Bruno, J. F., Sweatman, H., Precht, W. F., Selig, E. R., and Schutte, V. G. W.: Assessing evidence of phase shifts from  
539 coral to macroalgal dominance on coral reefs. *Ecology* 90,1478-1484, 2009.

540 Byrne, M., Deaker, D. J., Gibbs, M., Selvakumaraswamy, P., & Clements, M. Juvenile waiting stage crown-of-thorns sea  
541 stars are resilient in heatwave conditions that bleach and kill corals. *Glob. Chang. Biol.*, 29(23), 6493-6502. 2023.

542 Burke, S., Pottier, P., Lagisz, M., Macartney, E. L., Ainsworth, T., Drobnik, S. M., and Nakagawa, S.: The impact of  
543 rising temperatures on the prevalence of coral diseases and its predictability: A global meta-analysis. *Ecol. Lett.* 26, 1466–  
544 1481, <https://doi.org/10.1111/ele.14266>, 2023.

545 Caldeira, K., & Wickett, M. E.: Anthropogenic carbon and ocean pH. *Nature*, 425(6956), 365-365. 2003.

546 Carrigan, A. D. and Puotinen, M.: Tropical cyclone cooling combats region-wide coral bleaching. *Glob. Change Biol.*, 20,  
547 1604–1613, 2014.

548 Cavada-Blanco F, Croquer A, Vermeij M, et al.: *Dendrogyra cylindrus*. The IUCN Red List of Threatened Species 2022:  
549 e.T133124A129721366. 2022.

550 Cazenave, A. and Moreira, L.: Contemporary sea-level changes from global to local scales: a review. *Proc. R. Soc.*  
551 A478:20220049. <https://doi.org/10.1098/rspa.2022.0049>, 2022.

552 Cesar, H., Burke, L., & Pet-Soede, L. The economics of worldwide coral reef degradation. International Coral Reef Action  
553 Network. <https://www.icran.org/wp-content/uploads/2022/11/cesardegradationreport.pdf>. 2003.

554 Cheal, A. J., MacNeil, M. A., Emslie, M. J., and Sweatman, H.: The threat to coral reefs from more intense cyclones under  
555 climate change. *Glob. Change Biol.*, 23, 1511–1524. <https://doi.org/10.1111/gcb.13593>, 2017.

556 Cheng, L., von Schuckmann, K., Abraham, J. P., Trenberth, K. E., Mann, M. E., Zanna, L., ... & Lin, X.: Past and future  
557 ocean warming. *Nat. Rev. Earth Environ.*, 3(11), 776-794, 2022.

558 Ciraci, E., Rignot, E., Scheuchl, B., Tolpekin, V., Wollersheim, M., An, L., Milillo, P., Bueso-Bello, J., Rizzoli, P., and  
559 Dini, L.: Melt rates in the kilometer-size grounding zone of Petermann Glacier, Greenland, before and during a retreat.  
560 *Proc. Natl. Acad. Sci. USA*, 120, e2220924120, <https://doi.org/10.1073/pnas.2220924120>, 2023.

561 Claar, D. C., Szostek, L., McDevitt-Irwin, J. M., Schanze, J. J., and Baum, J. K.: Global patterns and impacts of El Niño  
562 events on coral reefs: A metaanalysis. *PLoS* 13, 1-22, <https://doi.org/10.1371/journal.pone.0190957>, 2018.

563 Comeau, S., Cornwall, C. E., DeCarlo, T. M., Krieger, E., and McCulloch, M. T.: Similar controls on calcification under  
564 ocean acidification across unrelated coral reef taxa. *Glob. Change Biol.*, 24, 4857-4868, 2018.

565 Comeau, S., Cornwall, C. E., Shlesinger, T., Hoogenboom, M., Mana, R., McCulloch, M.T., and Rodolfo-Metalpa, R.: pH  
566 variability at volcanic CO<sub>2</sub> seeps regulates coral calcifying fluid chemistry. *Glob. Change Biol.*, 28, 2751-2763, 2022.

567 Comeau, S., Edmunds, P. J., Spindel, N. B., and Carpenter, R. C.: Fast coral reef calcifiers are more sensitive to ocean  
568 acidification in short-term laboratory incubations. *Limnol. Oceanog.* 59, 1081-1091, 2014.

569 Compilation, A. G.: Economic values of coral reefs, mangroves, and seagrasses. *Center for applied biodiversity science.*  
570 *Conservation International, Arlington, VA, USA*, 2008.

571 Cornwall, C. E., Comeau, S., Donner, S. D., Perry, C., Dunne, J., van Hooidonk, R., Ryan, J. S., and Logan, C. A.: Coral  
572 adaptive capacity insufficient to halt global transition of coral reefs into net erosion under climate change. *Glob. Change*  
573 *Biol.*, 29, 3010-3018, 2023.

574 Cornwall, C. E., Comeau, S., & Harvey, B. P.: Are physiological and ecosystem-level tipping points caused by ocean  
575 acidification? A critical evaluation. *Earth Syst. Dynam.*, 15(3), 671-687. 2024.

576 Cornwall, C. E., Comeau, S., Kornder, N. A., Perry, C. T., van Hooidonk, R., DeCarlo, T. M., Pratchett, M. S., Anderson,  
577 K. D., Browne, N., Carpenter, R., Diaz-Pulido, G., D'Olivo, J. P., Doo, S. S., Figueiredo, J., Fortunato, S. A. V., Kennedy,  
578 E., Lantz, C. A., McCulloch, M. T., González-Rivero, M., Schoepf, V., Smithers, S. G., and Lowe, R. J.: Global declines  
579 in coral reef calcium carbonate production under ocean acidification and warming. *Proc. Nat. Acad. Sci.*, 118,  
580 e2015265118, 2021

581 Cinner, J. E., Huchery, C., Hicks, C. C., Daw, T. M., Marshall, N., Wamukota, A., & Allison, E. H. : Changes in adaptive  
582 capacity of Kenyan fishing communities. *Nat. Clim. Chang.*, 5(9), 872-876, <https://doi.org/10.1038/nclimate2690> 2015.

583 Cinner, J. E., McClanahan, T. R., MacNeil, M. A., Graham, N. A., Daw, T. M., Mukminin, A., ... & Kuange, J. :  
584 Comanagement of coral reef social-ecological systems. *Proc. Nat. Acad. Sci.*, 109(14), 5219-5222,  
585 <https://doi.org/10.1073/pnas.1121215109> 2012.

586 Cramer, K., Jackson, J., Donovan, M., Greenstein B., Korpanty, C., Cook, J., and Pandolfi, J.: Widespread loss of Caribbean  
587 acroporid corals was underway before coral bleaching and disease outbreaks. *Sci. Adv.*,  
588 <https://doi.org/10.1126/sciadv.aax939>, 2020.

589 Comeau, S., Cornwall, C. E., DeCarlo, T. M., Doo, S. S., Carpenter, R. C., & McCulloch, M. T. : Resistance to ocean  
590 acidification in coral reef taxa is not gained by acclimatization. *Nature Climate Change* 9(6), 477-483, 2019.

591 Darling, E. S., McClanahan, T. R., & Côté, I. M. : Combined effects of two stressors on Kenyan coral reefs are additive or  
592 antagonistic, not synergistic. *Cons. Lett.*, 3(2), 122-130, <https://doi.org/10.1111/j.1755-263X.2009.00089.x> 2010.

593 Darling, E. S., McClanahan, T. R., Maina, J., Gurney, G.G., Graham, N. A. J., Januchowski-Hartley, F., Cinner, J. E.,  
594 Mora, C., Hicks, C. C., Maire, E., Puotinen, M., Skirving, W. J., Adjeroud, M., Ahmadi, G., Arthur, R., Bauman, A. G.,

595 Beger, M., Berumen, M. L., Bigot, L., Bouwmeester, J., Brenier, A., Bridge, T. C. L., Brown, E., Campbell, S. J., Cannon,  
596 S., Cauvin, B., Chen, C. A., Claudet, J., Denis, V., Donner, S., Estradivari, Fadli, N., Feary, D. A., Fenner, D., Fox, H.,  
597 Franklin, E. C., Friedlander, A., Gilmour, J., Goiran, C., Guest, J., Hobbs, J. A., Hoey, A. S., Houk, P., Johnson, S., Jupiter,  
598 S. D., Kayal, M., Kuo, C., Lamb, J., Lee, M. A. C., Low, J., Muthiga, N., Muttaqin, E., Nand, Y., Nash, K. L., Nedlic, O.,  
599 Pandolfi, J. M., Pardede, S., Patankar, V., Penin, L., Ribas-Deulofeu, L., Richards, Z., Roberts, T. E., Rodgers, K. S.,  
600 Saufuan, C. D. M., Sala, E., Shedrawi, G., Sin, T. M., Smallhorn-West, P., Smith, J. E., Sommer, B., Steinberg, P. D.,  
601 Sutthacheep, M., Tan, C. H. J., Williams, G. J., Willson, S., Yeemin, T., Bruno, J. F., Fortin, M., Krkosek, M., and Mouillot,  
602 D.: Social–environmental drivers inform strategic management of coral reefs in the Anthropocene. *Nat. Ecol. Evol.*, 3,  
603 1341–1350, <https://doi.org/10.1038/s41559-019-0953-8>, 2019.

604 Davis, K.,L., Colefax, A.,P., Tucker, J.,P. Kelaher B. P., and Santos, I. R.: Global coral reef ecosystems exhibit declining  
605 calcification and increasing primary productivity. *Commun. Earth Environ.*, 2, 105, [https://doi.org/10.1038/s43247-021-](https://doi.org/10.1038/s43247-021-00168-w)  
606 00168-w, 2021.

607 De'ath, G. and Fabricius, K.: Water quality as a regional driver of coral biodiversity and macroalgae on the Great Barrier  
608 Reef. *Ecol. App.*, 20, 840-850. doi:10.1890/08-2023.1, 2010

609 Deutloff, J. E., Held, H., & Lenton, T. M.: The risky middle of the road–probabilities of triggering climate tipping points  
610 and how they increase due to tipping points within the Earth’s carbon cycle. *EGUsphere*, 2023, 1-28. 2023.

611 Diaz, R. J. and Rosenberg, R.: Spreading dead zones and consequences for marine ecosystems. *Science*, 321, 926-929,  
612 2008.

613 Dinsdale, E. A. and Rohwer, F.: Fish or germs? Microbial dynamics associated with changing trophic structures on coral  
614 reefs. *Coral reefs: an ecosystem in transition*, 231-240, Dordrecht: Springer Netherlands, 2010.

615 Dixon, A. M., Forster, P. M., & Beger, M. : Coral conservation requires ecological climate-change vulnerability  
616 assessments. *Front. Ecol. Environ.*, 19(4), 243-250, <https://doi.org/10.1002/fee.2312> 2021.

617 Dixon, A. M., Puotinen, M., Ramsay, H. A., and Beger, M.: Coral reef exposure to damaging tropical cyclone waves in a  
618 warming climate. *Earth's Future*, 10, e2021EF002600, <https://doi.org/10.1029/2021EF002600>, 2022.

619 Donovan, M. K., Burkepile, D. E., Kratochwill, C., Shlesinger., Sully, S., Oliver, T. A. Hodgson, G., Freiwald, J., and van  
620 Woesil, R.: Local conditions magnify coral loss after marine heatwaves. *Science*, 372, 977-980,  
621 <https://doi.org/10.1126/science.abd9464>, 2021.

622 Deutloff, J. E., Held, H., & Lenton, T. M. The risky middle of the road–probabilities of triggering climate tipping points  
623 and how they increase due to tipping points within the Earth’s carbon cycle. *EGUsphere*, 2023, 1-28.2023.

624 Eakin C, M., Devotta D, Heron S, et al., The 2014-17 Global Coral Bleaching Event: The Most Severe and Widespread  
625 Coral Reef Destruction. *Research Square*, <https://doi.org/10.21203/rs.3.rs-1555992/v1>, 2022.

626 Eddy, T. D., Lam, V. W. Y., Reygondeau, G., Cisneros-Montemayor, A. M., Greer, K., Palomares, M. L. D., Bruno, J. F.,  
627 Ota, Y., and Cheung, W. W. L.: Global decline in capacity of coral reefs to provide ecosystem services, *One Earth*, 4, 1278-  
628 1285, ISSN 2590-3322, <https://doi.org/10.1016/j.oneear.2021.08.016>, 2021

629 Edmunds, P. J. and Gray, S. C.: The effects of storms, heavy rain, and sedimentation on the shallow coral reefs of St. John,  
630 US Virgin Islands. *Hydrobiologia* 734, 143–158, <https://doi.org/10.1007/s10750-014-1876-7>, 2014

631 England, M. R., Polvani, L. M., Sun, L., and Deser, C.: Tropical climate responses to projected Arctic and Antarctic sea-  
632 ice loss. *Nat. Geosci.*, 13, 275–281, <https://doi.org/10.1038/s41561-020-0546-9>, 2020.

633 Estrada-Saldívar N, Quiroga-García BA, Pérez-Cervantes E, et al.; Effects of the Stony Coral Tissue Loss Disease outbreak  
634 on coral communities and the benthic composition of Cozumel reefs. *Front. Mar. Sci.* 8: 632777.  
635 <https://doi.org/10.3389/fmars.2021.632777> 2021.

636 Fabricius, K. E.: Effects of terrestrial runoff on the ecology of corals and coral reefs: review and synthesis. *Mar. Pollut.*  
637 *Bull.*, 50, 125–146, <https://doi.org/10.1016/j.marpolbul.2004.11.028>, 2005.

638 Fabricius, K. E., Langdon, C., Uthicke, S., Humphrey, C., Noonan, S., De'ath, G., Okazaki, R., Muehllehner, N., Glas, M.  
639 S., and Lough, J. M.: Losers and winners in coral reefs acclimatized to elevated carbon dioxide concentrations. *Nat. Clim.*  
640 *Change*, 1, 165-169, 2011.

641 Feely, R. A., Sabine, C. L., Lee, K., Berelson, W., Kleypas, J., Fabry, V. J., & Millero, F. J.: Impact of anthropogenic CO<sub>2</sub>  
642 on the CaCO<sub>3</sub> system in the oceans. *Science*, 305(5682), 362-366. 2004.

643 Fisher, R., Bessell-Browne, P., & Jones, R. : Synergistic and antagonistic impacts of suspended sediments and thermal  
644 stress on corals. *Nat. Comm.*, 10(1), 2346, <https://doi.org/10.1038/s41467-019-10288-9> 2019.

645 Fletcher, C., Ripple, W. J., Newsome, T., Barnard, P., Beamer, K., Behl, A., ... & Wilson, M. Earth at risk: An urgent call  
646 to end the age of destruction and forge a just and sustainable future. *PNAS nexus*, 3(4), page 106. 2024.

647 Fox, M. D., Cohen, A. L., Rotjan, R. D., Mangubhai, S., Sandin, S. A., Smith, J. E., ... & Obura, D. Increasing coral reef  
648 resilience through successive marine heatwaves. *Geophys. Res. Lett.*, 48(17), e2021GL094128. 2021.

649 Frieler, K., Meinshausen, M., Golly, A., Mengel, M., Lebek, K., Donner, S. D., and Hoegh-Guldberg, O.: Limiting global  
650 warming to 2 degrees C is unlikely to save most coral reefs. *Nat. Clim. Change*, 3, 165-170,  
651 <https://doi.org/10.1038/nclimate1674>, 2013.

652 Gardner, T.A., Côté, I. M., Gill, J.A., Grant, A., and Watkinson, A. R.: Hurricanes and Caribbean coral reefs: impacts,  
653 recovery patterns, and role in long-term decline. *Ecology* 86, 174–184, <https://doi.org/10.1890/04-0141> 2005.

654 Genin, A., Levy, L., Sharon, G., and Diamant, A.: Rapid onsets of warming events trigger mass mortality of coral reef  
655 fish. *Proc. Natl. Acad. Sci. USA*, 117, <https://doi.org/10.1073/pnas.2009748117>, 2020

656 Good, A. M. and Bahr, K. D: The coral conservation crisis: interacting local and global stressors reduce reef resiliency and  
657 create challenges for conservation solutions. *SN Appl. Sci.*, 3, 312, <https://doi.org/10.1007/s42452-021-04319-8>, 2021.

658 Guannel, G., Arkema, K., Ruggiero, P., and Verutes, G.: The Power of Three: Coral Reefs, Seagrasses and Mangroves  
659 Protect Coastal Regions and Increase Their Resilience. *PLoS One*, 11, e0158094.  
660 <https://doi.org/10.1371/journal.pone.0158094>, 2016.



661 Goreau, T. J., & Hayes, R. L. : 2023 Record marine heat waves: coral reef bleaching HotSpot maps reveal global sea  
662 surface temperature extremes, coral mortality, and ocean circulation changes. *Oxf. Open Clim. Chang.*, 4(1), kgae005,  
663 <https://doi.org/10.1093/oxfclm/kgae005> 2024

664 Grigg, R.: The Darwin Point: a conceptual and historical review. *Environmental Science*  
665 [http://www.pelagicos.net/BIOL3010/readings/Grigg\\_2008.pdf](http://www.pelagicos.net/BIOL3010/readings/Grigg_2008.pdf), 2008.

666 Hansen, J., Nazarenko, L., Ruedy, R., Sato, M., Willis, J., Del Genio, A., ... & Tausnev, N.: Earth's energy imbalance:  
667 Confirmation and implications. *Science*, 308(5727), 1431-1435. 2005.

668 Heinze, C., Blenckner, T., Martins, H., and Wilson, S.: The quiet crossing of ocean tipping points. *Proc. Natl. Acad. Sci.*  
669 *USA*, 118, e2008478118, <https://doi.org/10.1073/pnas.2008478118>, 2021.

670 Herbert-Read, J. E., Thornton, A., Amon, D. J., Birchenough, S. N., Côté, I. M., Dias, M. P., ... & Sutherland, W. J. A  
671 global horizon scan of issues impacting marine and coastal biodiversity conservation. *Nat. Ecol. Evol.* 6(9), 1262-1270.  
672 2022

673 Hoegh-Guldberg, O., Jacob, D., Taylor, M., Bindi, M., Brown, S., Camilloni, I., Diedhiou, A., Djalante, R., Ebi, K. L.,  
674 Engelbrecht, F., Guiot, J., Hijioka, Y., Mehrotra, S., Payne, A., Seneviratne, S. I., Thomas, A., Warren, R., and Zhou, G.:  
675 Impacts of 1.5°C Global Warming on Natural and Human Systems. In: *Global Warming of 1.5°C. An IPCC Special Report*  
676 *on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission*  
677 *pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and*  
678 *efforts to eradicate poverty.* [Edited by: Masson-Delmotte, V., Zhai, P., Pörtner, H.-O., Roberts, D., Skea, J., Shukla, P. R.,  
679 Pirani, A., Moufouma-Okia, W., Péan, C., Pidcock, R., Connors, S., Matthews, J.B.R., Chen, Y., Zhou, X., Gomis, M.I.  
680 Lonnoy, E., Maycock, T., Tignor, M., and Waterfield, T (Eds.)]. Cambridge University Press, Cambridge, UK and New  
681 York, NY, USA, 175-312, <https://doi.org/10.1017/9781009157940.005>, 2018.

682 Hoegh-Guldberg, O., Poloczanska, E. S., Skirving, W., and Dove, S.: Coral Reef Ecosystems Under Climate Change and  
683 Ocean Acidification. *Front. Mar. Sci.*, 4, <https://doi.org/10.3389/fmars.2017.00158>, 2017

684 Hooijer, A. and Vernimmen, R.: Global LiDAR land elevation data reveal greatest sea-level rise vulnerability in the tropics.  
685 *Nat. Commun.*, 12, 3592, <https://doi.org/10.1038/s41467-021-23810-9>, 2021

686 Houk, P., Yalon, A., Maxin, S., Starsinic, C., McInnis, A., Gouezo, M., Golbuu, Y., and van Woesik, R.: Predicting coral-  
687 reef futures from El Niño and Pacific Decadal Oscillation events. *Sci. Rep.*, 10, 7735, [https://doi.org/10.1038/s41598-020-](https://doi.org/10.1038/s41598-020-64411-8U)  
688 [64411-8U](https://doi.org/10.1038/s41598-020-64411-8U), 2020

689 Howard, Rachel D., Monica D. Schul, Lucia M. Rodriguez Bravo, Andrew H. Altieri, and Julie L. Meyer. "Shifts in the  
690 coral microbiome in response to in situ experimental deoxygenation." *App. Environ. Microbiol.* 89, no. 11 : e00577-23,  
691 2023

692 Howe-Kerr, L. I., Grupstra, C. G. B., Rabbitt, K. M. Conetta, D., Coy, S. R., Klinges, J. G., Maher, R. L., McConnell, K.  
693 M., Meiling, S. S., Messyasz, A., Schmeltzer, E. R., Seabrook, S., Sims, J. A., Veglia, A. J., Thurber, A. R., Vega Thurber

694 R. L., and Correa, A. M. S.: Viruses of a key coral symbiont exhibit temperature-driven productivity across a reefscape.  
695 ISME Commun., 3, 27, <https://doi.org/10.1038/s43705-023-00227-72023>, 2023.

696 Hughes, D.J., Alexander, J., Cobbs, G., Kühl, M., Cooney, C., Pernice, M., Varkey, D., Voolstra, C.R. and Suggett, D.J. :  
697 Widespread oxyregulation in tropical corals under hypoxia. Mar. Poll. Bull., 179, p.113722,  
698 <https://doi.org/10.1016/j.marpolbul.2022.113722> 2022.

699 Hughes, T. P., Kerry, J. T., Álvarez-Noriega, M., Álvarez-Romero, J. G., Anderson, K. D., Baird, A. H., Babcock, R.C.,  
700 Beger, M., Bellwood, D. R., Berkelmans, R., Bridge, T. C., Butler, I. R., Byrne, M., Cantin, N. E., Comeau, S., Connolly,  
701 S. R., Cumming, G. S., Dalton, S. J. Diaz-Pulido, G., Eakin, C. M., Figueira, W. F., Gilmour, J. P., Harrison, H. B., Heron,  
702 S. F., Hoey, A. S., Hobbs, J-P. A., Hoogenboom, M. O., Kennedy, E. V., Kuo, C., Lough, J. M., Lowe, R. J., Liu, G.,  
703 McCulloch, M. T., Malcolm, H. A., McWilliam, M. J., Pandolfi, J. M., Pears, R. J., Pratchett, M. S., Schoepf, V., Simpson,  
704 T., Skirving, W. J., Sommer, B., Torda, G. Wachenfeld, D. R., Willis, B. L., and Wilson, S. K.: Global warming and  
705 recurrent mass bleaching of corals. Nature, 543, 373–377, <https://doi.org/10.1038/nature21707>, 2017.

706 Hughes, T.P, Anderson, K. D., Connolly, S. R., Heron, S. F., Kerry, J. T., Lough, J. M., Baird, A. H., Baum, J. K., Berumen,  
707 M. L., Bridge, T. C., Claar, D. C., Eakin, C. M., Gilmour, J. P., Graham, N. A. J., Harrison, H, Hobbs, J-P. A., Hoey, A.  
708 S., Hoogenboom, M., Lowe, R. J., McCulloch, M. T., Pandolfi, J. M., Pratchett, M., Schoepf, V., Torda, G., and Wilson,  
709 S. K.: Spatial and temporal patterns of mass bleaching of corals in the Anthropocene. Science, 359, 80-83,  
710 <https://doi.org/10.1126/science.aan8048>, 2018a.

711 Hughes, T.P., Kerry, J.T., Baird, A.H., Connolly, S. R., Dietzel, A., Eakin, C. M., Heron, S. F., Hoey, A. S., Hoogenboom,  
712 M. O., Liu, G., McWilliam, M. J., Pears, R. J., Pratchett, M S., Skirving, W. J., Stella, J. S., and Torda, G.: Global warming  
713 transforms coral reef assemblages. Nature 556, 492–496, 2018b

714 Hughes, D.J., Alderdice, R., Cooney, C., Kühl, M., Pernice, M., Voolstra, C.R., and Suggett, D.J.: Coral reef survival  
715 under accelerating ocean deoxygenation. Nat. Clim. Change, 10, 296-307, 2020.

716 Hughes, T. P., Baird, A. H., Morrison, T. H., & Torda, G.. Principles for coral reef restoration in the anthropocene. One  
717 Earth, 6(6), 656-665. 2023

718 IPBES (2019): Global assessment report on biodiversity and ecosystem services of the Intergovernmental Science-Policy  
719 Platform on Biodiversity and Ecosystem Services. E. S. Brondizio, J. Settele, S. Díaz, and H. T. Ngo (editors). IPBES  
720 secretariat, Bonn, Germany. 1148 pages. <https://doi.org/10.5281/zenodo.3831673>

721 IPCC: Global Warming of 1.5°C. An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial  
722 levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the  
723 threat of climate change, sustainable development, and efforts to eradicate poverty, edited by: Masson-Delmotte, V., Zhai,  
724 P., Pörtner, H.-O., Roberts, D., Skea, J., Shukla, P. R., Pirani, A., Moufouma-Okia, W., Péan, C., Pidcock, R., Connors,  
725 S., Matthews, J. B. R., Chen, Y., Zhou, X., Gomis, M. I., Lonnoy, E., Maycock, T., Tignor, M., and Waterfield, T.  
726 Cambridge University Press, Cambridge, UK and New York, NY, USA, 616 pp. <https://doi.org/10.1017/9781009157940>,  
727 2018.

728 IPCC: Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report  
729 of the Intergovernmental Panel on Climate Change, edited by: Masson-Delmotte, V., Zhai, P., Pirani, A., S.L. Connors, S.  
730 L., Péan, C., Berger, S., Caud, N., Chen, Y. Goldfarb, L., Gomis, M. I., Huang, M., Leitzell, K., Lonnoy, E., Matthews,  
731 J.B.R., Maycock, T.K., Waterfield, T., Yelekçi, O. Yu, R., and Zhou, B. Cambridge University Press, Cambridge, United  
732 Kingdom and New York, NY, USA, 2391 pp. <https://doi.org/10.1017/9781009157896>, 2021.

733 IPCC: Climate Change 2022: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Sixth  
734 Assessment Report of the Intergovernmental Panel on Climate Change, editd by: Pörtner, H.-O., Roberts, D. C., Tignor,  
735 M., Poloczanska, E. S., Mintenbeck, K., Alegría, A., Craig, M., Langsdorf, S., Löschke, S., Möller, V., Okem, A., and  
736 Rama B. Cambridge University Press. Cambridge University Press, Cambridge, UK and New York, NY, USA, 3056 pp.,  
737 <https://doi.org/10.1017/9781009325844>, 2022.

738 IPCC, 2022: *Climate Change 2022: Impacts, Adaptation, and Vulnerability*. Contribution of Working Group II to the Sixth  
739 Assessment Report of the Intergovernmental Panel on Climate Change [H.-O. Pörtner, D.C. Roberts, M. Tignor, E.S.  
740 Poloczanska, K. Mintenbeck, A. Alegría, M. Craig, S. Langsdorf, S. Löschke, V. Möller, A. Okem, B. Rama (eds.)].  
741 Cambridge University Press. Cambridge University Press, Cambridge, UK and New York, NY, USA, 3056 pp.,  
742 <https://doi.org/10.1017/9781009325844>.

743 Johnson, M.D., Swaminathan, S.D., Nixon, E.N., Paul, V.J., and Altieri, A.H.: Differential susceptibility of reef-building  
744 corals to deoxygenation reveals remarkable hypoxia tolerance. *Sci. Rep.*, 11, 23168, 2021a.

745 Johnson, M. D., Scott, J. J., Leray, M., Lucey, N., Bravo, L. M. R., Wied, W. L., and Altieri, A. H.: Rapid ecosystem-scale  
746 consequences of acute deoxygenation on a Caribbean coral reef. *Nat. Commun.*, 12, 4522, 2021b.

747 Johnson, J.V., Dick, J.T.A., Pincheira-Donoso, D. and Bates, A.E.: Local anthropogenic stress does not exacerbate coral  
748 bleaching under global climate change. *Glob. Ecol. Biogeog.*, <https://doi.org/10.1111/geb.13506>, 2022.

749 Kalmus, P., Ekanayaka, A., Kang, E., Baird, M., and Gierach, M.: Past the precipice? Projected coral habitability under  
750 global heating. *Earth's Future*, 10, e2021EF002608, <https://doi.org/10.1029/2021EF002608>, 2022.

751 Ke, P., Ciais, P., Sitch, S., Li, W., Bastos, A., Liu, Z., ... & Chevallier, F.: Low latency carbon budget analysis reveals a  
752 large decline of the land carbon sink in 2023. arXiv preprint arXiv:2407.12447. 2024.

753 Klein, S. G., Roch, C., & Duarte, C. M. : Systematic review of the uncertainty of coral reef futures under climate change.  
754 *Nat. Comm.*, 15(1), 2224, <https://doi.org/10.1038/s41467-024-46255-2> 2024.

755 Kleypas, J., Allemand, D., Anthony, K., Baker, A. C., Beck, M. W., Hale, L. Z., ... & Gattuso, J. P. Designing a blueprint  
756 for coral reef survival. *Biol. Cons.*, 257, 109107. 2021.

757 Knowlton, N., Grottoli, A. G., Kleypas, J., Obura, D., Corcoran, E., de Goeij, J. M., Felis, T., Harding, S., Mayfield, A.,  
758 Miller, M., Osuka, K., Peixoto, R., Randall, C. J., Voolstra, C. R., Wells, S., Wild, C., and Ferse, S.: Rebuilding Coral  
759 Reefs: A Decadal Grand Challenge. International Coral Reef Society and Future Earth Coasts 56 pp. 2021.

760 Kornder, N. A., Riegl, B. M., and Figueiredo, J.: Thresholds and drivers of coral calcification responses to climate change.  
761 *Glob. Change Biol.*, 24, 5084-5095, <https://doi.org/10.1111/gcb.14431>, 2018.

762 Kroon, F.J., Schaffelke, B. and Bartley, R.: Informing policy to protect coastal coral reefs: Insight from a global review of  
763 reducing agricultural pollution to coastal ecosystems. *Mar. Poll. Bull.*, 85(1), pp.33-41, 2014.

764 Laffoley, D., and Baxter, J. M.: IUCN: Explaining ocean warming: causes, scale, effects and consequences. 3.8 Impacts  
765 and effects of ocean warming on coral reefs. 2016. <https://doi.org/10.2305/IUCN.CH.2016.08.en>

766 Laffoley, D. and Baxter, J. M.: Ocean deoxygenation: everyone's problem—causes, impacts, consequences and solutions,  
767 IUCN, 2019. <https://doi.org/10.2305/IUCN.CH.2019.13.en>

768 Laffoley, D., Baxter, J. M., Amon, D. J., Claudet, J., Downs, C. A., Earle, S. A., ... & Woodall, L. C. The forgotten ocean:  
769 Why COP26 must call for vastly greater ambition and urgency to address ocean change. *Aq. Cons.: Mar. Fresh. Eco.*,  
770 32(1), 217-228.(2022).

771 Lamb, J. B., Willis, B. L., Fiorenza, E. A., Couch, C. S., Howard, R., Rader, D. N., ... & Harvell, C. D. : Plastic waste  
772 associated with disease on coral reefs. *Science*, 359(6374), 460-462, <https://doi.org/10.1126/science.aar3320> 2018.

773 Le Nohaïc, M., Ross, C. L., Cornwall, C. E., Comeau, S., Lowe, R., McCulloch, M. T. and Schoepf, V.: Marine heatwave  
774 causes unprecedented regional mass bleaching of thermally resistant corals in northwestern Australia. *Sci. Rep.*, 7, 14999,  
775 <https://doi.org/10.1038/s41598-017-14794-y>, 2017.

776 Lenton, T.M., Armstrong McKay, D.I., Loriani, S., Abrams, J.F., Lade, S.J., Donges, J.F., Milkoreit, M., Powell, T.,  
777 Smith, S.R., Zimm, C., Buxton, J.E., Bailey, E., Laybourn, L., Ghadiali, A., Dyke, J.G.(eds), *The Global Tipping Points*  
778 *Report*, University of Exeter, Exeter, UK., 2023.

779 Lenton, T. M., Xu, C., Abrams, J. F., Ghadiali, A., Loriani, S., Sakschewski, B., ... & Scheffer, M. : Quantifying the human  
780 cost of global warming. *Nat. Sustain.*, 6(10), 1237-1247, <https://doi.org/10.1038/s41893-023-01132-6> 2023b.

781 Leung, J. Y. S., Zhang, S., and Connell, S. D.: Is Ocean Acidification Really a Threat to Marine Calcifiers? A Systematic  
782 Review and Meta-Analysis of 980+ Studies Spanning Two Decades. *Small* 18, 2107407, 2022

783 Li, G., Cheng, L., Zhu, J., Trenberth, K. E., Mann, M. E., & Abraham, J. P. Increasing ocean stratification over the past  
784 half-century. *Nat. Clim. Chang.*, 10(12), 1116-1123. 2020.

785 Li, G., Cheng, L., Zhu, J. *et al.*, Increasing ocean stratification over the past half-century. *Nat. Clim. Chang.* 10, 1116–  
786 1123 (2020). <https://doi.org/10.1038/s41558-020-00918-2>

787 Liu, J., Luo, G., Lu, Z., Lu, W., Qie, W., Zhang, F., ... & Xie, S.: Intensified ocean deoxygenation during the end Devonian  
788 mass extinction. *Geochemistry, Geophysics, Geosystems*, 20(12), 6187-6198, <https://doi.org/10.1029/2019GC008614>,  
789 2019.

790 Liu, J., Song, M., Zhu, Z., Horton, R. M., Hu, Y., and Xie, S-P.: Arctic sea-ice loss is projected to lead to more frequent  
791 strong El Niño events. *Nat. Commun.*, 13, 4952, <https://doi.org/10.1038/s41467-022-32705-2>, 2022.

792 Liu, G., Strong, A. E., & Skirving, W. : Remote sensing of sea surface temperatures during 2002 Barrier Reef coral  
793 bleaching. *Eos, Trans. Am. Geophys. Union*, 84(15), 137-141, <https://doi.org/10.1029/2003EO150001> 2003.

794 Loeb, N. G., Johnson, G. C., Thorsen, T. J., Lyman, J. M., Rose, F. G., & Kato, S. : Satellite and ocean data reveal marked  
795 increase in Earth's heating rate. *Geophys. Res. Lett.*, 48(13), e2021GL093047, <https://doi.org/10.1029/2021GL093047>  
796 2021.

797 Logan, C. A., Dunne, J. P., Ryan, J.S., Baskett, M. L., and Donner, S. D.: Quantifying global potential for coral evolutionary  
798 response to climate change. *Nat. Clim. Change* 11, 537-542, 2021.

799 Lough, J.M., Anderson, K.D., and Hughes, T.P.: Increasing thermal stress for tropical coral reefs: 1871–2017. *Sci. Rep.*,  
800 8, 6079, <https://doi.org/10.1038/s41598-018-24530-9>, 2018.

801 MacNeil, M. A., Mellin, C., Matthews, S., Wolff, N. H., McClanahan, T. R., Devlin, M., ... & Graham, N. A. : Water  
802 quality mediates resilience on the Great Barrier Reef. *Nat. Ecol. Evol.*, 3(4), 620-627, [https://doi.org/10.1038/s41559-019-](https://doi.org/10.1038/s41559-019-0832-3)  
803 [0832-3](https://doi.org/10.1038/s41559-019-0832-3) 2019.

804 Maina, J., De Moel, H., Zinke, J., Madin, J., McClanahan, T. and Vermaat, J.E.: Human deforestation outweighs future  
805 climate change impacts of sedimentation on coral reefs. *Nat. comm.*, 4(1), pp.1-7, 2013

806 Manzello, D. P., Brandt, M., Smith, T. B., Lirman, D., Hendee, J. C., and Nemeth, R. S.: Hurricanes benefit bleached  
807 corals. *Proc. Natl. Acad. Sci. USA*, 104, 12035–12039, 2007.

808 McClanahan, T. R. : Fisheries yields and species declines in coral reefs. *Env. Res. Lett.*, 17(4), 044023,  
809 <https://doi.org/10.1088/1748-9326/ac5bb4> 2022.

810 McClanahan, T.R., Graham, N.A.J., MacNeil, M.A. and Cinner, J.E., : Biomass-based targets and the management of  
811 multispecies coral reef fisheries. *Cons. Biol.*, 29(2), pp.409-417, <https://doi.org/10.1111/cobi.12430> 2015.

812 Meinshausen, M., Nicholls, Z. R. J., Lewis, J., Gidden, M. J., Vogel, E., Freund, M., Beyerle, U., Gessner, C., Nauels, A.,  
813 Bauer, N., Canadell, J. G., Daniel, J. S., John, A., Krummel, P. B., Luderer, G., Meinshausen, N., Montzka, S. A., Rayner,  
814 P. J., Reimann, S., Smith, S. J., van den Berg, M., Velders, G. J. M., Vollmer, M. K., and Wang, R. H. J.: The shared socio-  
815 economic pathway (SSP) greenhouse gas concentrations and their extensions to 2500, *Geosci. Model Dev.*, 13, 3571–3605,  
816 <https://doi.org/10.5194/gmd-13-3571-2020>, 2020K.

817 Mellin, C., Brown, S., Cantin, N., Klein-Salas, E., Mouillot, D., Heron, S. F., & Fordham, D. A. : Cumulative risk of future  
818 bleaching for the world's coral reefs. *Sci. Adv.*, 10(26), eadn9660, <https://doi.org/10.1126/sciadv.adn9660> 2024.

819 Meyer, A. L. S., Bentley, J., Odoulami, R. C., Pigot, A. L., and Trisos, C. H.: Risks to biodiversity from temperature  
820 overshoot. *Phil. Trans. R. Soc. B*3772021039420210394, <https://doi.org/10.1098/rstb.2021.0394>, 2022

821 Montgomery, A. D., Fenner, D., Donahue, M. J., & Toonen, R. J. : Community similarity and species overlap between  
822 habitats provide insight into the deep reef refuge hypothesis. *Sci. Rep.*, 11(1), 23787, [https://doi.org/10.1038/s41598-021-](https://doi.org/10.1038/s41598-021-03128-8)  
823 [03128-8](https://doi.org/10.1038/s41598-021-03128-8) 2021.

824 Muñoz-Castillo, A.I., Rivera-Sosa, A., Chollett, I., Eakin, C. M., Andrade- Gómez, L., McField, M., and Arias-González,  
825 J.E.: Three decades of heat stress exposure in Caribbean coral reefs: a new regional delineation to enhance conservation.  
826 *Sci. Rep.*, 9, 11013, <https://doi.org/10.1038/s41598-019-47307-0>, 2019.

827 Nelson, H. R., & Altieri, A. H. : Oxygen: the universal currency on coral reefs. *Coral Reefs*, 38(2), 177-198,  
828 <https://doi.org/10.1007/s00338-019-01765-0> 2019.

829 Naughten, K.A., Holland, P.R. & De Rydt, J. : Unavoidable future increase in West Antarctic ice-shelf melting over the  
830 twenty-first century. *Nat. Clim. Chang.* 13, 1222–1228. <https://doi.org/10.1038/s41558-023-01818-x>. 2023.

831 Nicolet, K.J., Chong-Seng, K.M., Pratchett, M.S., Willis, B.L., and Hoogenboom, M.O.: Predation scars may influence  
832 host susceptibility to pathogens: evaluating the role of corallivores as vectors of coral disease. *Sci. Rep.*, 8, 5258, 2018.

833 Norström, A.V., Nyström, M., Jouffray, J.B, Folke, C., Graham, N., Moberg, A.J., Frederik, O., and Williams, G. Guiding  
834 coral reef futures in the Anthropocene. *Front. Ecol. Environ.* 14. 490-498 <https://doi.org/10.1002/fee.1427> 2016.

835 Obura, D., Gudka, M., Samoilys, M., Osuka, K., Mbugua, J, Keith, D. A., Porter, S., Roche, R., van Hoodonk, R.,  
836 Ahamada, S., Araman, A., Karisa, J., Komakoma, J., Madi, M., Ravinia, I., Razafindrainibe, H., Yahya, S., and Zivane,  
837 F.: Vulnerability to collapse of coral reef ecosystems in the Western Indian Ocean. *Nat. Sustain.*, 5, 104-113,  
838 <https://doi.org/10.1038/s41893-021-00817-0>, 2022.

839 OECD: *Climate Tipping Points: Insights for Effective Policy Action*, OECD Publishing, Paris,  
840 <https://doi.org/10.1787/abc5a69e-en>, 2022.

841 Packett, R., Dougall, C., Rohde, K., and Noble, R.: Agricultural lands are hot-spots for annual runoff polluting the southern  
842 Great Barrier Reef lagoon. *Mar. Pollut. Bull.*, 58, 976–986, <https://doi.org/10.1016/j.marpolbul.2009.02.017>, 2009.

843 Perry, C., Murphy, G., Kench, P. et al.; Caribbean-wide decline in carbonate production threatens coral reef growth. *Nat.*  
844 *Commun.* 4, 1402 <https://doi.org/10.1038/ncomms2409>, 2013

845 Perry, C. T., Alvarez-Filip, L., Graham, N. A., Mumby, P. J., Wilson, S. K., Kench, P. S., Manzello, D. P., Morgan, K. M.,  
846 Slangen, A., Thomson, D. P., Januchowski-Hartley, F., Smithers, S. G., Steneck, R. S., Carlton, R., Edinger, E. N., Enochs,  
847 I. C., Estrada-Saldívar, N., Haywood, M. D. E., Kolodziej, G., Murphy, G. N., Pérez-Cervantes, E., Suchley, A., Valentino,  
848 L., Boenish, R., Wilson, M., and Macdonald, C.: Loss of coral reef growth capacity to track future increases in sea level.  
849 *Nature*, 558, 396-400, <https://doi.org/10.1038/s41586-018-0194-z>, 2018.

850 Pezner, A. K., Courtney, T. A., Barkley, H. C., Chou, W. C., Chu, H. C., Clements, S. M., Cyronak, T., DeGrandpre, M.  
851 D., Kekuewa, S. A., Kline, D. I. and Liang, Y. B.: Increasing hypoxia on global coral reefs under ocean warming. *Nat.*  
852 *Clim. Change*, 13, 403-409, 2023.

853 Plaisance, L., Caley M. J., Brainard R. E., Knowlton, N.: The Diversity of Coral Reefs: What Are We Missing? *PLoS One*  
854 6, e25026, <https://doi.org/10.1371/journal.pone.0025026>, 2011.

855 Pörtner, H-O.: Ecosystem effects of ocean acidification in times of ocean warming: a physiologist's view. *Mar. Ecol. Prog.*  
856 *Ser.*, 373, 203-217, <https://doi.org/10.3354/meps07768>, 2008.

857 Prouty, N.G., Cohen, A., Yates, K.K., Storlazzi, C.D., Swarzenski, P.W. and White, D.: Vulnerability of coral reefs to  
858 bioerosion from land-based sources of pollution. *Journal of Geophysical Research: Oceans*, 122(12), pp.9319-9331, 2017.

859 Puotinen, M., Drost, E., Lowe, R., Depczynski, M., Radford, B., Heyward, A. and Gilmour, J.: Towards modelling the  
860 future risk of cyclone wave damage to the world's coral reefs. *Glob. Change Biol.*, 26(8), pp.4302-4315, 2020.

861 Randall, C. J., & van Woesik, R. : Contemporary white-band disease in Caribbean corals driven by climate change. *Nature*  
862 *Climate Change*, 5(4), 375-379, <https://doi.org/10.1038/nclimate2530> 2015.

863 Raven, J., Caldeira, K., Elderfield, H., Hoegh-Guldberg, O., Liss, P., Riebesell, U., ... & Watson, A.: Ocean acidification  
864 due to increasing atmospheric carbon dioxide. The Royal Society. 2005

865 Reed, D. C., & Harrison, J. A. : Linking nutrient loading and oxygen in the coastal ocean: A new global scale model.  
866 *Global Biogeochemical Cycles*, 30(3), 447-459, <https://doi.org/10.1002/2015GB005303> 2016.

867 Redding, J. E., Myers-Miller, R. L., Baker, D. M., Fogel, M., Raymundo, L. J. and Kim, K.: Link between sewage-derived  
868 nitrogen pollution and coral disease severity in Guam. *Mar. Pollut. Bull.*, 73, 57-63, 2013.

869 Richards, Z. T., Juszkievicz, D. J., & Hoggett, A.: Spatio-temporal persistence of scleractinian coral species at Lizard  
870 Island, Great Barrier Reef. *Coral Reefs*, 40(4), 1369-1378. <https://doi.org/10.1007/s00338-021-02144-4> 2021

871 Ripple, W. J., Wolf, C., Lenton, T. M., Gregg, J. W., Natali, S. M., Duffy, P. B., Rockström, J., and Schellnhuber, H.  
872 J.: Many risky feedback loops amplify the need for climate action. *One Earth*, 6, 86-91, 2023.

873 Rocha J., Yletyinen J., Biggs R., Blenckner T., and Peterson G.: Marine regime shifts: drivers and impacts on ecosystems  
874 services *Phil. Trans. R. Soc. B.* 370, 20130273, <https://doi.org/10.1098/rstb.2013.0273>, 2015.

875 Rocha, J.C., Peterson, G. D., Bodin, O., and Levin, S.: Cascading regime shifts within and across scales. *Science*, 362,  
876 1379-1383, <https://doi.org/10.1126/science.aat7850>, 2018.

877 Rockström, J., Gupta, J., Lenton, T. M., Qin, D., Lade, S. J., Abrams, J. F., ... & Winkelmann, R. Identifying a safe and  
878 just corridor for people and the planet. *Earth's Future*, 9(4), e2020EF001866. 2021.

879 Rodrigues, L. J., & Padilla-Gamiño, J. L. : Trophic provisioning and parental trade-offs lead to successful reproductive  
880 performance in corals after a bleaching event. *Sci. Rep.*, 12(1), 18702, <https://doi.org/10.1038/s41598-022-21998-4> 2022.

881 Sabine, C. L., Feely, R. A., Gruber, N., Key, R. M., Lee, K., Bullister, J. L., ... & Rios, A. F.: The oceanic sink for  
882 anthropogenic CO<sub>2</sub>. *Science*, 305(5682), 367-371. 2004.

883 Saintilan, N., Horton, B., Törnqvist, T. E., Ashe, E. L., Khan, N. S., Schuerch, M., Perry, C., Kopp, R. E., Garner, G. G.,  
884 Murray, N., Rogers, K., Albert, S., Kelleway, J., Shaw, T. A., Woodroffe, C. D., Lovelock, C. E., Goddard, M. M., Hutley,  
885 L. B., Kovalenko, K., Feher, L., and Guntenspergen, G.: Widespread retreat of coastal habitat is likely at warming levels  
886 above 1.5 °C. *Nature* 621, 112–119, <https://doi.org/10.1038/s41586-023-06448-z>, 2023.

887 Saunders, M. I., Albert, S., Roelfsema, C. M., Leon, J. X., Woodroffe, C. D., Phinn, S. R., & Mumby, P. J. : Tectonic  
888 subsidence provides insight into possible coral reef futures under rapid sea-level rise. *Coral Reefs*, 35, 155-167,  
889 <https://doi.org/10.1007/s00338-015-1365-0> 2016.

890 Saunders, M., Leon, J., Callaghan, D. et al., Interdependency of tropical marine ecosystems in response to climate change.  
891 *Nature Clim. Change* 4, 724–729, <https://doi.org/10.1038/nclimate2274>, 2014.

892 Schleussner, C. F., Ganti, G., Lejeune, Q., Zhu, B., Pfliegerer, P., Prütz, R., ... & Rogelj, J. Overconfidence in climate  
893 overshoot. *Nature*, 634(8033), 366-373, 2024.

894 Setter, R. O., Franklin E. C., and Mora, C.: Co-occurring anthropogenic stressors reduce the timeframe of environmental  
895 viability for the world's coral reefs. *PLoS Biol.*, 20, e3001821, <https://doi.org/10.1371/journal.pbio.3001821>, 2022.

896 Sheppard, C., Sheppard, A., and Fenner, D.: Coral mass mortalities in the Chagos Archipelago over 40 years: Regional  
897 species and assemblage extinctions and indications of positive feedbacks. *Mar. Pollut. Bull.*, 154, 111075, 2020.

898 Sheppard, C. R. C. and Sheppard, A. L. S.: British Indian Ocean Territory (Chagos Archipelago). In: Sheppard CRC (ed)  
899 2019. *World Seas: An environmental assessment*. Academic Press, Volume 3, 237-252, 2019.

900 Skirving, W. J., Heron, S. F., Marsh, B. L., Liu, G., De La Cour, J. L., Geiger, E. F., and Eakin, C. M.: The relentless march  
901 of mass coral bleaching: a global perspective of changing heat stress. *Coral Reefs* 38, 547–557,  
902 <https://doi.org/10.1007/s00338-019-01799-4>, 2019.

903 Simpson, C. J., Cary, J. L., and Masini, R. J.: Destruction of corals and other reef animals by coral spawn slicks on Ningaloo  
904 Reef, Western Australia. *Coral Reefs*, 12, 185-191, 1993.

905 Souter, D., Planes, S., Wicquart, J., Logan, M., Obura, D., and Staub, F. (Eds) Status of coral reefs of the world: 2020  
906 report. Global Coral Reef Monitoring Network (GCRMN) and International Coral Reef Initiative (ICRI).  
907 <https://doi.org/10.59387/WOTJ9184>, 2021.

908 Spada, G., Bamber., and Hurkmans, R.T.W.L.: The gravitationally consistent sea-level fingerprint of future terrestrial ice  
909 loss. *Geophysical Research Letters*, 40, 482-486, <https://doi.org/10.1029/2012GL053000>, 2013.

910 Speare, K. E., Adam, T. C., Winslow, E. M., Lenihan, H. S., & Burkepile, D. E. : Size-dependent mortality of corals during  
911 marine heatwave erodes recovery capacity of a coral reef. *Glob, Change Biol.*, 28(4), 1342-1358,  
912 <https://doi.org/10.1111/gcb.16000> 2022.

913 Steffen, W., Broadgate, W., Deutsch, L., Gaffney, O., and Ludwig, C.: The trajectory of the Anthropocene: The Great  
914 Acceleration. *The Anthropocene Review*, 2, 81–98, <https://doi.org/10.1177/2053019614564785>, 2015.

915 Steffen, W., Richardson, K., Rockström, J., Cornell, S. E., Fetzer, I., Bennett, E. M., Biggs, R., Carpenter, S. R., De Vries,  
916 W., De Wit, C. A., Folke, C., Gerten, D., Heinke, J., Mace, G. M., Persson, L. M, Ramanathan, V., Reyers, B., and Sörlin,  
917 S.: Planetary boundaries: Guiding human development on a changing planet. *Science* 347,  
918 <https://doi.org/10.1126/science.1259855>, 2015.

919 Suwa, R., Nakamura, M., Morita, M., Shimada, K., Iguchi, A., Sakai, K., and Suzuki, A.: Effects of acidified seawater on  
920 early life stages of scleractinian corals (Genus *Acropora*). *Fish. Sci.*, 76, 93–99, 2010.

921 Tachiiri, K., Herran, D. S., Su, X., and Kawamiya, M.: Effect on the Earth system of realizing a 1.5 °C warming climate  
922 target after overshooting to the 2 °C level. *Environ. Res. Lett.*, 14, 124063, [doi:10.1088/1748-9326/ab5199](https://doi.org/10.1088/1748-9326/ab5199), 2019

923 Tanaka K.R. and Van Houtan K. S.: The recent normalization of historical marine heat extremes. *PLOS Clim* 1, e0000007,  
924 <https://doi.org/10.1371/journal.pclm.0000007>, 2022.

925 Thurber, R.V., Mydlarz, L. D., Brandt, M., Harvell, D., Weil, E., Raymundo, L., Willis, B. L., Langevin, S., Tracy, A. M.,  
926 Littman, R., Kemp, K. M., Dawkins, P., Prager, K. C., Garren, M., and Lamb, J.: Deciphering coral disease dynamics:



927 Integrating host, microbiome, and the changing environment. *Front. Ecol. Evol.*, 30  
928 <https://doi.org/10.3389/fevo.2020.575927>, 2020.

929 Toth, L. T., Precht, W. F., Modys, A. B., Stathakopoulos, A., Robbart, M. L., Hudson, J. H., ... & Aronson, R. B. : Climate  
930 and the latitudinal limits of subtropical reef development. *Sci. Rep.*, 11(1), 13044, [https://doi.org/10.1038/s41598-021-](https://doi.org/10.1038/s41598-021-87883-8)  
931 [87883-8](https://doi.org/10.1038/s41598-021-87883-8) 2021.

932 Törnqvist, T. E., Cahoon, D. R., Morris, J. T., and Day, J. W. Coastal wetland resilience, accelerated sea-level rise, and the  
933 importance of timescale. *AGU Advances*, 2, e2020AV000334. <https://doi.org/10.1029/2020AV000334>, 2021.

934 UNEP: Projections of future coral bleaching conditions using IPCC CMIP6 models: climate policy implications,  
935 management applications, and Regional Seas summaries. United Nations Environment Programme, Nairobi, Kenya. 2020.

936 Uthicke, S., Logan, M., Liddy, M., Francis, D., Hardy, N., and Lamare, M.: Climate change as an unexpected co-factor  
937 promoting coral eating seastar (*Acanthaster planci*) outbreaks. *Sci. Rep.*, 2015; 5: 8402. <https://doi.org/10.1038/srep08402>,  
938 2015.

939 Van Hooidek, R., Maynard, J. A., Manzello, D., & Planes, S. : Opposite latitudinal gradients in projected ocean  
940 acidification and bleaching impacts on coral reefs. *Glob. Change Biol.*, 20(1), 103-112, <https://doi.org/10.1111/gcb.12394>  
941 2014.

942 Vaquer-Sunyer, R. and Duarte, C. M.: Temperature effects on oxygen thresholds for hypoxia in marine benthic organisms.  
943 *Glob. Change Biol.*, 17, 1788-1797, 2011.

944 Vercelloni, J., Caley, M. J., and Mengersen, K. L.: Thresholds of Coral Cover that Support Coral Reef Biodiversity. In:  
945 Mengersen, K., Pudlo, P. and Robert, C. (Eds) Case Studies in Applied Bayesian Data Science. *Lect. Notes Math.*, vol  
946 2259. Springer, Cham. [https://doi.org/10.1007/978-3-030-42553-1\\_16](https://doi.org/10.1007/978-3-030-42553-1_16), 2020.

947 Venegas, R. M., Acevedo, J., & Treml, E. A.; Three decades of ocean warming impacts on marine ecosystems: A review  
948 and perspective. *Deep Sea Res. II: Topic. Stud. Oceanog.*, 212, 105318. 2022.

949 Vernimmen, R. and Hooijer, A.: New LiDAR-Based Elevation Model Shows Greatest Increase in Global Coastal Exposure  
950 to Flooding to Be Caused by Early-Stage Sea-Level Rise. *Earth's Future* 11, <https://doi.org/10.1029/2022EF002880>, 2023.

951 Veron, J. E. N., Hoegh-Guldberg, O., Lenton, T. M., Lough, J.M., Obura, D. O., Pearce-Kelly, P., Sheppard, C. R. C.,  
952 Spalding, M., Stafford-Smith, M. G., and Rogers, A. D.: The coral reef crisis: The critical importance of <350 ppm CO<sub>2</sub>,  
953 *Mar. Pollut. Bull.*, 58, 1428-1436, 2009.

954 Virgen-Urcelay, A. and Donner, S. D.: Increase in the extent of mass coral bleaching over the past half-century, based on  
955 an updated global database. *PLoS One* 18, e0281719. <https://doi.org/10.1371/journal.pone.0281719>, 2023.

956 von Schuckmann, K., Cheng, L., Palmer, M. D., Tassone, C., Aich, V., Adusumilli, S., ... & Wijffels, S. E.: Heat stored in  
957 the earth system: Where does the energy go? The GCOS earth heat inventory team. *Earth Syst. Sci. Data Discus.*, 2020, 1-  
958 45. 2020.

959 von Schuckmann, K., Cheng, L., Palmer, M. D., Tassone, C., Aich, V., Adusumilli, S., ... & Wjiffels, S. E.: Heat stored in  
960 the earth system: Where does the energy go? The GCOS earth heat inventory team. *Earth Syst. Sci. Data Discus.*, 2020, 1-  
961 45. 2020.

962 von Schuckmann, K., Minière, A., Gues, F., Cuesta-Valero, F. J., Kirchengast, G., Adusumilli, S., Straneo, F., Ablain, M.,  
963 Allan, R. P., Barker, P. M., Beltrami, H., Blazquez, A., Boyer, T., Cheng, L., Church, J., Desbruyeres, D., Dolman, H.,  
964 Domingues, C. M., García-García, A., Giglio, D., Gilson, J. E., Gorfer, M., Haimberger, L., Hakuba, M. Z., Hendricks, S.,  
965 Hosoda, S., Johnson, G. C., Killick, R., King, B., Kolodziejczyk, N., Korosov, A., Krinner, G., Kuusela, M., Landerer, F.  
966 W., Langer, M., Lavergne, T., Lawrence, I., Li, Y., Lyman, J., Marti, F., Marzeion, B., Mayer, M., MacDougall, A. H.,  
967 McDougall, T., Monselesan, D. P., Nitzbon, J., Ootosaka, I., Peng, J., Purkey, S., Roemmich, D., Sato, K., Sato, K., Savita,  
968 A., Schweiger, A., Shepherd, A., Seneviratne, S. I., Simons, L., Slater, D. A., Slater, T., Steiner, A. K., Suga, T., Szekely,  
969 T., Thiery, W., Timmermans, M.-L., Vanderkelen, I., Wjiffels, S. E., Wu, T., and Zemp, M.: Heat stored in the Earth system  
970 1960–2020: where does the energy go?, *Earth Syst. Sci. Data*, 15, 1675–1709, <https://doi.org/10.5194/essd-15-1675-2023>,  
971 2023.

972 Walker, A. S., Kratochwill, C. A., & van Woesik, R. : Past disturbances and local conditions influence the recovery rates  
973 of coral reefs. *Global Change Biology*, 30(1), e17112, <https://doi.org/10.1111/gcb.17112> 2024.

974 Wang, S., Foster, A., Lenz, E. A., Kessler, J. D., Stroeve, J. C., Anderson, L. O., ... & Hausfather, Z. Mechanisms and  
975 impacts of Earth system tipping elements. *Rev. Geophys.*, 61(1), e2021RG000757. (2023).

976 Weber, M., De Beer, D., Lott, C., Polerecky, L., Kohls, K., Abed, R. M., Ferdelman, T. G., and Fabricius, K. E.:  
977 Mechanisms of damage to corals exposed to sedimentation. *Proc. Natl. Acad. Sci. USA*, 109, 1558-1567, 2012.

978 Wilkinson, C.: Global and local threats to coral reef functioning and existence: review and predictions. *Mar. Freshw. Res.*,  
979 50, 867-878, <https://doi.org/10.1071/MF99121>, 1999.

980 Woodroffe, C. D., & Webster, J. M. : Coral reefs and sea-level change. *Mar. Geolog.*, 352, 248-267  
981 <https://doi.org/10.1016/j.margeo.2013.12.006> 2014.

982 Wunderling, N., Winkelmann, R., Rockström, J., Loriani, S., Armstrong-McKay, D., Ritchie, P., Sakschewski, B., and  
983 Donges, J.: Global warming overshoots increase risks of climate tipping cascades in a network model. *Nat. Clim. Chang.*,  
984 13, 75–82, <https://doi.org/10.1038/s41558-022-01545-9>, 2023.

985 Zhang, Z., Poulter, B., Feldman, A.F. et al.: Recent intensification of wetland methane feedback. *Nat. Clim. Chang.* 13,  
986 430–433. <https://doi.org/10.1038/s41558-023-01629-0>. 2022.

987 Zuo, X.; Su, F.; Yu, K.; Wang, Y.; Wang, Q.; Wu, H.: Spatially Modeling the Synergistic Impacts of Global Warming and  
988 Sea-Level Rise on Coral Reefs in the South China Sea. *Remote Sens.* 2021, 13, 2626. <https://doi.org/10.3390/rs13132626>