

# Absence of causality between seismic activity and global warming

Mikhail Y. Verbitsky<sup>1,2</sup>, Michael E. Mann<sup>3</sup>, and Dmitry Volobuev<sup>4</sup>

<sup>1</sup>Gen5 Group, LLC, Newton, MA, USA

<sup>2</sup>UCLouvain, Earth and Life Institute, Louvain-la-Neuve, Belgium

<sup>3</sup>University of Pennsylvania, Department of Earth and Environmental Science, Philadelphia, PA, USA

<sup>4</sup>The Central Astronomical Observatory of the Russian Academy of Sciences at Pulkovo, Saint Petersburg, Russia

Correspondence: Mikhail Y. Verbitsky (verbitskys@gmail.com)

**Abstract.** There is no more consequential scientific matter today than global warming. The societal and policy implications, however, hinge upon the attribution of that warming to human activity, and specifically, continued societal reliance on the burning of fossil fuels. It was recently suggested that this warming can be explained by the non-anthropogenic factor of seismic activity. If that were the case, it would have profound implications. We have accessed the validity of the claim using a statistical technique (the method of conditional dispersion) that evaluates the existence of causal connections between variables, finding no evidence for any causal relationship between seismic activity and global warming.

The anthropogenic cause of planetary warming during the industrial era is well established (e.g., Stocker et al, 2014). That does not mean, however, that alternative hypotheses challenging an anthropogenic cause of observed warming shouldn't be evaluated on their merit. It has been recently proposed that the warming (particularly in polar regions) can be attributed to tectonic waves caused by large earthquakes and by the subsequent destruction of the microstructure of gas hydrates and release of the methane (Lobkovsky et al, 2022). To test this hypothesis, we apply the Method of Conditional Dispersion (Čenys et al., 1991, Verbitsky et al, 2019) to explore a potential causal relationship between temperature and global seismic activity. The method has been proved to be more general and noise resistant than convergent cross-mapping techniques and more general than prediction improvement approaches because it is insensitive to the choice of the prediction scheme. Briefly, the method assumes that if two variables are dependent (or in other words, the causality in Wiener's definition exists), then they belong to the same dynamical system and therefore if points of the first variable (e.g., seismicity index) are close, the synchronous points of the second variable (e.g., temperature) should also be close. Thus, the dependence of the conditional dispersion  $\sigma(\varepsilon)$  of the temperature variable upon the distance  $\varepsilon$  between synchronous points of the seismic-activity variable becomes a signature of causal relationship between the temperature and the seismic activity. Specifically, if the seismic activity is the cause of warming, then the conditional dispersion  $\sigma(\varepsilon)$  of the temperature variable should decrease when the distance  $\varepsilon$  between synchronous points of the seismic-activity variable decreases.

In Figure 1 we present the results of the conditional dispersion calculations together with the data. Specifically, we use the earthquake magnitude data (Ammon et al, 2010) supplemented by the most recent fragment from the IRIS DMC database ([https://ds.iris.edu/wilber3/find\\_event](https://ds.iris.edu/wilber3/find_event)). We defined the seismicity index as expected maximum values of crustal deformation, described by the empirical law of Okada (1995), i.e.,  $\lg(U_{max}) = 1.5M - 2\lg R - 6.0$ , where  $U_{max}$  (cm) are expected maximum values of crustal deformation,  $M$  is earthquake magnitude, and  $R$  (km) is hypocentral distance to the region of interest. Based on this law, we created three seismicity indexes: (a) in the first one, only the earthquake magnitude  $M$  is taking into account, and the hypocentral distance  $R$  is used only as a scaling constant; (b) in the second index, both earthquake magnitude  $M$  and the hypocentral distance  $R$  to the North Pole are accounted for, and (c) the third index accounts for both earthquake magnitude  $M$  and the hypocentral distance  $R$  to the South Pole. The Global Land-Ocean Temperature Index (Hansen et al, 2010, Lenssen et al, 2019, <https://data.giss.nasa.gov/gistemp/>) has been used as the global temperature data  $T_{GI}$ .

49 It can be seen that for all three seismicity indexes, the conditional dispersion of global temperature  
50 anomalies  $\sigma(\varepsilon)$  is independent of  $\varepsilon$  where  $\varepsilon$  is the distance between synchronous points of a seismicity  
51 index. In other words, *there is no causal relationship between seismic activity and global warming*. For  
52 comparison, we show in Figure 1 the conditional dispersions of global temperature anomalies where  $\varepsilon$  is  
53 the distance between synchronous points of atmospheric CO<sub>2</sub> concentration. The causality between  
54 atmospheric carbon dioxide concentration and temperature anomalies, by contrast, is clear.

55 In conclusion, there is no statistical support for the proposition that seismic activity is a cause of  
56 large-scale warming in recent decades. A parallel analysis of CO<sub>2</sub> and temperature supports the prevailing  
57 hypothesis that this warming is substantially caused by an increase in greenhouse gas concentrations from  
58 fossil fuel burning.

#### 59 **Data availability**

60 This paper refers exclusively to published research articles and their data. We refer the reader to the cited  
61 literature for access to data.

#### 62 **Author contributions**

63 MYV conceived the research, DV performed the computations. MYV, MEM, and DV jointly discussed  
64 the findings and contributed equally to writing of the manuscript.

#### 65 **Competing interests**

66 The contact author has declared that the authors have no conflict of interest.

#### 67 **References**

68 Ammon, C.J., Lay, T. and Simpson, D.W.: Great earthquakes and global seismic networks. *Seismological*  
69 *Research Letters*, 81(6), 965-971, 2010.

70 Čenys, A., Lasiene, G., and Pyragas, K.: Estimation of interrelation between chaotic observables, *Physica*  
71 *D*, 52, 332–337, 1991.

72 Hansen, J., Ruedy, R., Sato, M. and Lo, K.: Global surface temperature change. *Reviews of Geophysics*,  
73 48(4), [doi.org/10.1029/2010RG000345](https://doi.org/10.1029/2010RG000345), 2010.


74 Lenssen, N.J., Schmidt, G.A., Hansen, J.E., Menne, M.J., Persin, A., Ruedy, R. and Zyss, D.:  
75 Improvements in the GISTEMP uncertainty model. *Journal of Geophysical Research: Atmospheres*,  
76 124(12), 6307-6326, [doi:10.1029/2018JD029522](https://doi.org/10.1029/2018JD029522), 2019.

77 Lobkovsky, L.I., Baranov, A.A., Ramazanov, M.M., Vladimirova, I.S., Gabsatarov, Y.V., Semiletov, I.P.  
78 and Alekseev, D.A.: Trigger mechanisms of gas hydrate decomposition, methane emissions, and glacier  
79 breakups in polar regions as a result of tectonic wave deformation. *Geosciences*, 12(10), 372, 2022.


80 Okada, Y.: Simulated empirical law of coseismic crustal deformation. *Journal of Physics of the Earth* 43,  
81 6, 697-713, 1995.

82 Stocker, T. (Ed.): *Climate change 2013: the physical science basis: Working Group I contribution to the*  
83 *Fifth assessment report of the Intergovernmental Panel on Climate Change*, Cambridge University Press,  
84 Chapter 10: Detection and Attribution of Climate Change: from Global to Regional, 867–952, 2014.

85 Verbitsky, M. Y., Mann, M. E., Steinman, B. A., and Volobuev, D. M.: Detecting causality signal in  
86 instrumental measurements and climate model simulations: global warming case study, *Geosci. Model*  
87 *Dev.*, 12, 4053–4060, <https://doi.org/10.5194/gmd-12-4053-2019>, 2019.



99  
100



101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111

**Figure 1.** (a) Global temperature anomalies data; (b) Earthquake magnitude data of Ammon et al (2010), **dark blue**, supplemented by the most recent fragment from the IRIS DMC database ([https://ds.iris.edu/wilber3/find\\_event](https://ds.iris.edu/wilber3/find_event), **black**); (c) The seismicity index with only earthquake magnitudes  $M$  taken into account, **blue**; (d) The seismicity index where earthquake magnitudes  $M$  and the hypocentral distance  $R$  to the North Pole are accounted for, **yellow**; (e) The seismicity index where earthquake magnitudes  $M$  and the hypocentral distance  $R$  to the South Pole are accounted for, **dark green**; (f) Conditional dispersions of global temperature anomalies  $\sigma(\epsilon)$ , where  $\epsilon$  is the distance between synchronous points of a seismicity index of a corresponding color and conditional dispersion of global temperature anomalies  $\sigma(\epsilon)$ , where  $\epsilon$  is the distance between synchronous points of atmospheric  $\text{CO}_2$  concentration, **green circled line**.